

Annex B2 - Product environmental attributes Servers/Data Storage Products

The declaration may be published only when all rows and/or fields marked with * are filled-in (N/A for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo ThinkSystem	Logo
Company name *	Lenovo	
Contact information *	Lenovo DCG Storage Development	
e-mail address	Rick Lin	
	Lenovo Taiwan Branch	Lenovo
	8F., No. 66, Sanchong Rd.,	
	Nangang Dist., Taipei City, Zipcode: 11502	
	Rlin12@lenovo.com	
Internet site *	https://www.lenovo.com/us/en/about/sustainability	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Data Storage			
Commercial name *	DM7100H			
Model number *	7D26			
Issue date *	02/05/2020			
Intended market *	🛛 Global 🛛 Europe 🛛 Asia, Pacific & Japan 🔀 Americas 🗌 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	7D26	Logo			
Issue date *		02/05/2020		Leno	JVC	
Produc	t environ	mental attributes - Legal requirements		Require	ment	t met
ltem				Yes	No	N/A
P1		ous substances and preparations				
P1.1*	Products	o comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).	lorinated	\boxtimes		
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in	the 🔀		
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/we	ek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/sustainability-resources	contact):	\boxtimes		
P2	Batterie					
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	the disposal	\boxtimes		
P2.2*	Batteries	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See leg	gal 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P2.4*	Docume	ntation includes the number of cycles the (secondary) battery can withstand. (See I	egal referenc	e) 🔀		
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference)					
P3	Conform	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at: https://www.lenovo.com/us/en/compliar				
P3.2*		duct complies with the Eco design requirements for energy-related products, all reference).		\boxtimes		
	Require	d information is; given in item P15 or added to this document, available at: <u>https://www.lenovo.com/us/en/compliance/e</u>	non donlaratio			
P5	Product	packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury	y, cadmium	and 🔀		
		ent chromium by weight of these together.				
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).				
P5.3*	(see leg	luct packaging material is free from ozone depleting substances as specified in the N al reference). nt: Legal reference has no maximum concentration values.	/lontreal Proto	ocol 🔀		
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				
10.1	mornat	on to recyclerate authent lacing a valiable (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	7D26	Logo			
Issue da	ite *	02/05/2020		Len	ovc	DTH
Product	t environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require		
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	N/A
P7.1*		Disassembly, recycling thave to be treated separately are easily separable				
P7.2*		aterials in covers/housing have no surface coating.			╞	╞
P7.3*		arts > 100 g consist of one material or of easily separable materials.			╞	⊢⊢
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			╞	╞
P7.5	•	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools		╞	╞
P7.6*	-	re easily separable. (This requirement does not apply to safety/regulatory labels).			╞	╞
17.0	Product					
P7.7*		ig can be done e.g. with processor, memory, cards or drives				
P7.8*		g can be done using commonly available tools			╞	╶╞┤╴
P7.9		Ints are available after end of production for: 5 years				⊢⊢
P7.10		s available after end of production for: 5 years				╞
1 1.10		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
			al type:			
P7.12		n materials of external electrical cables are PVC free.			\square	
P7.13		n materials of internal electrical cables are PVC free.				
P7.14	weight (´ polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flam chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i n 25% post-consumer recycled content.	e retardants, ar	nd 🔼		
P7.15		ircuit boards, PCBs (without components) are low halogen: all \square PCBs > 25 g \square ed in IEC 61249-2-21. (See ⁵ NOTE B2)	are low haloge	n	\boxtimes	
P7.16	Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				\square
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c additive), TBBPA (reactive) (See NOTE B3), Other: chemical name:	omponents): , CAS #:			\boxtimes
		nemical specifications of flame retardants in printed circuit boards (without compon g ISO 1043-4: Only MIDPLANE,440MMX81MM,6MM" includes halogen. All oth free.		\boxtimes		
P7.18	concentr 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations	in		
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104				
P7.19	•	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	h have been			\boxtimes
	-	the following Risk phrases; and Hazard statements:				
P7.20*		ce(s) for these classifications is/are found at (add URL(s)): , (S sumer recycled plastic material content is used in the product (See Note B6):	See note B5)			
	lfYES;a a) Oft ape or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conter ercentage of total plastic by weight) is %.	nt (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	7D26	Logo	Lenovo
Issue date *	02/05/2020		LEIIOVO
Product environmental attributes - Market requirements (continued)			Requirement met

Requirement met Yes No N/A

	Material and su	bstance requirements	(continued)						
P7.21*		material content is used		OTE B7):					
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of								
		by weight) is %.	the biobased plastic m	laterial content (calcula	led as a percentage of				
	or	, , , , , , , , , , , , , , , , , , ,							
		of the biobased plastic r							
P7.22*	0	e free from mercury, i.e.	, 0 1						
D7 00*	If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg If product includes an integral display, the total mercury content in the integrated display: mg								
P7.23*		es an integral display, th	e total mercury content	in the integrated displa	ay: mg				
P8	Batteries								
P8.1*		composition: Magnesiu	Im Dioxide Lithium						
P9		ption (See NOTE B8)							
P9.1		he following power level Power level at	s or energy consumption Power level at	ons are reported: Power level at	Reference/Standard for energy				
Energy mo	ue	100 V AC	115 V AC	230 V AC	Reference/Standard for energy modes and test method *				
Peak (On-r	max)	1857 W	1825 W	1771 W	Full load				
	,								
<u>Categor</u>									
EPS No-loa		W	W	W					
(External power supply / charger plugged in the wall									
	isconnected from								
the product									
PTEC *	,	W	W	W	\square				
	ergy Consumption								
ETEC *		kWh/year	kWh/year	kWh/year					
	ergy Consumption	ency Level (International	Efficiency Marking Dr	ataool) * :					
	,		Eniciency Marking Pro						
Display res		megapixels							
	e to enter energy								
P9.2*	Information abou	it the energy save function	on is provided with the	product.					
P9.3	Energy efficiency	y class (monitors only):							
P10	Emissions								
D40.4		 Declared according to 	ISO 9296 (See NOTE						
P10.1	Mode Idle	Mode description * 35% loading		* 6.3	t A-weighted sound power level, <i>L_{WA,c}</i> (B)				
				* 6.4					
	Operation	* 35% loading Declared A-weighted soun	d ((
	Other mode	L_{pAm}	a pressure level (ab)	8.5 (operator position	on desktop – idle)				
	Other mode	Declared A-weighted soun L_{pAm}	d pressure level (dB)	8.5 (operator position desktop – operating)					
	Measured accor		ECMA-74						
	Measured accord	Other	(only if not covered by	ECMA-74)					
	Electromagneti			,					
P10.4	P10.4 Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary								
	program(s):					_			

Item

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$

Model nu	mber *	7D26				Logo			
Issue dat	e *	02/05/2020					Lenc	VO	тн
Product	environr	nental attribu	tes - Market requiremen	ts (continued)			Require	ment	met
Item							Yes	No	N/A
P12	Ergono	nics for compu	ting products						
P12.1*	The disp	lay meets the er	gonomic requirements of IS	O 9241-307 for visual of	display technolo	gies.			
P12.2*	The phy	sical input device	e meets the requirements of	ISO 9995 and ISO 924	11-410.				
P13	Packagi	ng and docume	entation						
P13.1*	Product	, packaging mate		eight (kg): 1.55 eight (kg): 9.10 E/EPE weight (kg): 0.	38				
P13.2*			ackaging is free from PVC.	0 (0)			\square		
P13.3*		luct primary cor er recovered fibe	rugated fiberboard packagir r content: 35 %	ng, specify the contain	ned percentage	of minimum			
P13.4*		media for user a ronic, ⊠Paper,	nd product documentation (ti	ck box):					
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:								
	Totally chlorine-free								
		ed chlorine-free					H		
P14		ry programs							
P14.1	The prod	duct meets the re	equirements of the following	voluntary program(s):					
		Y STAR®	Criteria version:	Date:		category:			
	Eco-labe Eco-labe		Criteria version: Criteria version:	Date: Date:	Product	category:			
P15			(See NOTE B10)	Date.	TIOUUCI	category.			
P9			f computer products; desc	ription of the tested i	product config	uration			
	NOTE: S the info supplied informa	Supplier makes rmation contair r's knowledge a tion. The inforn	no representations, guara ned in this document. All in vailable at the time of com nation provided here is app e for more information.	ntees, assurances or formation provided k pletion, and supplier	warranties wh by supplier in th shall have no	ether expres his documen obligation to	t is provided update such	based	don
P9	See Ene	ergy Star Qualif	ied Enterprise Servers for .gov/products/data_center						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5, P3.1, P3.2, P7.23, P9.1
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	

Lenovo ErP Lot9 Information Sheet - Servers & Storage Products-

As required by COMMISSION REGULATION (EU) 2019/424 of 15 March 2019 laying down ecodesign requirements for servers and data storage products pursuant to Directive 2009/125/EC of the European Parliament and of the Council and amending Commission Regulation (EU) No 617/2013. (ErP Lot9)

Products scope of this sheet: Servers & storage products

This document is only valid in connection with the IT Eco Declaration of the specific Product.

SERVERS

General information			
Commercial name (3.1 (b))	DM7100H	Logo	
Contact Address (3.1 (b))	Lenovo Taiwan Branch, 8F., No. 66, Sanchong Rd., Nangang		
	Dist., Taipei City, Zipcode: 11502		Lenovo
Model Number (3.1 (c))	7D26		Lenovo.
Issue Date	02/05/2020		
Additional information			

Product	environmental attributes (EU) 2019/424 – Annex II points 3.1 and 3.3				
1.a	Is the product consider to be in scope of ErP Lot 9 in scope out of scope, product is out of scope as:				
1.b (3.1 (a))	Server type Rack Server High Performance Computing (HPC) Tower Server Multi Node Server Blade Server Data Storage product (Please go to "DATA STORAGE PRODUCTS" section				
1.c (3.1 (d))	Year of manufacture: 2020				
1.d (3.1 (p))	Product model part of a server product family? No Yes				
1.e (3.1 (n))	Information on the secure data deletion functionality (a) instructions on how to use the functionality: (b) techniques used: (c) supported secure data deletion standard (if any): OR - Reference to other information:				
1.f (3.1 (o))	Blade servers? No Yes list of recommended combinations with compatible chassis:				
Recyclin	ig Data				
2.a (3.3 (a))	Indicative weight range at component level, of the following critical raw materials: (a) Cobalt in the batteries (b) Neodymium in the HDDs Image: Strain S g Iess than 5 g Iess than 5 g Iess than 5 g Image: Strain S g Iess than 5 g Iess than 5 g Iess than 5 g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g Image: Strain S g				
2.b (3.3 (b))	Instructions on the disassembly operations (a) the type of operation; (b) the type and number of fastening technique(s) to be unlocked; (c) the tool(s) required. OR - Reference to other information:				
2.c	Firmware				
	Reference to information on last available firmware:				
Additiona	Additional information				

DATA STORAGE PRODUCTS

Commercial name (3.2 (b))	DM7100H	Logo
Contact Address (3.2 (b))	Lenovo DCG Storage Development Rick Lin Lenovo Taiwan Branch 8F., No. 66, Sanchong Rd., Nangang Dist., Taipei City, Zipcode: 11502 Rlin12@lenovo.com	Lenovo
Model Number (3.2 (c))	7D26	
Issue Date	02/05/2020	
Additional information		

Due du et e	
A.1	environmental attributes (EU) 2019/424 – Annex II points 3.2 and 3.3
A.1 A.2	Is the product consider to be in scope of ErP Lot 9 🖄 in scope 🗌 out of scope Product is out of scope as:
A.2 (3.2 (a))	Data Storage type Online Data Storage Product Small Data Storage Product Large Data Storage Product
A.3 (3.2 (d))	Year of manufacture: 2020
A.4	PSU efficiency at 10 % (if applicable), 20 %, 50 % and 100 % of rated output power
(3.2 (e))	(expressed in % and rounded to the first decimal place): : <mark>N</mark> Multi-output X Single-output 20% 92.7 50% 94.4 100% 92.7 Average
A.5 (3.2 (f))	Power factor at 50 % of the rated load level (rounded to three decimal places) 1.000
A.6 (3.2 (g))	Operating condition class A1 🛛 A2 🗌 A3 🗌 A4 (as defined in Table 6 or ErP lot 9)
	Exception comments
	This product has been tested in order to verify that it will function within the boundaries (such as temperature and humidity) of the declared operating condition class.
A.6	Information on the secure data deletion tool(s)
(3.2 (h))	 (a) instructions on how to use the functionality: Follow DM series security hardening guide for ontap9 via https://download.lenovo.com/storage/lenovo_dm_series_security_hardening_guide_for_ontap9.pdf from datacenter support (b) techniques used: ONTAP 9 feature:
	1) Securely purges the deleted files on vol1 on SVM vs1: cluster1::> volume encryption secure-purge start -vserver vs1 -volume vol1 2) Overridden by entering the following command: (Starting from Ontap 9.7) cluster1::*> options -option-name encryption.data_at_rest_encryption.disable_by_default true
	(c) supported secure data deletion standard (if any): Secure Erase/block Erase/Crypto Erase, Sanitize
	OR - Reference to other information:
RECYCL	ING DATA
B.1 (3.3 (a))	Indicative weight range at component (a) Cobalt in the batteries (b) Neodymium in the HDDs level, of the following critical raw
	materials: 📃 less than 5 g
	📃 between 5 g and 25 g
	🔀 above 25 📃 above 25
B.2 (3.3 (b))	 Instructions on the disassembly operations (a) the type of operation; Refer to the installation guide, use reverse process. https://datacentersupport.lenovo.com/tw/zh/products/storage/lenovo-storage/thinksystem- dm7100h/7d26/documentation (b) the type and number of fastening technique(s) to be unlocked; Refer to the installation guide. (c) the tool(s) required. Phillips screwdriver, Flat blade screw driver, Hex driver, Torx driver, and Allen wrenches of appropriate size
	OR - Reference to other information:
B.3	Firmware
	Reference to information on last available firmware: https://datacentersupport.lenovo.com/uu/en/products/storage/lenovo-storage/thinksystem-DM7100H/7D26/downloads/driver- list/component?name=Product%20Firmware
	After EOL'ed, firmware would be available at: https://download.lenovo.com/eol/index.html
Additional	information