

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs		Lenovo		
e-mail address	Alvin L Carter	LEIIOV			
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html			
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	All in One Computer				
Commercial name *	IdeaCentre AIO 3 27"				
Model number *	FOEY				
Issue date *	2020/4/10				
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	F0EY Logo			
Issue dat	e *	2020/4/10	Leng	JVC	Тн
Product	environ	mental attributes - Legal requirements	Require	ment	met
Item			Yes	No	n.a.
P1	Hazardo	bus substances and preparations			
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated /l (PCT) in preparations (see legal reference).	\square		
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	\boxtimes		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	\square		
P2	Batterie	s			
P2.1*	symbol.	oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference) ww.lenovo.com/us/en/social responsibility/EU DoC desktops			
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal e)	\square		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Conform	nity verification & Eco design (ErP)			
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at: <u>https://www.lenovo.com/us/en/compliance/eu-doc</u>	\boxtimes		
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).	\boxtimes		
	-	d information is; given in item P15 or added to this document,	\boxtimes		
P5	Product	available at: https://www.lenovo.com/us/en/compliance/eco-declaration	\square		
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury, cadmium and			
	hexavale	ent chromium by weight of these together.			
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature of the material(s e legal reference).			
P5.3*	Protocol Commer	duct packaging material is free from ozone depleting substances as specified in the Montrea (see legal reference). nt: Legal reference has no maximum concentration values.			
P6		nt information			
P6.1*	Informati	ion for recyclers/treatment facilities is available (see legal reference).	\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		F0EY	Logo			
Issue dat	:e *	2020/4/10		Len	ovc	TM
Product		mental attributes - Market requirements (See General NOTE GN	· ·	_		
		onmental conscious design		Require		
Item P7		tory to fill in. Additional information regarding each item may be found under P14. Disassembly, recycling		Yes	No	n.a.
P7.1*		at have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.			╞	╞
P7.3*		arts > 100 g consist of one material or of easily separable materials.			++-	╞
P7.4*	-	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u> </u>	+
P7.5	-		<u> </u>	╞		
P7.6*		arts are free from metal inlays or have inlays that can be removed with commonly a re easily separable. (This requirement does not apply to safety/regulatory labels).			╘	╞
F7.0						
P7.7*	Product	ng can be done e.g. with processor, memory, cards or drives				
P7.8*		ng can be done using commonly available tools				╞
P7.9		arts are available after end of production for: 5 years				╞
P7.10		is available after end of production for: 5 years				╞
17.10		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
			al type: PC			
P7.12	Insulatio	n materials of external electrical cables are PVC free.			\boxtimes	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.			\boxtimes	
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame				
	polyvinyl	chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) ng more than 25% post-consumer recycled content.	,			
P7.15		circuit boards, PCBs (without components) are low halogen: all \fbox PCBs > as defined in IEC 61249-2-21. (See 1NOTE B2)	25 g 🗌 are lov	N	\square	
P7.16		etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: >ABS<,>ABS+PC-FR(40)<		\square		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	omponents):	\boxtimes		
	accordin	nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	, 0			\square
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%:	es/preparations i	n		
		ical name:, CAS #: (See NOTE B4)				
		ical name: , CAS #: (See NOTE B4)				
	3. Chem	ical name: , CAS #: (See NOTE B4)				
	<u>Alt. 2: </u> Cl FR(40)<	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4: >ABS+PC-			
P7.19		e parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements:	n have been			\boxtimes
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)					
P7.20*	Postcon	sumer recycled plastic material content is used in the product (See Note B6):		\bowtie		
	a) Of t a po or	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is 3.25% . (black) 3.25% . (White) e weight of recycled material is 112.9 g. (black) 112.9 g. (White)	t (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * F	OEY				Logo		
Issue date * 2	020/4/10					Lenov	Отм
Product environme	ntal att	ributes - Market re	equirements (conti	nued)		Requireme	nt met
Item	intar att		qui entente (eenti	illiouj		Yes No	n.a.
	nd subst	tance requirements	(continued)			100 110	····a
			in the product (See N	OTE B7):			
		ee from mercury, i.e. pecify: Number of lan	less than 0,1 mg/lamp. nps: and maxim	ium mercury content pe	r lamp: mg		
P8 Batteries			<u> </u>				
P8.1* Battery che	emical co	mposition: Lithium M	langanese Dioxide				
P9 Energy co	nsumpti	ion (See NOTE B8)					
P9.1 For the pro	duct the	following power levels	s or energy consumpti	ons are reported:			
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Stand modes and test	lard for energy method *	
Peak (On-max)		74.21W	74.21W	74.21W	Full load		
Category2		W	W	W			
Short Idle State - WOL Enabled		16.1W	16.3W	17.4W	Use for ENERG registration (Pig	lle)	
Long Idle State - WOL Enabled		5.04W	4.7W	4.59W	Use for ENERG registration (Pid		
Sleep (S3) - WOL Enal	bled	0.77W	0.79W	0.77W	Use for ENERG registration (P _s		
Off (S5) - WOL Enable	ed	0.4 W	0.41W	0.42W	Use for ENERG registration (P _o		
Off (S5) - WOL Disable	ed	0.403 ₩	0.403W	0.403W	Use for ErP		
Category1							
Short Idle State - WOL Enabled	_	15.5W	15.8W	17.6W	Use for ENER registration (Pig	RGY STAR V8.0 ne)	
Long Idle State - WOL Enabled		4.34W	4.14W	4.84W	Use for ENER registration (Pid	RGY STAR V8.0 IIe)	
Sleep (S3) - WOL Ena	bled	0.75W	0.77W	0.75W	Use for ENER registration(P _{sk}	RGY STAR V8.0	
Sleep (S3) - WOL Disa	abled	0.78W	0.78W	0.78W	Use for ErP		
Off (S5) - WOL Enable	ed	0.4 W	0.42 W	0.42 W	Use for ENER registration(Por	GY STAR V8.0	
Off (S5) - WOL Disable	ed	0.41W	0.41W	0.41W	Use for ErP		
EPS No-load (External power supply / charger plug wall outlet but disconnected from the	ged in the	0.126 W	0.126 W	0.157 W			
PTEC *		W	W	W			\boxtimes
Typical Energy Consum	nption	0 50 40 1047 /	0.50.57.114.1			00) (D 0.17	
ETEC * Annual Energy Consum	nption	2 : 50.18 kWh/year 1: 48.11 kWh/year	2 : 50.57 kWh/year 1: 48.84 kWh/year	2 : 53.39 kWh/year 1: 53.97 kWh/year	ETEC = (8760/10) Psleep x 0.45 + P Pshort_Idle x 0.30)	00) x (P _{off} x 0.15+ long_Idle x 0.10+	
				: Sleep Mode(S3) - WOL	Enabled; P _{idle} : Idle		d
External Power Supply	International En Marking Protoc Power Supplies	ol for External					
Display resolution * : 2.07 megapixels							
Default time to enter en	-						\neg
P9.2* Information							
P9.3 Energy effic	ciency cl	ass (monitors only):					\square

P10 Emissions

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

	Noise emission – Declared according to ISO 9296 (See NOTE B9)							
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound power level, L _{WA,c} (B)					
	Idle	* HDD:Idle	* 3.0					
	Operation	* HDD: Operating	* 2.9					
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p\rm Am}$	m 21.0 (operator position desktop – idle)					
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p\rm Am}$	19.1 (operator position desktop – operating)					
	Measured according to: 🛛 ISO 7779 🗌 ECMA-74							
	Other (only if not covered by ECMA-74)							

Model nu	umber *	FOEY				Logo			
Issue da	te *	2020/4/10					Len	ovo	тм
Product	environr	nental attribute	es - Market requireme	ents (conti	nued)		Requi	rement	tmet
Item			•	•			Yes	s No	n.a.
		nagnetic emissi							
P10.4		er display meets t (s): BSMI,CE,FC	he requirement for low fre <mark>C,VCCI,C-Tick</mark>	equency elec	tromagnetic field	s of the following volun	tary 🔀		
P12		mics for comput							
P12.1*	The disp	lay meets the erg	onomic requirements of I	SO 9241-30	7 for visual displa	y technologies.			
P12.2*	The phy	sical input device	meets the requirements of	of ISO 9995	and ISO 9241-41	0.			
P13	Packagi	ng and docume	ntation						
P13.1*	Product			box we weight (kg): weight (kg):					
P13.2*			ckaging is free from PVC				\square		
P13.3*		duct primary correct recovered fiber	ugated fiberboard packag content: 80 %	ging, specify	the contained p	percentage of minimur			
P13.4*		media for user an ronic, 🔀 Paper, [d product documentation Other	(tick box):					
P13.5	Úser and		s item if paper documenta Intation on paper media is		e:				
	,	hlorine-free al chlorine-free							
	Process	ed chlorine-free						l	
P14	Volunta	ry programs							
P14.1	The proc	duct meets the red	quirements of the following	g voluntary p	orogram(s):				
	Eco-labe Eco-labe	el:	Criteria version: 8.0 Criteria version: Criteria version:	D	ate: 2020.3.26 ate: ate:	Product category: 1 Product category: Product category:	§ 2		
P15		nal information (a a vintia n af tha	tootod nuoduot oonfi			
P9	CPU : i7 :WIN10	-10700T & Penti	specific configuration n um-G6400T ; GPU : AM	ID Radeon (TM) 625; RAM : 6	8+8G ; Storage : 1T H	DD +512G SS		
	informat knowled	ion contained in the ge available at the line is approximation of the second seco	o representations, guarant his document. All informat e time of completion, and late and provided for infor	tion provided supplier sha	by supplier in th Il have no obligat	is document is provided tion to update such info	d based on su ormation. The	pplier's information	
P9			I Notebooks & Tablet Con //index.cfm?fuseaction=fir						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaCentre AIO 3 27"	Logo
Model Number	FOEY	
Issue Date	2020/4/10	Lenovo
Additional information	Energy Star	

P7.1.1	Product environmental attributes							
(d)	year of manufacture:				2020			
(e)	Etec value (kWh) per ErP Lot 3 Categor disabled and if the system is tested with				cards (dGfx) are			
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	ry and capability adjust	ments applied when a	II discrete graphics o	cards (dGfx) are			
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)			
	Memory over base [GB]		16		16			
ents sting	Additional internal storage	(Yes / No)	Yes (Yes / No)	(Yes / No)	Yes (Yes / No)			
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)			
ability a	Discrete Audio Card	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)			
cap	Discrete graphics Card(s) [number / #]	#: (Yes / No)	Yes #: (Yes / No)	#: (Yes / No)	Yes #: (Yes / No)			
	Category of discrete graphics Card(s)		G2		G2			
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)		N/A		N/A			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		17.95		18.51			
(g)	Idle state power demand (Watts);		I		B: 4.48W; D: 4.63W			
(h)	Sleep mode power demand (Watts);			E	3: 0.742W; D: 0.81W			
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);	E	3: 0.737W; D: 0.77W			
(j)	Off mode power demand (Watts);			В	: 0.392W; D: 0.398W			
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		B: 0.4W; D: 0.401W			
(I)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output powe	er (if applicable):				
	10% 20% 50%	100% Avera	ige					
(m)	External power supply efficiency (if appli	cable)*:						
	Average active efficiency: 120W Level	VI (89.8%)						
	*internal note: show values for all available external p							
(0)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to n	otebook computers):	NA			
(p-1)	Measurement methodology used to dete	ermine information mer NA	itioned in points (I) – ir	nternal PSU efficiency				
(p-2)	 Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: <i>refer to EN 50563:2011 External a.c. — d.c. and a.ca.c. power supplies</i> 							

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: NA					
(p-4)			y used to determine information menti P9.1 in the Product IT Eco Declaratior		naximum, idle, sleep, off mode	
	Refer to IEC 6262	3:20	13-Desktop and notebook computer	s- Meas	urement of energy conmumption	
(q)	Sequence of steps for	r ach	ieving a stable condition with respect t	o power	demand::	
	Based on user manual/Power on->Wait 5 minutes->Stable condition					
(r)	Description of how sleep and/or off mode was selected or programmed:					
	Base	ed or	n user manual/Begin menu -> Power	-> Seled	ct sleep or off mode	
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:					
	Based on user ma	nual	/Control Panel->Power Options-> Cl for this plan	hange S	ettings-> Restore default settings	
(t)			ndition before the computer automa exceed the applicable power demand r			25 minutes
(u)	Length of time after	a pe	riod of user inactivity in which the cover demand requirement than sleep	compute	r automatically reaches a power	
(v)	Length of time befo	re th	e display sleep mode is set to activa	ate after	user inactivity (in minutes):	10 minutes
(w)	Information on the er	ergy	-saving potential of power managemer	nt functio	nality:	
			NA			
(x)	User information on I	now te	o enable the power management funct	ionality:		
			Based on user manual-Set the	e power	plan	
	Set the power	pla	in			
	For ENERGY STAR [®] been idle for a specit		pliant computers, the following power p uration:	olan takes	s effect when your computers have	
	Table 1. Default power	r plan	(when plugged into ac power)			
	• Turn off the display	: Afte	r 10 minutes			
	Put the computer t	o slee	p: After 25 minutes			
	To awaken the comp	outer	from Sleep mode, press any key on you	ır keyboa	rd.	
			achieve the best balance between per	formance	e and power saving:	
			nd view by large icons or small icons. , and then choose or customize a powe	er plan of	vour preference	
(z)			urements: — test voltage in V and free	•	· · ·	
()		syste	m, — information and documentation			
		, ang.	230 Volts AC, 50 H	z		
	Instrument		Range Used		Make and Model **	
	Туре		Or ***			
	AC Power Sourc	е	230V;50Hz		EXTECH;6810;SN:1450172	
	Power Meter		0~200V;0~20A	YOł	(OGAWA;WT210;SN:91H427511	
	Hygrothermograp	h	-20 to 50°C ;20 to 90%		SEKONIC;ST-50	
	Light Measuring		1°; 0.01 to 999,900 cd/m2		Konica Minolta;LS-150	
Additiona	al Notebook Batter					
			tery[ies] not user replaceable		Battery[ies] user replaceable	n/a
			battery[ies] in this product cannot b aced by users themselves. ¹⁾	e easily		
Internal/b	uilt-in Battery					
External/c	letachable Battery					
Bios Back	kup Battery					

Other:							
Additional information	Additional information						

The battery[ies] in this product cannot be easily replaced by users themselves

Акумилаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt. Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

1)

μ μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non puó/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti.

Si gammi baterijus paterijus pate

Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi usor înlocuită (înlocuită) du utilizatorii înșiși. Bateria (bateriile) din acest produs nu poate (pot) fi usor înlocuită (înlocuită) du utilizatorii înșiși. Bateria/baterije v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.