



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs		Lenovo
e-mail address	Alvin L Carter		LCIIOVO
	alcarter@lenovo.com		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product
conforms to the statemen	nts given in this declaration.
Type of product *	All in One Computer
Commercial name *	IdeaCentre AIO 5 27"
Model number *	F0FA
Issue date *	2020/4/27
Intended market *	Global Europe Asia, Pacific & Japan Americas Other
Additional information	ES8.0

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	F0FA	Logo	Lone		
Issue dat	e *	2020/4/27		Lend		J _{TM}
Product	environ	mental attributes - Legal requirements		Require	men	t met
Item				Yes	No	n.a.
P1		ous substances and preparations		<u></u>		
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	∄B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*	Products	do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychel (PCT) in preparations (see legal reference).	lorinated			
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	e 🔀		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm ² /weel	k 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie	s				
P2.1*	symbol.	duct contains a battery or an accumulator, the battery/accumulator is labeled with land Information on proper disposal is provided in user manual. (See legal reference) ww.lenovo.com/us/en/social_responsibility/EU_DoC_desktops	the disposal			
P2.2*		or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	nium. (See lega	ı 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*		luct is CE-marked to show conformance with applicable legal requirements (see legal requirements) laration of Conformity can be requested at: https://www.lenovo.com/us/en/compliar				
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).				
	Required	d information is; given in item P15 or added to this document,		\boxtimes		
		available at: https://www.lenovo.com/us/en/compliance/e	eco-declaration			
P5	Product	packaging		\boxtimes		
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.	y, cadmium ar	nd 🔀		
P5.2*	The pack used (se	kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).	,	,		
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the Nal reference). It: Legal reference has no maximum concentration values.	Montreal Protoc	ol 🔀		
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	F0FA	Logo	Lanova
Issue date *	2020/4/27		LEI IOVO"

Product	environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC+ABS Material type: PC			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containin			
	more than 25% post-consumer recycled content.	9		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloge as defined in IEC 61249-2-21. (See 1NOTE B2)	n 🗌		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: Brominated Epoxy Resin, CAS #:	\boxtimes		
	26265-08-7			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			\boxtimes
	according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations is	n		
	concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: (See NOTE B4)			
	3. Chemical name: , CAS #: (See NOTE B4)			
				\square
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:		\boxtimes	
	assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):			
. 7.20	. octobriodino. Todyolod pidotio material content to dood in the product (oce Note Do).		ш	
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is 62.42%.			
	or b) The weight of recycled material is 1621.2 g.			
	•	-		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	F0FA	Logo	Lonovo
Issue date *	2020/4/27		Lei IOVO,

		Requirement n	
Item	Yes	No	n.a.

		stance requirements				
P7.21*	Biobased plastic m	naterial content is used	in the product (See N	OTE B7):		
P7.22*		free from mercury, i.e. specify: Number of lar	less than 0,1 mg/lamp nps: and maxim	um mercury content pe	er lamp: mg	
P8	Batteries		•		•	
P8.1*	Battery chemical c	composition: Lithium I	Manganese Dioxide			
P9	Energy consump	tion (See NOTE B8)				
P9.1			s or energy consumpti	ons are reported:		
Energy mo		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	
Peak (On-	max)	170W	170W	170W	Full load	
Categor	<u>y2</u>	W	W	W		
Short Idle Enabled	State - WOL	16.1W	25.8W	26 W	Use for ENERGY STAR V8.0 registration (P _{idle})	
Long Idle Enabled	State - WOL	5.04W	8.9W	9.6W	Use for ENERGY STAR V8.0 registration (P _{idle})	
Sleep (S3)	- WOL Enabled	0.77 W	2.5W	2.9W	Use for ENERGY STAR V8.0 registration (P _{sleep})	
Sleep (S3)	- WOL Disabled	W	W	3.15 W	Use for ErP	
Off (S5) - I	WOL Enabled	0.4W	0.6W	0.6W	Use for ENERGY STAR V8.0 registration (Poff)	
Off (S5) - I	WOL Disabled	W	W	0.884 W	Use for ErP	
EPS No-loa (External power s	supply / charger plugged in the	0.126 W	0.126 W	0.157 W		
PTEC *	ergy Consumption	W	W	W		
ETEC *	ergy Consumption	2:50.18 kWh/year	2:86.5 kWh/year	2:89.2 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.15+ P _{sleep} x 0.45 + P _{long_Idle} x 0.10+ P _{short_Idle} x 0.30)	
		Poff: Off Mode(S	S5) - WOL Enabled; Pslee	: Sleep Mode(S3) - WOL	Enabled; Pidle: Idle State - WOL Enabled	
External Po	ower Supply Efficien	ncy Level (Internationa	l Efficiency Marking Pro	otocol) * : <i>VI</i>	International Efficiency Marking Protocol for External Power Supplies	
Display res	solution * : 2.07 meg	japixels				
Default tim	e to enter energy sa	ve mode: 25 minutes				TĪ
P9.2*	Information about	the energy save functi	on is provided with the	product.		
P9.3	Energy efficiency	class (monitors only):				
P10	Emissions					
	Noise emission -	Declared according to	ISO 9296 (See NOTE	B9)		
P10.1	Mode N	Mode description		Statistical upper lim	it A-weighted sound power level, LWA,c ((B)
	Idle *	HDD:Idle		* 3.2		
	Operation *	HDD: Operating		* 3.3		
	Other mode D	Declared A-weighted soun	d pressure level (dB) $L_{p{\sf Ar}}$	19.0 (operator posi	ition desktop – idle)	
	Other mode D	Declared A-weighted soun	d pressure level (dB) $L_{p{\sf Ar}}$	20.8 (operator posi	ition desktop – operating)	
	Measured according	ng to: 🔀 ISO 7779 🗌	ECMA-74			
		Other	(only if not covered by	ECMA-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nur	nber *	F0FA							Logo	Long	1/0	
Issue date	*	2020/	4/27							Lenc	Lenovo	
Product	environr	nenta	attribut	tes - Market requiren	nents (c	ontinue	ed)			Require	ment	met
Item				-						Yes	No	n.a.
			tic emiss									
P10.4	program	(s): EN	55032 E		requency	electror	nagneti	ic fields o	f the following volunta	ry 🔀		
P12				ting products								
P12.1*	The disp	lay me	ets the er	gonomic requirements o	f ISO 924	1-307 fo	r visual	display t	echnologies.		\boxtimes	
P12.2*	The phys	sical in	put device	e meets the requirements	of ISO 9	995 and	ISO 92	241-410.			\boxtimes	
P13			d docume									
P13.1*	Product Product	packag packag	jing matei jing matei	rial type(s): <i>EPE</i> rial type(s): <i>LDPE</i> rial type(s): <i>Carton</i>	weight ((kg): 1.1 ((kg): 0.0 (ght (kg):	572					
P13.2*				ackaging is free from PV						\boxtimes		
P13.3*	For proc	duct pri	mary corvered fibe	rugated fiberboard pack r content: 70 %	aging, sp	ecify the	e conta	ined per	centage of minimum	post-		
P13.4*	Specify I	media f	or user a	nd product documentatio	n (tick bo	x):						
P13.5		d produ lease s hlorine al chlor	ict docum pecify: -free rine-free	is item if paper documen entation on paper media								
P14	Volunta	ry prod	irams									
P14.1				equirements of the follow	ing volun	tary prog	ram(s):	:				
	Eco-labe Eco-labe Eco-labe	el:	ar	Criteria version: 8.0 Criteria version: Criteria version:)	Date Date Date		F	Product category: 2 Product category: Product category:			
P15				(See NOTE B10)								
P9			mption o	f specific configuration								
	Project	Test item	Category	CPU	Memory	HDD	SSD	Graphics	External power supply	Sleep mode		
	A5 27IMB	ES	12	i5-10400T QTP2 35W 6C S-QS	16GB	2TB	1TB	GPU	ADP-170CB BC / Delta	modern stand	dby	
	informati knowled	ion con ge avai I here is	tained in ilable at the	to representations, guara this document. All inform the time of completion, an mate and provided for inf	ation pro	vided by r shall ha	supplie ave no (er in this o obligation	locument is provided by to update such inform	based on supposed in the interest of the contract of the contr	olier's format	ion
P9	See Ene	rgy Sta		d Notebooks & Tablet Cov/index.cfm?fuseaction=								

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaCentre AIO 5 27IMB05	Logo
Model Number	F0FA	Lenovo
Issue Date	2020/4/27	Leliovo.
Additional information	Energy Star	

d)	year of manufacture:				2020		
e)	Etec value (kWh) per ErP Lot 3 Categor disabled and if the system is tested with		cards (dGfx) are				
f)	Etec value (kWh) per ErP Lot 3 Categorienable	all discrete graphics o	cards (dGfx) are				
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
	Memory over base [GB]				16		
ents ting	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	Yes (Yes / No)		
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)		
ability a	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)		
cap	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	Yes #: (Yes / No)		
	Category of discrete graphics Card(s)				G6		
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				20.53		
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				32.89		
g)	Idle state power demand (Watts);	<u>I</u>	<u>I</u>	<u>l</u>	7.84		
า)	Sleep mode power demand (Watts);				3.22		
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		3.15		
)	Off mode power demand (Watts);				0.884		
k)	Off mode with WOL enabled power dem	and (Watts) (where er	nabled);		0.838		
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100	% of rated output pow	er (if applicable):			
	10% 20% 50%	100% Avera	age				
m)	External power supply efficiency (if appli	icable)*:					
	Average active efficiency: 120W Level	VI (89.8%);150W(91.6	62%);170W(92.49%)				
	*internal note: show values for all available external p						
0)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to n	otebook computers):	NA		
p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: NA						
p-2)	Measurement methodology used to dete	ermine information mer	ntioned in points (m) –	external PSU efficience	CV:		

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: NA					
(p-4)		dology used to determine information Point P9.1 in the Product IT Eco Deck	ation mentioned in maximum, idle, sleep, off mode Declaration:			
	Refer to IEC 6262	3:2013-Desktop and notebook com	puters- Meas	urement of energy conmumption		
(q)	Sequence of steps for achieving a stable condition with respect to power demand::					
	Based on user manual/Power on->Wait 5 minutes->Stable condition					
(r)	Description of how sleep and/or off mode was selected or programmed:					
	Base	Based on user manual/Begin menu -> Power -> Select sleep or off mode				
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:					
	Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan					
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another					
(u)	condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): Length of time after a period of user inactivity in which the computer automatically reaches a power					
(,,)		ver power demand requirement than			40	
(v) (w)		re the display sleep mode is set to ergy-saving potential of power mana			10 minutes	
,			9	•		
		NA NA				
(x)	User information on h	now to enable the power managemen	t functionality:			
		Based on user manual-	Set the power	plan		
	Set the power	plan				
	For ENERGY STAR® been idle for a specif	s effect when your computers have				
	Table 1. Default power	plan (when plugged into ac power)				
	Turn off the display: After 10 minutes					
	Put the computer to sleep: After 25 minutes					
To awaken the computer from Sleep mode, press any key on your keyboard.						
	To reset the power plan to achieve the best balance between performance and power saving:					
	Go to Control Panel and view by large icons or small icons.					
	2. Click Power Options , and then choose or customize a power plan of your preference.					
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:					
		230 Volts AC	5, 50 Hz			
	Instrument	Range Used	Make and Mo	odel		
	Туре	Or				
	AC Power Source	1~280VAC; 1~550Hz; 1000VA	Chroma;6150	4; SN:615040001117		
	Digital Watch	Full range	CASIO; HS-7	0W; SN:208Q08R		
	Power Meter	0~600V; 0~20A	YOKOGAWA	; WT310E; SN:C3SJ16035E		
	Hygrothermograph	15~35℃/ 15~90%	TESTO; 608-	H1; SN:1034895602		
	Thermal anemomete	er 0~20m/s, -20~70°C	TESTO; 425; SN:02591883			
	Light Measuring	Light Measuring 1; 1~300cd/m² KONICA MINOLTQ:LS-110				
Addition	al Notebook Batter				T .	
		Battery[ies] <u>not</u> user replaceable		Battery[ies] user replaceable	n/a	
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)				
Internal/b	ouilt-in Battery					

External/detachable Battery						
Bios Backup Battery			\boxtimes			
Other:						
Additional information						

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami užívatelé.
Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.
Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/posono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.

Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.