

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

### Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs			
e-mail address	Alvin L Carter	Lenovo		
	alcarter@lenovo.com			
Internet site *	http://www.lenovo.com/social responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at:			
	http://www.lenovo.com/ecodeclaration			

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statements given in this declaration.					
Type of product *	Notebook				
Commercial name *	IdeaPad 3 14ADA6				
Model number *	82KQ				
Issue date *	2021-05-10				
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	ımber *	82KQ Logo	Lon		
Issue dat	te *	2021-05-10	Leng	JVC	<b>)</b>
Product	environ	mental attributes - Legal requirements	Require	men	t met
Item			Yes	No	n.a.
P1		ous substances and preparations			
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	$\square$		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated /l (PCT) in preparations (see legal reference).	$\square$		
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	ne 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/wee al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	k 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	$\boxtimes$		
P2	Batterie	S			
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	$\square$		
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega	al 🔀		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)	$\square$		
P3	Conform	nity verification & Eco design (ErP)			
P3.1*	The proc The D https://v	duct is CE-marked to show conformance with applicable legal requirements (see legal reference). Declaration of Conformity can be requested at (add link or e-mail addres www.lenovo.com/us/en/compliance/eu-doc for EU and	s):		
	https://v	www.lenovo.com/us/en/compliance/uk-doc for UK			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).	$\boxtimes$		
	•	d information is; given in item P15 or added to this document, available at (add URL):	$\square$		
		www.lenovo.com/us/en/compliance/eco-declaration			
P5		t packaging			
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium a ent chromium by weight of these together.			
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature of the material ee legal reference).	(s) 🔀		
P5.3*	The proc (see lega	uct packaging material is free from ozone depleting substances as specified in the Montreal Protoc al reference). nt: Legal reference has no maximum concentration values.	col 🔀		
P6		nt information			
P6.1*		on for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	82KQ	Logo			
Issue da	te *	2021-05-10		Len	ovo	Этн
Product	t environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7.1*		Disassembly, recycling at have to be treated separately are easily separable			_	
P7.2*		naterials in covers/housing have no surface coating.				
P7.3*		arts > 100 g consist of one material or of easily separable materials.				
P7.4*	-				<u> </u>	
P7.4		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	weileble teele		<u> </u>	
		arts are free from metal inlays or have inlays that can be removed with commonly a	available loois.		<u> </u>	
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		$\square$		
P7.7*		lifetime ng can be done e.g. with processor, memory, cards or drives				
P7.8*		ng can be done using commonly available tools			<u> </u>	
P7.9				$\square$		
P7.9		arts are available after end of production for: 5 years				
P7.10		is available after end of production for: 5 years				
P7.11*		and substance requirements cover/housing material type (e.g. plastics, metal, aluminum):				
1 7.11		type: PC+ABS Material type: Fe				
P7.12	Inculatio	n materials of external electrical cables are PVC free.				
P7.12		n materials of external electrical cables are PVC free.		<u> </u>		
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	romine and 0.1%		<u> </u>	-
1 7.14	weight (	1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flam ichloride or 0.3% weight (3000 ppm) bromine and 0.3% weight (3000 ppm) chlorine i	e retardants, and			
		an 25% post-consumer recycled content.		9		
P7.15		circuit boards, PCBs (without components) are low halogen: all	are low haloger	ו 🗌	$\square$	
P7.16	Marking:					
P7.17		hemical specifications of flame retardants in printed circuit boards > 25 g (without				
	TBBPA 26265-0	(additive), TBBPA (reactive) (See NOTE B3), Other: <i>Brominated Epoxy</i> <i>8-</i> 7	Resins, CAS #	:		
	accordin	nemical specifications of flame retardants in printed circuit boards (without compon g ISO 1043-4:	ents) > 25 g			
P7.18		etarded plastic parts >25g contain the following flame retardant substance ations above 0.1%:	s/preparations ir			
		ent: No legal limits exist, this is a market requirement.				
		ical name: CAS #:				
		ical name: CAS #:				
	3. Chem	ical name: CAS #:				
	Alt. 2			$\boxtimes$		
	Chemica	I specifications of flame retardants in plastic parts >25g according ISO 1043-4:		_	_	_
	FR(40)			<b>N</b>		
P7.19	•	c parts > 25 g, flame retardant substances/preparations above 0,1% are used which	n have been	$\bowtie$		
		I the following Risk phrases; and Hazard statements: H411;H413 rce(s) for these classifications is/are found at (add URL(s)): European Court	cil Directive			
	67/548/E					
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):			$\square$	
		at least one of the two alternatives below shall be answered;			لاصع	_
	í a p	total plastic parts' weight > 25 g, the postconsumer recycled plastic material conter ercentage of total plastic by weight) is <b>0%</b> .	t (calculated as			
	or b) The	e weight of recycled material is g.				
L	<i>v<sub>j</sub></i> 110	e weight of recycled material is g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82KQ				Logo	Lonov	
Issue date *	2021-05-	10				Lenovo	<b>D</b> <sub>m</sub>
Product environme	ental at	tributes - Market r	equirements (conti	nued)	·	Requireme	nt met
Item						Yes No	n.a.
		tance requirements					
P7.21* Biobased	plastic m	aterial content is used	d in the product (See N	OTE B7):			
			es below shall be answ				
		/ weight) is 0 %.	the biobased plastic m	iatenal content (calcula	neo as a percentaç	je ol	
or							
		the biobased plastic ree from mercury, i.e.	less than 0,1 mg/lamp				
If mercury		specify: Number of lar		um mercury content pe	er lamp: mg		
P8 Batteries	emical c	omposition: LLION P	olymer battery and litl	hium-metal hattery			
		tion (See NOTE B8)	nymer battery and m				
P9.1 For the pro		following power level	ls or energy consumpti				
Energy mode *		Power level at <b>100</b> V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Stand modes and test	dard for energy	$\boxtimes$
Peak (On-max)		65 W	65 W	65 W	Full load	Inethod	
Category 1							
Short Idle State - WO Enabled	L	6.71 W	6.78 W	6.9 W	Energy Star Co	mputers V8.0	
Long Idle State - WOI Enabled	L	4.40 W	4.48 W	4.6 W	Energy Star Co	mputers V8.0	
Sleep (S3) - WOL Ena Disabled	abled /	0.44W	0.45W	0.45W	Energy Star Co	mputers V8.0	
Off (S5) - WOL / Disal Enabled	bled	0.29 W	0.30 W	0.30 W	Use for ErP		
EPS No-load		0.105 W	0.110 W	0.110W			
(External power supply / charger plu wall outlet but disconnected from the	ugged in the e product.)						
PTEC *		W	W	W			$\boxtimes$
Typical Energy Consur	mption						
Category 2							
Short Idle State - WO	L	6.94 W	7.01 W	7.12 W	Energy Star Co	mputers V8.0	
Enabled							
Long Idle State - WOI Enabled	L	4.61 W	4.76 W	4.94 W	Energy Star Co	mputers V8.0	
Sleep (S3) - WOL Ena Disabled	abled /	0.49W	0.50W	0.52W	Energy Star Co	mputers V8.0	
Off (S5) - WOL / Disal	bled	0.32 W	0.33 W	0.35 W	Use for ErP		
Enabled							
PTEC * Typical Energy Consur	mption	W	W	W			$\boxtimes$
ETEC * Annual Energy Consur	mption	1: 23.47kWh/year 2: 24.48kWh/year	1: 23.78kWh/year 2: 24.85kWh/year	1: 24.20kWh/year 2: 25.40kWh/year		00) x (P <sub>off</sub> x 0.25 P <sub>long_ldle</sub> x 0.10+	
		Poff: Off Mode(S5) - We	OL Enabled; P <sub>sleep</sub> : Sleep	Mode(S3) - WOL Enable	ed; Pidle: Idle State -	WOL Enabled	

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

External	Power Supply Effi	ciency Level (International Efficiency Marking Prot	ocol) * : VI		
Display r	esolution * : <b>2.07</b> n	negapixels			
Default ti	me to enter energy	y save mode: <b>10</b> minutes			
P9.2*	Information abo	out the energy save function is provided with the p	roduct.		
P9.3	Energy efficien	cy class (monitors only):			$\boxtimes$
P10	Emissions				
	Noise emission – Declared according to ISO 9296 (See NOTE B9)				
P10.1	Mode	Mode description	Statistical upper limit	A-weighted sound power level, L <sub>WA,</sub>	<sub>c</sub> (B)
1	Idle	* Idle (Operating)	* 2.4	· · · · · · · · · · · · · · · · · · ·	
	Operation	* HDD:Operation CPU:Operation	* 2.4 4.4		
	Other mode	Declared A-weighted sound pressure level (dB) $L_{pAm}$	18.2 (operator position desktop – idle)		
ĺ	Other mode Declared A-weighted sound pressure level (dB) L <sub>pAm</sub> 36.9 (operator position desktop – operating)				
	Measured acco	ording to: ISO 7779 ECMA-74 Other (only if not covered by E	ECMA-74)		

Model nu	umber *	82KQ				Logo			
Issue dat	te *	2021-05-10				-	Lenc	VO	тн
Product	environ	nental attribu	tes - Market requirement	s (continued)			Require	ment	met
Item							Yes	No	n.a.
		magnetic emiss							
P10.4	program	(s): MPŘ-II(3 pi	the requirement for low frequent for low frequence on the second se	ency electromagnetion	c fields of the foll	lowing volun	tary 🔀		
P12		mics for compu							
P12.1*	•		rgonomic requirements of ISC			gies.			
P12.2*	The phy	sical input devic	e meets the requirements of I	SO 9995 and ISO 92	41-410.		$\boxtimes$		
P13		ing and docum							
P13.1*	Product Product	packaging mate packaging mate	rial type(s): corrugated we rial type(s): paper(manual) rial type(s): corner paper we rial type(s): EPE we	weight (kg): 0	.045				
P13.2*		Product plastic primary packaging is free from PVC.							
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-								
P13.4*	Specify media for user and product documentation (tick box):								
P13.5	Ùser an		nis item if paper documentation nentation on paper media is c						
	Element	hlorine-free al chlorine-free ed chlorine-free							
P14	Volunta	ry programs							
P14.1	The pro	duct meets the r	equirements of the following v	voluntary program(s):					
P15	Eco-labe Eco-labe	el:	Criteria version: Criteria version: Criteria version: (See NOTE B10)	Date: Date: Date:	Product	category: category: category:			
P9			of specific configuration ma	v vary: description	of the tested pr	oduct confi	nuration:		
13	NOTE: S informat knowled	Supplier makes ion contained in ge available at t I here is approxi	no representations, guarantee this document. All information he time of completion, and su mate and provided for informa-	es, assurances or war n provided by supplie pplier shall have no c	ranties whether r in this documer obligation to upda	express or in nt is provided ate such info	nplied, regardir based on sup rmation. The in	olier's format	ion
P9	See Ene	ergy Star Qualifi	ed Notebooks & Tablet Comp ps://www.energystar.gov/proc						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

#### Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad 3 14ADA6	Logo		
Model number *	82KQ		Lonovo	
Issue date *	2021-05-10		Lenovo	
Additional information				

	Product environmental attributes					
(d)	Year of manufacture:				2021	
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are	
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when <b>a</b>	II discrete graphics of	cards (dGfx) are	
	Manuary 1001	Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)	
	Memory over base [GB]	16				
ients sting	Additional internal storage	Yes (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
ability a	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
cap app	Discrete graphics Card(s) [number / #]	<mark>No</mark> #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	
	Category of discrete graphics Card(s)	N/A				
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	15.16				
Test r	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled					
(g)	Idle state power demand (Watts);	-		·	4.80	
(h)	Sleep mode power demand (Watts);				0.56	
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.56	
(j)	Off mode power demand (Watts);				0.39	
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.39	
(I)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 9	% of rated output powe	er (if applicable):		
	10% 20% 50%	100% Avera	ige			
(m)	External power supply efficiency (if appli	cable)*:				
	Average active efficiency: 89.03% 89.7	0% 90.88%				
(0)	*internal note: show values for all available external po Minimum number of loading cycles that t		and (applies only to n	otebook computers):	300CYCLES	
(p-1)	Measurement methodology used to dete	rmine information men <b>NA</b>	itioned in points (I) – ir	nternal PSU efficiency	:	
(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: EN 50563:2011 measurement methodology					

(p-3)	Measurement metho	dology used to determine information mentioned in p EN 61960 measurement methodolog				
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode			
		EN 62623:2013 measurement methodo	blogy			
(q)	Sequence of steps for achieving a stable condition with respect to power demand:: EN 62623:2013 measurement methodology					
		EN 62623:2013 measurement methodo	blogy			
(r)	Description of how s	eep and/or off mode was selected or programmed:				
	B	y selecting sleep and/or off mode thru Windows	operating system			
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or			
		er to power management, 30mins automatically re	eaches sleep mode			
(t)		te condition before the computer automatically re-	•	30		
(u)	Length of time after	not exceed the applicable power demand requirement a period of user inactivity in which the compute	r automatically reaches a power	NA		
())		ver power demand requirement than sleep mode (in				
(v) (w)		re the display sleep mode is set to activate after nergy-saving potential of power management function		10		
	User information	described in User Guide and Power Manager und	er IdeaPad 3 14ADA6, menu in all			
		programs				
(x)	User information on	how to enable the power management functionality:				
	User information	described in User Guide and Power Manager und programs	ler IdeaPad 3 14ADA6 menu in all			
(z)	the electricity supply used for electrical test	230V, 50GHz, Total Harmonic Distortion	strumentation, set-up and circuits			
Addition	nal Notebook Batter	y Information: Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a		
		The battery[ies] in this product cannot be easily	Dattery[ies] user replaceable	11/a		
Internal/	built-in Battery	replaced by users themselves. 1)				
	•					
	/detachable Battery					
	ckup Battery					
Other:						
Addition	al information					
		asily replaced by users themselves.				
as baterías d	le este producto no pueden s	родукт не може да се замени[ят] лесно от самите потребител er sustituidas fácilmente por los propios usuarios.	и.			
		neměli provádět sami uživatelé. teriet/batterierne i dette produkt.				
er Akku/die A		können nicht ohne weiteres vom Benutzer selbst ausgetauscht w	verden.			
μπαταρία[-ε	ς] στο προϊόν αυτό δεν μπορ	ούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες it ne peuvent être facilement remplacée(s) par les utilisateurs eu	v mêmoo			
orisnik ne mo	ože lako zamijeniti Bateriju sa	am u ovom proizvodu.	x-memes.			
etotāji paši n	nevar nomainīt šā ražojuma a					
	aterijos [baterijų] pats vartoto ımulátorát/akkumulátorait a fe	as negali lengvai pakeisti. elhasználó nem tudja egyedül egyszerűen kicserélni.				
batterija/batt		jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.				
e batterij(en)						
∠νικυΨΠΙΚ ΠΙΘ		e gebruiker niet gemakkelijk vervangbaar.				
ou as bateria	e może sam w łatwy sposób as deste produto não podem	e gebruiker niet gemakkelijk vervangbaar. wymienić baterii w tym produkcie. ser facilmente substituídas pelos próprios utilizadores.				
ou as bateria ateria (bateri atériu(-ie) v t	e może sam w łatwy sposób as deste produto não podem iile) din acest produs nu poato tomto výrobku nemôže vymie	e gebruiker niet gemakkelijk vervangbaar. wymienić baterii w tym produkcie. ser facilmente substituídas pelos próprios utilizadores. e (pot) fi usor înlocuită (înlocuite) de utilizatorii înșiși.				

Tarinai nuoleen akku jakuj alvaj ole neiposu kayluajan vaindeitavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batteriema. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.