



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs	ODOVO			
e-mail address	Alvin L Carter	Lenovo			
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html			
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product							
conforms to the statemen	conforms to the statements given in this declaration.						
Type of product *	Notebook						
Commercial name *	IdeaPad 3 14 ITL6						
Model number *	82H7						
Issue date *	2021-1-15						
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number * 82H7 Issue date * 2021-1-15 Product environmental attributes Legal requirements		82H7	Logo	Lon				
		2021-1-15		Lend	אכ)_		
Produc	t environ	mental attributes - Legal requirements		Require	ment	met		
Item		- ·		Yes	No	n.a.		
P1	Hazardo	us substances and preparations						
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	\boxtimes				
P1.2*		do not contain Asbestos (see legal reference). tt: Legal reference has no maximum concentration value.		\boxtimes				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated							
P1.4*	Products	\boxtimes						
P1.5*	terphenyl (PCT) in preparations (see legal reference). Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).							
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.							
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail ww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):	\boxtimes				
P2	Batterie	S						
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal					
P2.2*	Batteries reference	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See leg	al 🔀				
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes				
P3	Conforn	nity verification & Eco design (ErP)						
P3.1*		luct is CE-marked to show conformance with applicable legal requirements (see legal aration of Conformity can be requested at: https://www.lenovo.com/us/en/complian						
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes				
	Required	l information is; given in item P15 or added to this document,		\boxtimes				
		available at: https://www.lenovo.com/us/en/compliance/e	co-declaration	1				
P5		packaging						
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together.	•					
P5.2*	used (se	saging materials are marked with abbreviations and numbers indicating the nature elegal reference).		. ,				
P5.3*	(see lega	uct packaging material is free from ozone depleting substances as specified in the Nal reference). It: Legal reference has no maximum concentration values.	Montreal Proto	col 🔀				
P6	Treatme	nt information						
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Wiodei iid		02117	Logo	Len	OVC	
Issue dat	:e *	2021-1-15		Lein		
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)			
	- Enviro	onmental conscious design		Require		net
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7 P7.1*		Disassembly, recycling at have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.			\boxtimes	\vdash
P7.3*		arts > 100 g consist of one material or of easily separable materials.				+
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			╫	╫
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools		╫	\vdash
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).	rundbio toolo.		+	\vdash
1 7.0	Product	, , , , , , , , , , , , , , , , , , , ,				
P7.7*		ng can be done e.g. with processor, memory, cards or drives				
P7.8*	Upgradin	ng can be done using commonly available tools			Ħ	П
P7.9	Spare pa	arts are available after end of production for: 5 years				T
P7.10	Service i	s available after end of production for: 5 years				T
	Material	and substance requirements		·		
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: PC+ABS Material type: Fe				
P7.12	Insulation	n materials of external electrical cables are PVC free.			X	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.			$\overline{\boxtimes}$	
P7.14	weight (* polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bi 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	e retardants, a	ind		
P7.15		circuit boards, PCBs (without components) are low halogen: all 🔲 PCBs > 25 g 🧰 ed in IEC 61249-2-21. (See 1NOTE B2)	are low halog	jen 🗌		
P7.16	Flame re Marking:	starded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: FR(40)				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without content (additive), TBBPA (reactive) (See NOTE B3), Other: Brominated Epoxy		#:		
	26265-08					\boxtimes
	accordin	nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			
P7.18	concentration 1. Chemi	etarded plastic parts >25g contain the following flame retardant substances ations above 0.1%: ical name: CAS #: ical name: CAS #:	s/preparations	in		
	FR(40)	al specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which	have been			
	U	If the following Risk phrases; and Hazard statements:	D5)			
P7.20*	Postcons If YES; a a) Of t	rce(s) for these classifications is/are found at (add URL(s)): sumer recycled plastic material content is used in the product (See Note B6): It least one of the two alternatives below shall be answered; It least one of the two alternatives below s	e note B5) t (calculated a	s		

1000

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

The weight of recycled material is

Model number * 02U7

Model number *	82H7	Logo	Len	21/6	
Issue date *	2021-1-15		Lein	JVC	,
Product environn	nental attributes - Market requirements (continued)		Requir	emen	t met
Item			Yes	No	n.a.

D7.04*		stance requirements		OTE D7)				
P7.21*	Biobased plastic n	naterial content is used	d in the product (See NO	JIEB/):		Ш		
			es below shall be answe					
	 a) Of total plastic b 		the biobased plastic m	aterial content (calcula	ated as a percentage of			
	or	y weight) is 70.						
		f the biobased plastic r						
P7.22*			less than 0,1 mg/lamp.					
P8	Batteries	specify: Number of lar	nps: and maximi	um mercury content pe	er lamp: mg			
P8.1*		composition: I I-ION Po	olymer battery and lith	nium-metal hattery		$\overline{}$		
P9		tion (See NOTE B8)	nymer succery und men	mann motar battory				
P9.1			s or energy consumption	ons are reported:				
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy	\boxtimes		
•		100 V AC	115 V AC	230 V AC	modes and test method *			
Peak (On-I	max)	65 W	65 W	65 W	Full load			
Categor	v 1							
	State - WOL	5.54W	5.66W	5.75W				
Enabled								
	State - WOL	3.21 W	3.57 W	3.46 W				
Enabled								
Sloon (S2)	- WOL Enabled	0.83 W	0.85W	0.86W	=			
Off (S5) - V	NOL Enabled	0.30W	0.30 W	0.28 W				
Off (S5) - V	WOL Disabled	0.30W	0.30W	0.28W	Use for ErP			
EPS No-loa	ad	0.068 W	0.069 W	0.070W				
(External power s	supply / charger plugged in the connected from the product.)							
	connected from the product.)	10/	14/	144				
PTEC *	ergy Consumption	W	W	W		\boxtimes		
	ergy Consumption							
ETEC *		20.57 kWh/year	21.26 kWh/year	21.39 kWh/year	$E_{TEC} = (8760/1000) \times (P_{\text{off}} \times 0.25)$			
Annual Ene	ergy Consumption				+ P _{sleep} x 0.35 + P _{long_Idle} x 0.10+ P _{short_Idle} x 0.30)			
					short_Idle X 0.30)			
External Po	ower Supply Efficier	ncy Level (International	Efficiency Marking Pro	otocol) * : V/				
Display res	solution * :2.07 meg	apixels				Ħ		
		ave mode: 10 minutes				Ħ		
P9.2*	0,		on is provided with the	product.		H		
P9.3		class (monitors only):	on to provided that are	p. 0 4 4 5 1		\boxtimes		
P10	Emissions	older (members omy).						
1 10		- Declared according to	ISO 9296 (See NOTE	B9)				
P10.1		Mode description	,		it A-weighted sound power level, $L_{WA,c}$ (E	3)		
		Idle (Operating)		* 2.4				
		HDD:Operation		* 2.4				
	011	CPU:Operation	damasama (a. 1718)	4.4				
			d pressure level (dB) $L_{p m Am}$	18.2 (operator posi	<u> </u>			
	Other mode	Declared A-weighted soun	d pressure level (dB) $L_{p m Am}$	36.9 (operator posi	sition desktop – operating)			
	Measured accordi	ng to: 🔀 ISO 7779 🗌	ECMA-74					
		Other	(only if not covered by	ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nun	nber *	82H7					Logo	1	one	1/0	
Issue date	*	2021-1-15						L	eno	VO	1
Product 6	environn	nental attributes	- Market requirem	nents (con	tinued)			F	Require		met
Item									Yes	No	n.a.
	Electron	nagnetic emissions	}								•
P10.4		er display meets the (s): MPR-II(3 pin AC	requirement for low f	requency el	ectromagneti	c fields of the foll	owing volu	ntary	\boxtimes		
P12		nics for computing							•		•
P12.1*			omic requirements of	ISO 9241-3	307 for visual	display technolo	gies.			П	П
P12.2*	-		ets the requirements				<u> </u>			Ħ	Ħ
P13	Packagi	ng and documenta	tion								
P13.1*	Product Product Product	packaging material t packaging material t	ype(s): paper(manua ype(s): corner paper ype(s): EPE	r weight (kg weight (kg	, weight (kg): 0): 0.038	0.045					
P13.2*	Product	plastic primary pack	aging is free from PV	C.					\boxtimes		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 100 %										
P13.4*	Specify r	nedia for user and p	roduct documentation	n (tick box):							П
		c 🔀, Paper 🔀, Ot		,							ш
P13.5	Ùser and		em if paper documen ation on paper media								
	Totally cl	hlorine-free							\boxtimes		
	Elementa	al chlorine-free							\boxtimes		
	Processe	ed chlorine-free									
P14	Voluntai	ry programs									
P14.1	The prod	luct meets the requir	ements of the followi	ing voluntary	/ program(s):						
	Eco-labe Eco-labe	d:	Criteria version: Criteria version: Criteria version:		Date: Date: Date:	Product of	category: category: category:				
P15		nal information (Sec									
P9			ecific configuration								
	informati knowledo provided informati	on contained in this ge available at the til here is approximate on.	presentations, guara document. All informa me of completion, and and provided for info	ation provided d supplier sl ormational p	ed by supplie nall have no d ourposes only	r in this documer obligation to upda . See a Lenovo A	nt is provide ate such inf	ed based formation	on supp The inf	olier's formati	ion
P9			otebooks & Tablet Co www.energystar.gov/								

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad 3 14ITL6	Logo
Model number *	82H7	Lenovo
Issue date *	2021-1-15	Lenovo.
Additional information		

d)	Year of manufacture:				2020
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
)	Etec value (kWh) per ErP Lot 3 Categorienable	ry and capability adjust	ments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	16	16		
ents	Additional internal storage	Yes (Yes / No)	Yes (Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
	Discrete Audio Card	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	N/A	G3		
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	12.45			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		15.55		
g)	Idle state power demand (Watts);				A: 3.74, B: 5.03
1)	Sleep mode power demand (Watts);				A: 1.37, B: 0.98
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		A: 1.37, B: 0.98
)	Off mode power demand (Watts);				A: 0.27, B: 0.28
()	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		A: 0.27, B: 0.28
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	•
	10% 20% 50%	100% Avera	age		
m)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 89.03% 89.7	70% 90.88%			
	*internal note: show values for all available external p	ower supplies			
0)	Minimum number of loading cycles that		tand (applies only to r	notebook computers):	300 CYCLE
p-1)	Measurement methodology used to dete	ermine information men	ntioned in points (I) – i	nternal PSU efficiency	
p-2)	Measurement methodology used to dete	ermine information men	ntioned in points (m) –	external PSU efficience	ev:

(p-3)	EN 50563:2011 measurement methodology						
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: EN 62623:2013 measurement methodology						
(d)	Sequence of steps for achieving a stable condition with respect to power demand: EN 62623:2013 measurement methodology						
(r)	Description of how sl	eep and/or off mode was selected or programmed: EN 62623:2013 measurement methodo	ology				
(s)	(s) Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: **refer to power management, 30mins automatically reaches sleep mode**						
(t)		te condition before the computer automatically re not exceed the applicable power demand requirement		30			
(u)		r a period of user inactivity in which the compute ver power demand requirement than sleep mode (in		NA			
(v)		re the display sleep mode is set to activate after		10			
(w)		nergy-saving potential of power management function refer to user manual		-			
(x)	User information on I	now to enable the power management functionality: refer to user manual					
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in- sting: 230V, 50GHz, Total Harmonic Distortion	strumentation, set-up and circuits				
Additiona	al Notebook Batter	y Information:					
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a			
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)					
Internal/b	uilt-in Battery						
External/o	detachable Battery						
Bios Back	Bios Backup Battery						
Other:	Other:						
Additional	Information						
<u></u>							

1)
The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterias de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f dan il-prodott ma tistaxijistghux tigi/jigu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.
A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.
Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.