



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo	I and the second second second second			
Contact information *	Lenovo Global Environmental Affairs	Lenovo			
e-mail address	Alvin L Carter	LCI IOVO.			
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	t.html			
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statemen	conforms to the statements given in this declaration.					
Type of product *	Notebook					
Commercial name *	IdeaPad 3 15/V15 G2 - AMD					
Model number *	82KU, 82KD					
Issue date *	2021-1-29					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	82KU, 82KD			Logo	Lon		Q.
Issue dat	e *	2021-1-29				Lend	JVC	)_
Product	environ	mental attributes	Legal requirem	nents		Require	ment	met
Item						Yes	No	n.a.
P1		us substances and						
P1.1*	Products	do comply with curi	nt European RoHS	Directive. (See legal reference and NO	TE B1)			
P1.2*		do not contain Asb				$\boxtimes$		
		nt: Legal reference h						
P1.3*				nces: Chlorofluorocarbons (CFC),		$\boxtimes$		
				uorcarbons (HCFC), Halons, carbontetra				
		etnane, metnyl brom ation values.	ie (see iegai referei	nce). Comment: Legal reference has no	maximum			
P1.4*			than: 0.005% polyc	chlorinated biphenyl (PCB), 0,005% poly	chlorinated			
F 1.4		l (PCT) in preparation			cilioililated	$\boxtimes$	Ш	
P1.5*				ain chloroparaffins (SCCP) with 10-13 ca	arbon atoms in t	he		
				ne in the SCCP (see legal reference).			ш	
P1.6*			d skin contact do n	ot release nickel in concentrations above	e 0,5 μg/cm²/we	ek 🔀		
		al reference).	.f	-ddit- EN4044-0044 E				
P1.7*				ed according to EN1811:2011-5. in articles is available at (add URL or ma	il contact):		$\overline{}$	
P1.7		ww.lenovo.com/us/e			iii contact):	$\boxtimes$	Ш	Ш
DO			ZECHOVO TREPROTITO	VIIIO Biodiobare		•		
<b>P2</b> P2.1*	Batterie		n, or on occumulate	or, the battery/accumulator is labeled with	h the diaposal		$\overline{}$	
P2.1				ed in user manual. (See legal reference)	n trie disposar		Ш	
P2.2*				an 0,0005% of mercury or 0,002% of cac	dmium. (See leg	ıal 🔀		
	reference	e)		•	,			
P2.3*	Batteries	and accumulators a	e readily removable	e. (See legal reference)				
P3		nity verification & E						
P3.1*				with applicable legal requirements (see		. 🛛		
	The Dec	laration of Conformit	can be requested	at: https://www.lenovo.com/us/en/compli	ance/eu-doc			
P3.2*	The proc	luct complies with th	Eco design require	ements for energy-related products,		$\boxtimes$		
	(see lega	al reference).	_				_	
	Required	d information is;	given in item P	P15 or added to this document,				
	available at: https://www.lenovo.com/us/en/compliance/eco-declaration							

Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and

The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).

The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).

Comment: Legal reference has no maximum concentration values.

P5

P5.1

P5.2\*

P5.3\*

P6

P6.1\*

Product packaging

Treatment information

hexavalent chromium by weight of these together.

Information for recyclers/treatment facilities is available (see legal reference).

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		82KU, 82KD	Logo	-		
Issue da	te *	2021-1-29		Len	ovc	)_
Product		mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design	F	Require		
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
<b>P7</b> P7.1*		Disassembly, recycling It have to be treated separately are easily separable			_	
P7.2*		naterials in covers/housing have no surface coating.				
P7.3*	· ·	arts > 100 g consist of one material or of easily separable materials.			<u>Ц</u>	
P7.4*	·	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		$\boxtimes$		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.	$\boxtimes$		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).				
	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives		$\boxtimes$		
P7.8*	Upgradir	ng can be done using commonly available tools		$\boxtimes$		
P7.9	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: <b>PC+ABS</b> Material type: <b>Fe</b>				
P7.12	Insulatio	n materials of external electrical cables are PVC free.			$\boxtimes$	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.				
P7.14	weight (* polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	e retardants, and			
P7.15		circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g and in IEC 61249-2-21. (See 1NOTE B2)	are low halogen			
P7.16	Flame re Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: FR(40)				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without of (additive), TBBPA (reactive) (See NOTE B3), Other: <b>Brominated Epoxy</b> 8-7				
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substances ations above 0.1%: ical name: CAS #: ical name: CAS #:	s/preparations in			
		l specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR				
P7.19	assigned	e parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements: ce(s) for these classifications is/are found at (add URL(s)): European Counciec (See note B5)				
D7 20*		cumor requeled plactic material content is used in the product (See Note B6):				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

If YES; at least one of the two alternatives below shall be answered;

a percentage of total plastic by weight) is 0%.

The weight of recycled material is

a)

or

b)

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82KU, 82KD	Logo	Lenovo
Issue date *	2021-1-29		Lel 1040
Product environr	nental attributes - Market requirements (continued)		Requirement met
Item			Yes No n.a.

		stance requirements					
P7.21*	Biobased plastic r	material content is use	ed in the product (See	NOTE B7):			
P7.22*		free from mercury, i.e specify: Number of la	less than 0,1 mg/lam mps: and maxi	p. mum mercury content ¡	per lamp: mg		
P8	Batteries			•			
P8.1*	Battery chemical	composition: LI-ION F	olymer battery and l	ithium-metal battery			
P9	Energy consump	otion (See NOTE B8)					
P9.1	For the product th	e following power leve	els or energy consump	tions are reported:			
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *		
Peak (On-	max)	65 W	65 W	65 W	Full load		
Categor	<u>ry 2</u>						
Short Idle Enabled	State - WOL	6.18 W	6.26 W	6.54 W	Use for ENERGY STAR V8 registration (P <sub>idle</sub> )		
Long Idle Enabled	State - WOL	3.83 W	3.95 W	4.27 W	Use for ENERGY STAR V8 registration (P <sub>idle</sub> )		
Sleep (S3)	) - WOL Enabled	0.46W	<b>0.47</b> W	0.49W	Use for ENERGY STAR V8 registration(P <sub>sleep</sub> )		
Off (S5) - WOL Enabled		0.32 W	0.32 W	0.32 W	Use for ENERGY STAR V8 registration(P <sub>off</sub> )		
Off (S5) -	WOL Disabled	0.32 W	<b>0.32</b> W	0.32 W	Use for ErP		
EPS No-Io (External power wall outlet but dis	supply / charger plugged in the sconnected from the product.)	0.120 W	0.120 W	0.121 W			
PTEC * Typical En	ergy Consumption	W	W	W			
ETEC * Annual En	ergy Consumption	<b>21.70</b> kWh/year	22.06kWh/year	<b>23.14</b> kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long\_ldle} \times 0.10 + P_{short\_ldle} \times 0.30)$		
					oled; P <sub>idle</sub> : Idle State - WOL Enabled		
External P	ower Supply Efficie	ncy Level (Internation	al Efficiency Marking F	Protocol) * : VI			
Display res	solution * : <b>2.07</b> meg	gapixels					
Default tim	ne to enter energy s	ave mode: 10 minutes	3				
P9.2*	Information about	the energy save func	tion is provided with th	e product.			
P9.3		class (monitors only):	•	-			
P10	Emissions	, ,,					
		- Declared according	to ISO 9296 (See NO	ΓΕ B9)			
P10.1		Mode description			mit A-weighted sound power level, L <sub>WA.c</sub> (B)		
	Idle	* Idle (Operating)		* 2.4	· · · · · · · · · · · · · · · · · · ·		
		* HDD:Operation CPU:Operation		* 2.4 4.2			
	Other mode	Declared A-weighted sou	nd pressure level (dB) $L_{pi}$	17.8 (operator pos	sition desktop – idle)		
	Other mode	Declared A-weighted sou	nd pressure level (dB) $L_{pl}$	35 (operator posit	tion desktop – operating)		
	Measured according to: SISO 7779 ECMA-74						

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model nun	nber *	82KU, 82KD				Logo	Leno	WO	
Issue date	*	2021-1-29					LETTO	VO	
Product 6	environn	nental attributes	- Market requirements (cor	ntinued)			Require	ment	met
Item				•			Yes	No	n.a.
	Electron	nagnetic emission	S						•
P10.4	program	(s): MPR-II(3 pin A		lectromagnetic fields	s of the foll	owing voluntary	y		
P12		nics for computing							
P12.1*			omic requirements of ISO 9241-			gies.	$\boxtimes$		
P12.2*	The phys	sical input device m	eets the requirements of ISO 999	95 and ISO 9241-41	0.				
P13		ng and documenta							
P13.1*	Product packaging material type(s): CARTON weight (kg): 0.35 Product packaging material type(s): paper(manual) weight (kg): 0.046 Product packaging material type(s): corner paper weight (kg): 0.039 Product packaging material type(s): EPE weight (kg): 0.093								
P13.2*	1	1 71	aging is free from PVC.						
P13.3*	* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: 100 %								
P13.4*	. ,	media for user and p ic 🔀, Paper 🔀, O	product documentation (tick box)	:					
P13.5	(Please of User and If Yes, pl	only complete this it d product documentalease specify: hlorine-free	em if paper documentation used ation on paper media is chlorine-						
		al chlorine-free					$\boxtimes$		
		ed chlorine-free							
<b>P14</b> P14.1		ry programs	rements of the following voluntar						
P 14. 1	ENERGY Eco-labe Eco-labe	Y STAR® el: el:	Criteria version: 8.1 Criteria version: Criteria version:	Date: 2021-1-29 Date: Date:	Product of				
P15		nal information (Se							
P9			ecific configuration may vary;						
	informati knowledg provided informati	on contained in this ge available at the till here is approximate on.	epresentations, guarantees, assu document. All information provid- ime of completion, and supplier se e and provided for informational	ded by supplier in thi shall have no obligat purposes only. See	is documer ion to upda a Lenovo <i>l</i>	nt is provided ba	ased on suppation. The int	olier's formati	ion
P9			otebooks & Tablet Computers for www.energystar.gov/products/of						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad 3 15ALC6, Lenovo V15 G2 ALC	Logo			
Model number *	82KU, 82KD	Longvo			
Issue date *	2021-1-29	Lenovo			
Additional information					
P7.1.1 Product environmental attributes					
(d) Year of manufact	ture:				

	Product environmental attributes				
d)	Year of manufacture:				2021
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Categor enable	ry and capability adjust	ments applied when	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	16			
ents sting	Additional internal storage	Yes (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capa	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	N/A			
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	11.49			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
g)	Idle state power demand (Watts);	•	•	•	3.69
h)	Sleep mode power demand (Watts);				0.43
i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.43
j)	Off mode power demand (Watts);				0.27
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.27
I)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
m)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 89.03% 89.7	0% 90.88%			
	*internal note: show values for all available external p	ower supplies			
o)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to r	notebook computers):	300 CYCLES
p-1)	Measurement methodology used to dete	rmine information mer	ntioned in points (I) - i	nternal PSU efficiency	:
p-2)	Measurement methodology used to dete	rmine information mer		external PSU efficiend	су:

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  EN 50563:2011 measurement methodology					
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:  EN 62623:2013 measurement methodology					
(d)	Sequence of steps for achieving a stable condition with respect to power demand:  EN 62623:2013 measurement methodology					
(r)	Description of how sl	eep and/or off mode was selected or programmed: EN 62623:2013 measurement methodo	ology			
(s)	off mode:	required to reach the mode where the equipment auter to power management, 30mins automatically re	eaches sleep mode			
(t)		te condition before the computer automatically re not exceed the applicable power demand requirement		30		
(u)		a period of user inactivity in which the compute ver power demand requirement than sleep mode (in		NA		
(v)		re the display sleep mode is set to activate after		10		
(w)		nergy-saving potential of power management function refer to user manual				
(x)	User information on I	now to enable the power management functionality: refer to user manual				
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in- sting:  230V, 50GHz, Total Harmonic Distortion	strumentation, set-up and circuits			
Additiona	al Notebook Batter	y Information:				
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a		
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)				
Internal/b	uilt-in Battery					
External/o	detachable Battery					
Bios Back	cup Battery					
Other:						
Additional	information					

1)
The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterias de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f dan il-prodott ma tistaxijistghux tigi/jigu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.
A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.
Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.