



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com		Lenovo.			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html				
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration	v.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product							
conforms to the statemen	conforms to the statements given in this declaration.						
Type of product *	Notebook						
Commercial name *	IdeaPad 3 Chromebook 14						
Model number *	82C1						
Issue date *	2020-3-19						
Intended market *	Global Europe Asia, Pacific & Japan Americas Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	82C1	Logo	Long		
Issue dat	:e *	2020-3-19		Lend		J _{th}
Product	environ	mental attributes - Legal requirements		Require	men	t met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).	lorinated			
P1.5* Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).						
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 µg/cm²/weel	k 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie	s				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal			
P2.2*	Batteries reference	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See lega	ı 🔀		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)					
P3	Conformity verification & Eco design (ErP)					
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal requirements) duration of Conformity can be requested at: https://www.lenovo.com/us/en/compliar				
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).				
		d information is; given in item P15 or added to this document,				
Dr	B	available at: https://www.lenovo.com/us/en/compliance/e	eco-declaration			
P5.1*		packaging	u aadmaium	ad 🔽		
	hexavale	ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.			<u>Ц</u>	
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature be legal reference).		,		
P5.3*	(see lega	duct packaging material is free from ozone depleting substances as specified in the Nal reference). In the same of the same is free from concentration values.	∕lontreal Protoc	ol 🔀		
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	82C1	Logo	Lanava
Issue date *	2020-3-19		Lei IOVO.

Product	environmental attributes - Market requirements (See General NOTE GN below)			
		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			_
P7.1*	Parts that have to be treated separately are easily separable		Щ	_ <u></u> _
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
P7.12	Material type: PC/ABS Material type: Material type: Insulation materials of external electrical cables are PVC free.			
P7.12	Insulation materials of internal electrical cables are PVC free.	- -		-
				-
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containin more than 25% post-consumer recycled content.	d 📙		Ш
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloge as defined in IEC 61249-2-21. (See 1NOTE B2)	n 🗌	\boxtimes	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: >PC+ABS-TD15FR(40)<	\boxtimes		
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: Brominated epoxy resin. CAS #: 26265-08-7			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations i concentrations above 0,1%: 1. Chemical name: BPADP, CAS #: 181028-79-5 (See NOTE B4) 2. Chemical name: , CAS #: "	n 🔲		
	3. Chemical name: , CAS #: " Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			\square
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):		\boxtimes	
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 0%. or b) The weight of recycled material is 0 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82C1	Logo	Lonovo
Issue date *	2020-3-19		Lei IOVO,

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

Material and substance requirements (continued) P7.21* Biobased plastic material content is used in the product (See NOTE B7): If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of the biobased plastic material is g. P7.22* Light sources are free from mercury, ie. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg P8.
If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of the biobased plastic material is g. P7.22* Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg P8 Batteries P8.1* Battery chemical composition: Lithium ion
a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. Or b) The weight of the biobased plastic material is g. P7.22* Light sources are free from mercury, ie. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg P8 Batteries P8.1* Battery chemical composition: Lithium ion
total plastic by weight) is %. or b) The weight of the biobased plastic material is g. P7.22* Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify. Number of lamps: and maximum mercury content per lamp: mg P8 Batteries P8.1* Battery chemical composition: Lithium ion
P7.22* Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg P8 Batteries P9.1* Battery chemical composition: Lithium ion P9 Energy consumption (See NOTE B8) P9.1 For the product the following power levels or energy consumptions are reported: Energy mode* Power level at Power level at 115 V AC 230 V AC modes and test method * Peak (On-max) 45 W 45 W 45 W Full load Category I1- Short Idle State - WOL 2.53 W 2.54 W 2.6 W Use for ENERGY STAR V8.0 registration (Plate) Long Idle State - WOL plasbled 0.26 W 0.27 W 0.3 W Reference Off (S5) - WOL Disabled 0.42 W 0.42 W 0.46 W Use for EP EPS No-load (Estampa power supply charger plugged in the wall called but disconnected from the product) PTEC 20.86 W 20.86 W 20.86 W Enabled; Paleon; Sleep Mode(S3) - WOL En
P7.22* Light sources are free from mercury, i.e. less than 0,1 mg/lamp. mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg P8 Batteries
P7.22* Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg P8 Batteries P8.1* Battery chemical composition: Lithium ion P9 Energy consumption (See NOTE B8) P9.1 For the product the following power levels or energy consumptions are reported: Energy mode* Power level at 100 V AC 115 V AC 230 V AC Reference/Standard for energy modes and test method * Peak (On-max) 45 W 45 W 45 W Full load Category I1- Short idle State - WOL 2.53 W 2.54 W 2.6 W Use for ENERGY STAR V8.0 registration (P _{lotto}) Long Idle State - WOL 0.26 W 0.27 W 0.3 W Reference Off (S5) - WOL Disabled 0.26 W 0.42 W 0.46 W Use for ENERGY STAR V8.0 registration (P _{lotto}) Sleep (S3) - WOL Disabled 0.42 W 0.42 W 0.46 W Use for EPP EPS No-load (Extend) power supply charger plugged in the wall outlet but disconnected from the product.) PTEC 20.86 W 20.86 W 20.86 W 20.86 W Price = (8760/1000) x (Port x 0.25
If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg P8 Batteries
P8.1* Battery chemical composition: Lithium ion P9 Energy consumption (See NOTE B8) P9.1 For the product the following power levels or energy consumptions are reported: Energy mode * Power level at 115 V AC 230 V AC
P9 Energy consumption (See NOTE B8) P9.1 For the product the following power levels or energy consumptions are reported: Energy mode * Power level at 100 V AC 115 V AC 230 V AC modes and test method * Peak (On-max) 45 W 45 W Full load Category I1- Short Idle State - WOL Enabled 2.53 W 2.54 W 2.6 W Use for ENERGY STAR V8.0 registration (Pidle) Long Idle State - WOL Enabled 0.26 W 0.27 W 0.3 W Reference Off (S5) - WOL Disabled 0.42 W 0.42 W 0.46 W Use for EP EPS No-load (External power supply / charger plugged in the world collected from the product.) PTEC * 20.86 W 20.86 W 20.86 W 20.86 W 20.86 W Palsepy X 0.35 + Plong_idie X 0.10+ Plon
P9.1 For the product the following power levels or energy consumptions are reported: Energy mode * Power level at 100 V AC Power level at 115 V AC Po
Post For the product the following power levels or energy consumptions are reported: Energy mode *
Power level at 100 V AC Power level at 115 V AC Power level at 230 V AC Reference/Standard for energy modes and test method.*
Peak (On-max) 45 W 45 W Full load Category I1- Short Idle State - WOL Enabled 2.53 W 2.54 W 2.6 W Use for ENERGY STAR V8.0 registration (P _{Idlo}) Long Idle State - WOL Enabled 0.26 W 0.27 W 0.3 W Use for ENERGY STAR V8.0 registration (P _{Idlo}) Sleep (S3) - WOL Disabled 0.26 W 0.27 W 0.3 W Reference Off (S5) - WOL Disabled 0.42 W 0.42 W 0.46 W Use for ErP EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.) 0.02 W 0.06 W 0.06 W PTEC * Typical Energy Consumption 20.86 W 20.86 W 20.86 W Erec = (8760/1000) x (Poir x 0.25 + P sleep x 0.35 + P long, Idle x 0.10+ P short, Idle x 0.30) Poir: Off Mode(S5) - WOL Enabled; P sleep: Sleep Mode(S3) - WOL Enabled; P lute: Idle State - WOL Enabled External Power Supply Efficiency Level (International Efficiency Marking Protocol) * : VI Use for ErP
Category I1- Short Idle State - WOL Enabled 2.53 W 2.54 W 2.6 W Use for ENERGY STAR V8.0 registration (Pidle) Long Idle State - WOL Enabled 0.26 W 0.27 W 0.3 W Use for ENERGY STAR V8.0 registration (Pidle) Sleep (S3) - WOL Disabled 0.26 W 0.27 W 0.3 W Reference Off (S5) - WOL Disabled 0.42 W 0.42 W 0.46 W Use for EP EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.) PTEC * Typical Energy Consumption ETEC * Annual Energy Consumption 8.6 kWh/year 8.7 kWh/year 9.0 kWh/year Exec = (8760/1000) x (Poir x 0.25 + Psleep x 0.35 + Plong Idle x 0.10+ Pshort Idle X 0.30) Poir: Off Mode(S5) - WOL Enabled; Psleep: Sleep Mode(S3) - WOL Enabled; Psleep: Sleep Mode(S3) - WOL Enabled; Psleep: Idle State - WOL Enabled External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI
Short Idle State - WOL Enabled 2.53 W 2.54 W 2.6 W Use for ENERGY STAR V8.0 registration (P _{idle}) Long Idle State - WOL Enabled 0.26 W 0.27 W 0.3 W Use for ENERGY STAR V8.0 registration (P _{idle}) Sleep (S3) - WOL Disabled 0.26 W 0.27 W 0.3 W Reference Off (S5) - WOL Disabled 0.42 W 0.42 W 0.46 W Use for EPP EPS No-load (external power supply / charger plugged in the product.) PTEC * Typical Energy Consumption ETEC * Annual Energy Consumption 8.6 kWh/year 8.7 kWh/year 9.0 kWh/year Frec = (8760/1000) x (Poff x 0.25) - Poff: Off Mode(S5) - WOL Enabled; Psteep: Sleep Mode(S3) - WOL Enabled; Plate: Idle State - WOL Enabled External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: V/
Enabled Long Idle State - WOL Enabled 0.26 W 0.27 W 0.3 W Reference Off (S5) - WOL Disabled 0.42 W 0.42 W 0.42 W 0.42 W 0.46 W Use for ENERGY STAR V8.0 registration (P _{idle}) EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.) PTEC * Typical Energy Consumption ETEC * Annual Energy Consumption ETEC * Annual Energy Consumption 8.6 kWh/year 8.7 kWh/year 9.0 kWh/year ETEC = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{long_Idle} x 0.10+ P _{short_Idle} x 0.30) Poff: Off Mode(S5) - WOL Enabled; P _{sleep} : Sleep Mode(S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: V/
Long Idle State - WOL Enabled 0.26 W 0.27 W 0.3 W Use for ENERGY STAR V8.0 registration (P _{idle}) Sleep (S3) - WOL Disabled 0.26 W 0.27 W 0.3 W Reference Off (S5) - WOL Disabled 0.42 W 0.42 W 0.46 W Use for ErP EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.) PTEC * Typical Energy Consumption ETEC * Annual Energy Consumption 8.6 kWh/year 8.7 kWh/year 9.0 kWh/year ETEC = (8760/1000) x (Poff x 0.25 + P sleep x 0.35 + P long_Idle x 0.10+ P short_Idle x 0.30) Poff: Off Mode(S5) - WOL Enabled; P sleep: Sleep Mode(S3) - WOL Enabled; P idle: Idle State - WOL Enabled External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI
Long Idle State - WOL Enabled 0.26 W 0.27 W 0.3 W Reference Off (S5) - WOL Disabled 0.42 W 0.42 W 0.46 W Use for EP EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.) PTEC * Typical Energy Consumption ETEC * Annual Energy Consumption 8.6 kWh/year 8.7 kWh/year 9.0 kWh/year ETEC = (8760/1000) x (Poft x 0.25 + Psleep x 0.35 + Plong_Idle x 0.10+ Pshort_Idle x 0.30) Poff: Off Mode(S5) - WOL Enabled; Psleep: Sleep Mode(S3) - WOL Enabled; Pidle: Idle State - WOL Enabled External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI
Sleep (S3) - WOL Disabled 0.26 W 0.27 W 0.3 W Reference
Sleep (S3) - WOL Disabled Off (S5) - WOL Disabled 0.42 W 0.42 W 0.002 W 0.002 W 0.002 W 0.002 W 0.002 W 0.004 W Use for ErP EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.) PTEC * Typical Energy Consumption ETEC * Annual Energy Consumption 8.6 kWh/year 8.7 kWh/year 8.7 kWh/year 9.0 kWh/year ETEC = (8760/1000) x (Poff x 0.25 + P sleep x 0.35 + P long_idle x 0.10+ P short_ldle x 0.30) Poff: Off Mode(S5) - WOL Enabled; P sleep: Sleep Mode(S3) - WOL Enabled; P lidle: Idle State - WOL Enabled External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI
Off (S5) - WOL Disabled 0.42 W 0.42 W 0.46 W Use for ErP EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.) PTEC * Typical Energy Consumption ETEC * Annual Energy Consumption 8.6 kWh/year 8.7 kWh/year 8.7 kWh/year 9.0 kWh/year ETEC = (8760/1000) x (Poff x 0.25 + P sleep x 0.35 + P long_tdle x 0.10+ P short_ldle x 0.30) Poff: Off Mode(S5) - WOL Enabled; P sleep: Sleep Mode(S3) - WOL Enabled; P lidle: Idle State - WOL Enabled External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.) PTEC * Typical Energy Consumption 8.6 kWh/year 8.7 kWh/year 8.7 kWh/year 9.0 kWh/year ETEC = (8760/1000) x (Poff x 0.25 + Psleep x 0.35 + Plong_Idle x 0.10+ Pshort_Idle x 0.30) Poff: Off Mode(S5) - WOL Enabled; Psleep: Sleep Mode(S3) - WOL Enabled; Pidle: Idle State - WOL Enabled External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI
(External power supply / charger plugged in the wall outlet but disconnected from the product.) PTEC * Typical Energy Consumption ETEC * Annual Energy Consumption **B.6 kWh/year** **B.6 kWh/year** **B.6 kWh/year** **B.7 kW
(External power supply / charger plugged in the wall outlet but disconnected from the product.) PTEC * Typical Energy Consumption ETEC * Annual Energy Consumption **B.6 kWh/year** **B.6 kWh/year** **B.6 kWh/year** **B.7 kW
PTEC * Typical Energy Consumption ETEC * Annual Energy Consumption External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI 20.86 W
Typical Energy Consumption ETEC * Annual Energy Consumption **Box No. 1
ETEC * Annual Energy Consumption 8.6 kWh/year 8.7 kWh/year 9.0 kWh/year ETEC = (8760/1000) x (Poff x 0.25 + Psleep x 0.35 + Plong_ldle x 0.10+ Pshort_ldle x 0.30) Poff: Off Mode(S5) - WOL Enabled; Psleep: Sleep Mode(S3) - WOL Enabled; Pidle: Idle State - WOL Enabled External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI
Annual Energy Consumption + P _{sleep} x 0.35 + P _{long_idle} x 0.10+ P _{short_idle} x 0.30) P _{off:} Off Mode(S5) - WOL Enabled; P _{sleep} : Sleep Mode(S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI
P _{short_Idle} x 0.30) P _{off:} Off Mode(S5) - WOL Enabled; P _{sleep} : Sleep Mode(S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI
External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI
Display resolution *: 1920*1080megapixels
Default time to enter energy save mode: 30 minutes
P9.2* Information about the energy save function is provided with the product.
P9.3 Energy efficiency class (monitors only):
P10 Emissions
Noise emission – Declared according to ISO 9296 (See NOTE B9)
P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, L _{WA,c} (B)
P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, L _{WA,c} (B) Idle * System Idle * 17.1
Idle * System Idle * 17.1 Operation * CPU;Operation * 17.1
Idle * System Idle * 17.1 Operation * CPU;Operation * 17.1

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nun	nber *	82C1					Logo	Long	VO	
Issue date	*	2020-3-19						Leno	VO	гм
Product 6	environn	nental attributes	- Market requirem	nents (cont	inued)			Require	ment	met
Item								Yes	No	n.a.
	Electron	magnetic emissions	3							
P10.4	program	(s):	requirement for low for	frequency ele	ctromagnetic fields	of the foll	lowing voluntary			
P12		mics for computing								
P12.1*	The disp	lay meets the ergon	omic requirements of	f ISO 9241-30	07 for visual display	y technolo	gies.	\boxtimes		
P12.2*	The phys	sical input device me	eets the requirements	s of ISO 9995	and ISO 9241-410).				
P13	Packagi	ng and documenta	tion							
P13.1*	Product	packaging material t packaging material t packaging material t	ype(s): <i>paper</i>	weight (kg): weight (kg): weight (kg):	0.01002					
P13.2*	Product	plastic primary pack	aging is free from PV	/C.				\boxtimes		
P13.3*		duct primary corrugater recovered fiber co	ated fiberboard packantent: 90%	caging, specif	fy the contained p	ercentage	of minimum po	st-		
P13.4*			roduct documentation Other	n (tick box):						
P13.5	Ùser and		em if paper documen ation on paper media		ee:					
	•	hlorine-free al chlorine-free								
	Processe	ed chlorine-free								
P14	Volunta	ry programs								
P14.1	The proc	duct meets the requi	rements of the followi	ing voluntary	program(s):					
	Eco-labe	el:	Criteria version: 8.0 Criteria version: Criteria version:	I	Date: 2020-02-27 Date: Date:	Product	category: 1 category: category:			
P15		nal information (Se								
P9			ecific configuration							
	informati knowled	ion contained in this ge available at the ti I here is approximate	presentations, guara document. All informa me of completion, and e and provided for info	nation provide nd supplier sh	d by supplier in this all have no obligati	s documer ion to upda	nt is provided bas ate such informa	sed on supp tion. The inf	lier's ormat	ion
P9			otebooks & Tablet Co dex.cfm?fuseaction=f				_code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad 3 Chromebook 14IGL05	Logo	
Model Number	82C1		Lonovo
Issue Date	2020-3-19		Lenovo.
Additional information			

Product environmental attributes								
Year of manufacture:				2018				
e) Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.								
Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when a	II discrete graphics (cards (dGfx) are				
	Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)				
Memory over base [GB]	8GB							
Additional internal storage	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)				
Discrete television tuner	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)				
Discrete Audio Card	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)				
Discrete graphics Card(s) [number / #]								
Category of discrete graphics Card(s)								
Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)								
Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled								
Idle state power demand (Watts);		•		3.94				
n) Sleep mode power demand (Watts); 0.48								
Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);						
Off mode power demand (Watts);				0.36				
Off mode with WOL enabled power dema	and (Watts) (where en	abled);						
) Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):								
10% 20% 50% 100% Average								
External power supply efficiency (if applic	cable)*:							
Average active efficiency: 85.71%, 82.61	%, 87.80%							
Minimum number of loading cycles that the	he batteries can withst	tand (applies only to n	otebook computers):	300				
Measurement methodology used to deter	rmine information mer	itioned in points (I) – ir	nternal PSU efficiency:					
	Etec value (kWh) per ErP Lot 3 Category disabled and if the system is tested with Etec value (kWh) per ErP Lot 3 Category enable Memory over base [GB] Additional internal storage Discrete television tuner Discrete Audio Card Discrete graphics Card(s) [number / #] Category of discrete graphics Card(s) Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx) are enabled all discrete graphics cards (dGfx) are enabled form of the power demand (Watts); Sleep mode power demand (Watts); Sleep mode with WOL enabled power demand (Dff mode with	Etec value (kWh) per ErP Lot 3 Category and capability adjust disabled and if the system is tested with switchable graphics in Etec value (kWh) per ErP Lot 3 Category and capability adjust enable Category A (according to ErP Lot 3) Memory over base [GB] 8GB	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when a disabled and if the system is tested with switchable graphics mode with UMA driving Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when a enable Category A	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics disabled and if the system is tested with switchable graphics mode with UMA driving the display. Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics enable Category A				

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)			
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: ≥70% of Cmin			
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: IEC 62623			
(q)	Sequence of steps for achieving a stable condition with respect to power demand: **Power on -> Wait 5 minutes -> Stable condition**			
(r)	Description of how sleep and/or off mode was selected or programmed: **Begin menu -> Power -> Select sleep or off mode** **Transport of the sleep and slee			
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: NA			
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another			
	condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			30min
(u)	mode that has a lower power demand requirement than sleep mode (in minutes):			
(v)				
(w) Information on the energy-saving potential of power management functionality: **Refer to User Guide**				
(x) User information on how to enable the power management functionality: **Refer to User Guide**				
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:			
230V50HZ-2%-Edition 2.0, 2011-01, Section 4, IEC62301				
Additional Notebook Battery Information:				
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)		
Internal/built-in Battery				
External/detachable Battery				
Bios Backup Battery				
Other:				
Additional information				
1)				

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituídas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.

The battery[ies] in this product cannot be easily replaced by users themselves.