

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

### Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs	Lenovo			
e-mail address	Alvin L Carter	LEHOVO,			
	alcarter@lenovo.com				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html			
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Notebook					
Commercial name *	Lenovo IdeaPad S940 14/Yoga S940-14					
Model number *	81Q7, 81Q8/81R0, 81R1					
Issue date *	2019/8/23					
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products P11.1 - P11.3 Consumable materials for printing products.

Model nu	umber *	81Q7, 81Q8/81R0,	81R1			Logo			
Issue da	te *	2019/8/23				-	Lene	OVC	)
Product	t environ	mental attributes	- Legal require	ments			Require		t met
Item							Yes	No	n.a.
P1		ous substances and							
P1.1*			•	· ·	gal reference and NO	TE B1)	$\square$		
P1.2*	Comme	s do not contain Asbe nt: Legal reference ha	as no maximum co	oncentration value.			$\boxtimes$		
P1.3*	hydrobro trichloro		BFC), hydrochloro	fluorcarbons (HCFC	carbons (CFC), ), Halons, carbontetra egal reference has no		-		
P1.4*	terpheny	I (PCT) in preparatio	ons (see legal refe	rence).	/l (PCB), 0,005% poly		$\square$		
P1.5*	chain co	ntaining at least 48%	per mass of chlo	rine in the SCCP (se					
P1.6*	(see leg	th direct and prolong al reference). nt: Max limit in legal r			concentrations above 1811:2011-5.	e 0,5 μg/cm²/w	veek 🔀		
P1.7*	REACH		n about substance	s in articles is availal	ble at (add URL or ma	ail contact):	$\square$		
P2	Batterie								
P2.1*					imulator is labeled wit (See legal reference)		$\boxtimes$		
P2.2*	Batteries referenc		not contain more	than 0,0005% of me	rcury or 0,002% of ca	ıdmium. (See le	egal 🔀		
P2.3*	Batteries	s and accumulators a	re readily remova	ble. (See legal refere	nce)		$\times$		
P3	Conform	nity verification & E	co design (ErP)						
P3.1*	The proo	duct is CE-marked to claration of Conformit	show conformance y can be requeste	e with applicable leg d at: <i>https://www.len</i>	al requirements (see ovo.com/us/en/compl	legal reference	e). 🔀		
P3.2*	The pro	duct complies with the al reference).					$\boxtimes$		
	• •	d information is;	= -	P15 or added to this	s document, <i>com/us/en/complianc</i>	no la contacta			
P5	Droduct	t packaging		1111ps.//www.iei10v0.	com/us/en/complianc				
P5.1*			componente do p	ot contain more the	in 0,01% lead, merc	oury cadmium	and 🔽		
	hexaval	ent chromium by weig	ght of these togeth	ner.		-			
P5.2*	used (se	e legal reference).			rs indicating the natu				
P5.3*	(see leg	duct packaging mater al reference). nt: Legal reference ha			nces as specified in th	e Montreal Pro	itocol 🔀		
P6	Treatine	ent information							

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		81Q7, 81Q8/81R0, 81R1	Logo			
Issue dat	te *	2019/8/23		Leng	ovc	ты
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)			
	- Enviro	nmental conscious design		Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling				
P7.1*		t have to be treated separately are easily separable				<u> </u>
P7.2*		aterials in covers/housing have no surface coating.				
P7.3*	Plastic pa	arts > 100 g consist of one material or of easily separable materials.				$\square$
P7.4*	Plastic pa	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				$\boxtimes$
P7.5	Plastic pa	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.	$\square$		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).				
	Product	lifetime				
P7.7*	Upgradin	g can be done e.g. with processor, memory, cards or drives		$\boxtimes$		
P7.8*	Upgradin	g can be done using commonly available tools				
P7.9	Spare pa	rts are available after end of production for: 5 years				Ē
P7.10	Service i	s available after end of production for: 5 years				
-		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):)				
			al type: Alumini	um		
P7.12	Insulation	n materials of external electrical cables are PVC free.			$\times$	
P7.13	Insulation	n materials of internal electrical cables are PVC free.		$\boxtimes$		
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame				
	more tha	chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i n 25% post-consumer recycled content.	-			
P7.15	as define	ircuit boards, PCBs (without components) are low halogen: all 🛄 PCBs > 25 g 🔀 d in IEC 61249-2-21. (See 1NOTE B2)		en 🔀		
P7.16	Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: <i>No plastic parts &gt; 25 grams</i>				$\square$
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c A (additive), TBBPA (reactive) (See NOTE B3), X Other: <b>168G2</b> , CAS #: <b>9920</b>				
		nemical specifications of flame retardants in printed circuit boards (without compon- g ISO 1043-4: <i>FR</i> (40)	ents) > 25 g	$\boxtimes$		
P7.18	<u>Alt. 1: Fl</u>	ame retarded plastic parts > 25 g contain the following flame retardant substance	es/preparations	in		
	1. Chemi	ations above 0,1%: cal name: , CAS #: (See NOTE B4)				$\square$
		cal name: , CAS #: " cal name: , CAS #: "				
	parts >	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104 <i>25 grams</i>				
P7.19	-	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements:	n have been			$\square$
			See note B5)		_	
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):				$\boxtimes$
	a) Of t a pe or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conter ercentage of total plastic by weight) is <b>0%</b> . weight of recycled material is <b>0</b> g.	nt (calculated as	5		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	81Q7, 81Q8/81R0, 81R1	Logo	
Issue date *	2019/8/23		Lei Iovo.

### Product environmental attributes - Market requirements (continued) Item

Requirement met Yes No n.a.

	Material and sub	stance requirements	s (continued)		
P7.21*	Biobased plastic	material content is use	ed in the product (See N	IOTE B7):	
P7.22*		free from mercury, i.e I specify: Number of la	. less than 0,1 mg/lamp mps: and maxin	). 1um mercury content p	er lamp: mg
P8	Batteries				· · · · · · · · · · · · · · · · · · ·
P8.1*	•	•	Ion/Lithium Manganes	se Dioxide	
P9	Energy consum	otion (See NOTE B8)			
P9.1			els or energy consumpt		
Energy mo		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *
Peak (On-	-max)	65 W	65 W	65 W	Full load
Catego	r <u>y 1</u>				
Short Idle Enabled	e State - WOL	5.90W	6.10W	6.20W	Use for ENERGY STAR V7.1 registration (P <sub>idle</sub> )
Long Idle Enabled	State - WOL	0.58W	0.58W	0.62W	Use for ENERGY STAR V7.1 registration (P <sub>idle</sub> )
Sleep (S3	) - WOL Enabled	0.58W	0.58W	0.62W	Use for ENERGY STAR V7.1 registration (P <sub>sleep</sub> )
Sleep (S3	) - WOL Disabled	0.58W	0.58W	0.62W	Reference
Off (S5) -	WOL Enabled	0.37W	0.38W	0.44W	Use for ENERGY STAR V7.1 registration (Pott)
Off (S5) -	WOL Disabled	0.37W	0.38W	0.44W	Use for ErP
EPS No-lo	bad	0.08 W	0.08 W	0.08 W	
	) nergy Consumption	2.14W	2.2W	2.26W	
TEC *(2) Typical Er	nergy Consumption	0.36 kWh/week	0.37 kWh/week	0.38 kWh/week	
ETEC *(2)	nergy Consumption	18.6kWh/year	<b>19.13</b> kWh/year	19.74 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long_idle} \times 0.10 + P_{short_idle} \times 0.30)$
		Poff: Off Mode(S5) - W	/OL Enabled; P <sub>sleep</sub> : Slee	p Mode(S3) - WOL Enabl	led; P <sub>idle</sub> : Idle State - WOL Enabled
External F	ower Supply Efficie	ncy Level (Internation	al Efficiency Marking Pr	otocol) * : VI	
Display re	solution * : 8.294 m	egapixels			
Default tin	ne to enter energy s	ave mode: 10 minutes	;		
P9.2*			tion is provided with the	product.	
P9.3		class (monitors only):			
P10	Emissions				· · · · · · · · · · · · · · · · · · ·
			to ISO 9296 (See NOTI		
P10.1	Mode Mode description				hit A-weighted sound power level, <i>L<sub>WA,c</sub></i> (B)
	Idle * Idle mode			* 2.4	
	Operation	* Operating (CPU)		* 3.3	
	Other mode	Declared A-weighted sou	nd pressure level (dB) $L_{p{ m Arr}}$	n 21 (operator position	on desktop – idle)
			nd pressure level (dB) $L_{pAr}$	n 28 (operator position	on desktop – operating)
	Measured accord	ing to: 🔀 ISO 7779 🕻	CMA-74 (only if not covered by	y ECMA-74)	

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B9 A Guidance document on Acoustic Noise is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

Model nu	mber *	81Q7, 81Q8/81	R0, 81R1				Logo				
Issue dat	:e *	2019/8/23						_enovo"			
Product	environ	nental attribut	es - Market require	ments (coi	ntinued)			Re	quire		met
Item									Yes	No	n.a
		nagnetic emissi									
P10.4			the requirement for low AC adapter only)	frequency e	electromagnetic fields	s of the foll	owing volun	tary			
P12		mics for comput									
P12.1*	The disp	play meets the erg	gonomic requirements	of ISO 9241-	307 for visual displa	y technolo	gies.		$\square$		
P12.2*	The phy	sical input device	meets the requiremen	ts of ISO 999	95 and ISO 9241-41	0.			$\boxtimes$		
P13	Packag	ing and docume	ntation								
P13.1*	Product	packaging mater	ial type(s): <i>carton</i> ial type(s): <i>paper</i> ial type(s): <i>LDPE</i>	weight (ko weight (ko weight (ko	g): <b>0.934</b>						
P13.2*	Product	plastic primary pa	ackaging is free from P	VC.					$\square$		
P13.3*	consum	er recovered fiber				percentage	of minimur	n post-			
P13.4*		media for user an ronic, 🔀Paper,	d product documentati	on (tick box)	:						
P13.5	Ùser an		s item if paper docume entation on paper medi						$\boxtimes$		
	Totally o	hlorine-free									
	-	al chlorine-free									
	Process	ed chlorine-free							H		
P14		ry programs									
P14.1			quirements of the follow	wing volunta	ry program(s):						
	ENERG Eco-labe Eco-labe		Criteria version: <b>V</b> Criteria version: Criteria version:	7.1	Date: <b>2019/08/21</b> Date: Date:	Product of Product of Product of					
P15	Additio	nal information (	See NOTE B10)								
P9	Energy	consumption of	specific configuratio	n may vary;	description of the	tested pro	oduct config	guration	:		
	NOTE: S informat knowled	Supplier makes no ion contained in t ge available at th I here is approxim	o representations, guar his document. All inforr e time of completion, a nate and provided for ir	rantees, assumation provid	urances or warrantie ded by supplier in thi shall have no obligat	s whether is documer tion to upda	express or in nt is provided ate such info	mplied, re d based o prmation.	egardin on supp The in	olier's format	ion
P9			d Notebooks & Tablet ( //index.cfm?fuseaction				code=CO				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo IdeaPad S940 14/Yoga S940-14	Logo		
Model Number	81Q7, 81Q8/81R0, 81R1			
Issue Date	2019/8/23		Lenovo	
Additional information				

	Product environmental attributes					
(d)	year of manufacture:				2019	
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are	
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	ry and capability adjust	ments applied when <b>a</b>	II discrete graphics o	cards (dGfx) are	
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)	
	Memory over base [GB]	12				
nents sting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
ability a	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
cap app	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	
	Category of discrete graphics Card(s)	N/A				
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	31.8				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled					
(g)	Idle state power demand (Watts);			·	0.62	
(h)	Sleep mode power demand (Watts);				N/A	
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.62	
(j)	Off mode power demand (Watts);				N/A	
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.39	
(I)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output powe	er (if applicable):		
	10% <b>N/A</b> 20% N/A 50% <b>N/A</b> 100%	N/A Average N/A				
(m)	external power supply efficiency (if appli	cable)*:				
	Average active efficiency: 65W: 89,41%	6, <mark>88,62%,88,96%</mark>				
(0)	*internal note: show values for all available external power supplies         Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):         300 cycles					
(p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: NA					

(p-2)		Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)					
(p-3)	Measurement metho	dology used to determine information mentioned in p ≥70% of Cmin	points (o) – loading cycles batteries:				
(p-4)		odology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration: IEC 62623	naximum, idle, sleep, off mode				
(q)	Sequence of steps for	or achieving a stable condition with respect to power Power on -> Wait 5 minutes ->Stable con					
(r)	Description of how s	leep and/or off mode was selected or programmed: Begin menu -> Power -> Select sleep or o	off mode				
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or				
(t)		te condition before the computer automatically re		30min			
(u)		s not exceed the applicable power demand requirement r a period of user inactivity in which the compute					
( <sub>1</sub> )	mode that has a low	wer power demand requirement than sleep mode (in ore the display sleep mode is set to activate after	minutes):	NA 10min			
(v) (w)		nergy-saving potential of power management functio Refer to User Guide	· · · · · · · · · · · · · · · · · · ·	10min			
(x)	User information on	how to enable the power management functionality: <i>Refer to User Guide</i>					
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in- sting: 230V50HZ-2%-Edition 2.0, 2011-01, Section 4	strumentation, set-up and circuits				
Additior	nal Notebook Batter	ry Information:					
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a			
		The battery[ies] in this product cannot be easily replaced by users themselves. $^{1)} \ensuremath{D}$					
Internal/I	built-in Battery	$\boxtimes$					
External	/detachable Battery						
Bios Bac	ckup Battery						
Other:							
Additiona	al information						
		asily replaced by users themselves. родукт не може да се замени[ят] лесно от самите потребител	14				
s baterías d	le este producto no pueden s	podyki ne wowe da ce samenijanj niecho of camine interpeones ser sustituidas fácilmente por los propios usuarios. neměli provádět sami uživatelé.	и.				
ugeren kan i	ikke uden videre udskifte bat	teriet/batterierne i dette produkt. können nicht ohne weiteres vom Benutzer selbst ausgetauscht w	rerden				
sutajad ei sa	aa selle toote akut/akusid ise						
les batterie		uit ne peuvent être facilement remplacée(s) par les utilisateurs eu	x-mêmes.				
batteria/le b	batterie in questo prodotto no	on può/possono essere facilmente sostituita/e dall'utente.					
o gaminio ba	nevar nomainīt šā ražojuma a aterijos [baterijų] pats vartoto	jas negali lengvai pakeisti.					
oatterija/batt	teriji f'dan il-prodott ma tistax	elhasználó nem tudja egyedül egyszerűen kicserélni. /jistghux tiģi/jigu sostitwita/i mill-utenti stess. t extertere au brukara egye					
e batterij(en)		e gebruiker niet gemakkelijk vervangbaar.					
ou as bateria	as deste produto não podem	wymienić baterii w tym produkcie. ser facilmente substituídas pelos próprios utilizadores.					
		e (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.					

Bateria (bateriile) din acest produs nu poate (pot) fi uşor inlocuită (înlocuite Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.