

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo.
Internet site *	https://www.lenovo.com/us/en/about/sustainability	
Additional information	The latest version of this document can be found at: https://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook				
Commercial name *	IdeaPad Flex 3 11				
Model number *	82B2				
Issue date *	2019-12-26				
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials P9.1 TEC and Print speed P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	82B2		Logo				
lssue da	ite *	2019-12-26			Lend	Lenovo.		
Product	t enviror	mental attributes	- Legal requirements		Require	ment	met	
ltem					Yes	No	n.a.	
P1	Hazard	ous substances and	preparations					
P1.1*	Product	s do comply with curr	ent European RoHS Directive. (See legal re	ference and NOTE B1)	\square			
P1.2*			stos (see legal reference). s no maximum concentration value.		\boxtimes			
P1.3*	hydrobr trichloro	omofluorocarbons (H	e Depleting Substances: Chlorofluorocarbo BFC), hydrochlorofluorcarbons (HCFC), Hal de (see legal reference). Comment: Legal r	lons, carbontetrachloride, 1,1	,1-			
P1.4*	terphen	yl (PCT) in preparatio	than; 0,005% polychlorinated biphenyl (PC ns (see legal reference).		\boxtimes			
P1.5*	Product	s do not contain more	than 0,1% short chain chloroparaffins (SCC per mass of chlorine in the SCCP (see leg		in the 🔀			
P1.6*	(see leg	al reference).	d skin contact do not release nickel in conc eference when tested according to EN1811		/week 🔀			
P1.7*	REACH	Article 33 information	about substances in articles is available at //Lenovo-REACH-SVHC-Disclosure		\boxtimes			
P2	Batterie	es						
P2.1*			ry or an accumulator, the battery/accumula disposal is provided in user manual. (See		al 🔀			
P2.2*	Batterie referenc		not contain more than 0,0005% of mercury	or 0,002% of cadmium. (See	e legal 🛛 🔀			
P2.3*	Batterie	s and accumulators a	re readily removable. (See legal reference)		\square			
P3	Confor	mity verification & E	co design (ErP)					
P3.1*	The pro	duct is CE-marked to	show conformance with applicable legal red can be requested at: https://www.lenovo.c	quirements (see legal referer	nce). 🔀			
P3.2*	The pro		Eco design requirements for energy-relate		\boxtimes			
	· -	d information is;	given in item P15 or added to this doc	,				
P5	Dradiia	tnockoging		usren/compliance/eco-ueclar	auon			
P5.1*		t packaging	omponents do not contain more than 0,0	19/ lood moroury codmis	m and M			
	hexaval	ent chromium by weig	ht of these together.	-				
P5.2*	used (se	ee legal reference).	narked with abbreviations and numbers inc	-				
P5.3*		duct packaging mater al reference).	al is free from ozone depleting substances a	as specified in the Montreal P	rotocol 🔀			
1 0.0			s no maximum concentration values.					
P6	Comme		s no maximum concentration values.					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	82B2	Logo	Lon		
Issue da	te *	2019-12-26		Len	OVC	Тн
Product		mental attributes - Market requirements (See General NOTE GN	below)			
		nmental conscious design		Require		
Item		tory to fill in. Additional information regarding each item may be found under P14. Disassembly, recycling		Yes	No	n.a.
P7.1*		t have to be treated separately are easily separable				
P7.2*		aterials in covers/housing have no surface coating.			╞	╞
P7.3*		arts > 100 g consist of one material or of easily separable materials.			╞	┢
P7.4*	-	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			⊢⊢	┢
P7.5	-	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.		H	H
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			H	H
	Product					
P7.7*		g can be done e.g. with processor, memory, cards or drives		\square		
P7.8*	Upgradin	g can be done using commonly available tools				
P7.9	Spare pa	rts are available after end of production for: 5 years				Π
P7.10	Service i	s available after end of production for: 5 years				
	Material	and substance requirements				
P7.11*	Material	cover/housing material type (e.g. plastics, metal, aluminum): type: PC/ABS Material type: Materia	al type:			
P7.12	Insulation	n materials of external electrical cables are PVC free.			\boxtimes	
P7.13	Insulation	n materials of internal electrical cables are PVC free.			\boxtimes	
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in n 25% post-consumer recycled content.	e retardants, an	ld		
P7.15		ircuit boards, PCBs (without components) are low halogen: all 🗌 PCBs > 25 g 📃 d in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	n 🗌	\square	
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: >PC+ABS-TD15FR(40)<		\square		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co A (additive), TBBPA (reactive) (See NOTE B3), Other: Brominated epoxy 8-7				
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			\square
P7.18	concentr 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: BPADP, CAS #: 181028-79-5 (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	s/preparations i	in 🖂		
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3_1.			
P7.19		parts > 25 g, flame retardant substances/preparations above $0,1\%$ are used which				
	•	the following Risk phrases; and Hazard statements:				
	0		ee note B5)			
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):	,	\boxtimes		
	a) Of to a pe or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is 2.0%. weight of recycled material is 8.2 g.	t (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82B2	Logo	
Issue date *	2019-12-26		Lenovo
Product environ	nental attributes - Market requirements (continued)		Requirement met

Item

Requirement met

Yes No n.a	۱.
------------	----

	Material and su	bstance requirements	(continued)					
P7.21*		material content is use		NOTE B7):				
	If YES: at least o	one of the two alternative	es helow shall he ansv	vered:				
	,			'	ated as a percentage of			
		by weight) is %.	, i	, , , , , , , , , , , , , , , , , , ,				
	or							
P7.22*	, ,	of the biobased plastic	v					
P7.22		e free from mercury, i.e. ed specify: Number of la		num mercury content p	ber lamp: mg			
P8	Batteries							
P8.1*		I composition: Lithium	ion					
P9	Energy consum	Energy consumption (See NOTE B8)						
P9.1		the following power leve						
Energy mo		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *			
Peak (On-	max)	45 W	45 W	45 W	Full load			
Categor	<u>y I1-</u>							
Short Idle	State - WOL	3.37 W	3.47 W	3.44W	Use for ENERGY STAR V8.0			
Enabled					registration (P short idle)			
Long Idle	State - WOL	2.21 W	2.21 W	2.22 W	Use for ENERGY STAR V8.0			
Enabled		2.27 **	2.21 ***	2.22 **	registration (P long idle)			
Sleep (S3)) - WOL Disabled	0.29 W	0.28 W	0.39 W	Use for ENERGY STAR V8.0 registration (P _{sleep})			
Off (S5) - I	WOL Disabled	0.20 W	0.21 W	0.22W	Use for ENERGY STAR V8.0 registration (Port) and ErP			
EPS No-lo	ad	0.02 W	0.02 W	0.06 W				
(External power	supply / charger plugged in the sconnected from the product.	ne						
PTEC *	sconnected from the product.	17.9 W	17.9 W	17.9 W				
Typical En	ergy Consumptior							
ETEC *		12.1 kWh/year	12.4kWh/year	12.7 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25			
Annual En	ergy Consumption				+ P _{sleep} x 0.35 + P _{long_Idle} x 0.10+ P _{short_Idle} x 0.30)			
					bled; Pidle: Idle State - WOL Enabled			
		ency Level (Internationa	al Efficiency Marking P	rotocol) * : VI				
Display res	solution * : 1920*1	080 megapixels						
Default tim	e to enter energy	save mode: 30 minutes						
P9.2*	Information about	ut the energy save funct	ion is provided with the	e product.				
P9.3		y class (monitors only):						
P10	Emissions							
		- Declared according t	o ISO 9296 (See NOT	E B9)				
P10.1	Mode	Mode description			nit A-weighted sound power level, $L_{WA,c}$ (B)			
	Idle	* System Idle		* 23.3				
	Operation	* CPU; Operation		* 23.3	\square			
	Other mode	Declared A-weighted sour	nd pressure level (dB) L_{pl}	(operator po	osition desktop – idle)			
	Other mode Declared A-weighted sound pressure lev			(operator po	osition desktop – operating)			
	Measured accor		ECMA-74					
	Other (only if not covered by ECMA-74)							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$

Model nu	nber *	82B2 Logo		000		
Issue dat)*	2019-12-26		.enc		тн
Product	environr	mental attributes - Market requirements (continued)	F	Require	ment	me
ltem				Yes	No	n.a
		magnetic emissions				
P10.4	Compute program	er display meets the requirement for low frequency electromagnetic fields of the following v n(s):	oluntary			\square
P12	Ergono	mics for computing products				
P12.1*	The disp	play meets the ergonomic requirements of ISO 9241-307 for visual display technologies.		\square		
P12.2*	The phy	vsical input device meets the requirements of ISO 9995 and ISO 9241-410.		\square		
P13	Packagi	ing and documentation				
P13.1*	Product	packaging material type(s): cartonweight (kg): 0.278packaging material type(s): paperweight (kg): 0.01002packaging material type(s): EPEweight (kg): 0.043				
P13.2*	Product	plastic primary packaging is free from PVC.		\square		
P13.3*	For proc	duct primary corrugated fiberboard packaging, specify the contained percentage of min er recovered fiber content: 90 %	imum post-			
P13.4*		media for user and product documentation (tick box): tronic, ⊠Paper, ☐Other				
P13.5	Ùser and	only complete this item if paper documentation used) d product documentation on paper media is chlorine-free: please specify:		\boxtimes		
	Totally c	chlorine-free		\square		
		tal chlorine-free		Ħ		
	Process	sed chlorine-free		H		
P14	Volunta	ary programs				
P14.1		duct meets the requirements of the following voluntary program(s):				
	ENERG Eco-labe Eco-labe	0.	ý:			
P15	Additio	nal information (See NOTE B10)	·			
P9	Energy	consumption of specific configuration may vary; description of the tested product c	onfiguratio	n:		
	NOTE: S informat knowled	Supplier makes no representations, guarantees, assurances or warranties whether express tion contained in this document. All information provided by supplier in this document is pro lge available at the time of completion, and supplier shall have no obligation to update such d here is approximate and provided for informational purposes only. See a Lenovo Account	s or implied, wided based n informatior	regardin 1 on supp n. The int	olier's format	ion
P9	See Ene	ergy Star Qualified Notebooks & Tablet Computers for the latest information: ww.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=C	0			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad Flex 3 11IGL05	Logo
Model Number	82B2	
Issue Date	2019-12-26	Lenovo
Additional information		

P7.1.1	Product environmental attributes				
(d)	Year of manufacture:				2018
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
	disabled and if the system is tested with	i switchable graphics i		g the display.	
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjus	tments applied when a	Ill discrete graphics of	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	4GB			
lents sting	Additional internal storage	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
(g)	Idle state power demand (Watts);				2.22
(h)	Sleep mode power demand (Watts);				0.39
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		
(j)	Off mode power demand (Watts);				0.22
(k)	Off mode with WOL enabled power dem	and (Watts) (where er	abled);		
(I)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
(m)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 88.45%,88.64	4%,88.53%			
	*internal note: show values for all available external po				
(o)	Minimum number of loading cycles that t	he batteries can withs	tand (applies only to n	otebook computers):	300
(p-1)	Measurement methodology used to dete	rmine information mer N/A	ntioned in points (I) – ir	nternal PSU efficiency:	

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)						
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: ≥70% of Cmin						
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: IEC 62623						
(q)	Sequence of steps for achieving a stable condition with respect to power demand: Power on -> Wait 5 minutes ->Stable condition						
(r)	Description of how sleep and/or off mode was selected or programmed: Begin menu -> Power -> Select sleep or off mode						
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or				
(t)	condition which does	te condition before the computer automatically re- s not exceed the applicable power demand requirement	ents for sleep mode (in minutes):	30min			
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):						
(v)		ore the display sleep mode is set to activate after		10min			
(w)	Information on the er	nergy-saving potential of power management functio Refer to User Guide	nality:				
(x)	User information on	how to enable the power management functionality: <i>Refer to User Guide</i>					
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in sting: 230V50HZ-2%-Edition 2.0, 2011-01, Section 4	strumentation, set-up and circuits				
Addition	al Notebook Batter	y Information:					
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a			
		The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾					
Internal/b	uilt-in Battery						
External/o	letachable Battery						
Bios Back	up Battery						
Other:							
Additional	information						
умулаторнат s baterías de měnu baterie ugeren kan ik	а[ите] батерия[и] в този п este producto no pueden s /baterií v tomto výrobku by ke uden videre udskifte bat	asily replaced by users themselves. родукт не може да се замени[ят] лесно от самите потребител er sustituidas fácilmente por los propios usuarios. neměli provádět sami uživatelé. teriet/batterierne i dette produkt. können nicht ohne weiteres vom Benutzer selbst ausgetauscht w					
asutajad ei saa μπαταρία[-ες]	a selle toote akut/akusid ise στο προϊόν αυτό δεν μπορ						

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

Konsnik ne moze tako zamijeniu Baterju sam u ovom proizvodu. La batteria/le batterie in questo prodotto no può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistghux tiģi/jigu sostitivita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produlo nao poate (pot) fi uşor înlocuită (înlocuită (înlocuită) du utilizatorii înșiși. Batéria(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuoteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.