



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| Brand * | Lenovo | Logo | |
|--------------------------------------|--|-------|---------|
| Company name * | Lenovo | | |
| Contact information * e-mail address | Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com | | Lenovo. |
| Internet site * | http://www.lenovo.com/social_responsibility/us/en/environment | .html | |
| Additional information | The latest version of this document can be found at: | | |
| | http://www.lenovo.com/ecodeclaration | | |

| The company declares (| The company declares (based on product specification or test results based obtained from sample testing), that the product | | | | | |
|--------------------------|--|--|--|--|--|--|
| conforms to the statemen | nts given in this declaration. | | | | | |
| Type of product * | Notebook | | | | | |
| Commercial name * | IdeaPad Slim 9 14/Yoga Slim 9 14 | | | | | |
| Model number * | 82D1, 82D2 | | | | | |
| Issue date * | 2020/08/11 | | | | | |
| Intended market * | Global Europe Asia, Pacific & Japan Americas Other | | | | | |
| Additional information | | | | | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

| Model nu | mber * | 82D1, 82D2 | Logo | Long | | |
|-----------|-----------|---|-----------------------------|-------------|---------------|------------------------|
| Issue dat | e * | 2020/08/11 | | Lend | |) _{TM} |
| Product | environ | mental attributes - Legal requirements | | Require | men | met |
| Item | | | | Yes | No | n.a. |
| P1 | Hazardo | ous substances and preparations | | | | |
| P1.1* | Products | s do comply with current European RoHS Directive. (See legal reference and NOTE | B1) | \boxtimes | | |
| P1.2* | | do not contain Asbestos (see legal reference). | | \boxtimes | | |
| D4.0* | | nt: Legal reference has no maximum concentration value. | | | _ | |
| P1.3* | | s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach | lorido 111 | \boxtimes | | |
| | | ethane, methyl bromide (see legal reference). Comment: Legal reference has no m | | | | |
| | | ration values. | iaxii iiai ii | | | |
| P1.4* | | do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych | lorinated | \boxtimes | | |
| | | (PCT) in preparations (see legal reference). | | | | |
| P1.5* | | do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart | oon atoms in the | • 🔀 | | |
| P1.6* | | ntaining at least 48% per mass of chlorine in the SCCP (see legal reference). | N.F | . 🔽 | $\overline{}$ | |
| F1.0 | | th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). | ,5 μg/cm ⁻ /week | | | |
| | | nt: Max limit in legal reference when tested according to EN1811:2011-5. | | | | |
| P1.7* | | Article 33 information about substances in articles is available at (add URL or mail | contact): | \boxtimes | | |
| | https://w | ww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure | , | | | |
| P2 | Batterie | s | | | | |
| P2.1* | | duct contains a battery or an accumulator, the battery/accumulator is labeled with t | he disposal | \boxtimes | | |
| | | Information on proper disposal is provided in user manual. (See legal reference) | | | | |
| P2.2* | | s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm | nium. (See legal | \boxtimes | | |
| P2.3* | referenc | e) s and accumulators are readily removable. (See legal reference) | | | | |
| P3 | | , | | | | |
| P3.1* | | nity verification & Eco design (ErP) duct is CE-marked to show conformance with applicable legal requirements (see leg | ral reference) | | $\overline{}$ | |
| 1 3.1 | | laration of Conformity can be requested at: https://www.lenovo.com/us/en/complian | | | | |
| P3.2* | | duct complies with the Eco design requirements for energy-related products, | | \boxtimes | | |
| | | al reference). | | | ш | |
| | Required | d information is; given in item P15 or added to this document, | | \boxtimes | | |
| | | available at: https://www.lenovo.com/us/en/compliance/e | eco-declaration | | | |
| P5 | Product | packaging | | | | |
| P5.1* | | ng and packaging components do not contain more than 0,01% lead, mercury | y, cadmium an | d 🔀 | | |
| | | ent chromium by weight of these together. | *** | | _ | |
| P5.2* | used (se | kaging materials are marked with abbreviations and numbers indicating the nature or legal reference). | , | , 2 | Ш | Ш |
| P5.3* | The prod | luct packaging material is free from ozone depleting substances as specified in the N | Nontreal Protoco | ol 🔀 | | |
| | | al reference). | | | | |
| DC | | nt: Legal reference has no maximum concentration values. | | | | |
| P6.1* | | nt information on for recyclers/treatment facilities is available (see legal reference). | | | | |
| P0.1 | mormati | on for recyclers/treatment facilities is available (see legal reference). | | \boxtimes | Ш | |

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

| Model number * | 82D1, 82D2 | Logo | Lanova |
|----------------|------------|------|-----------|
| Issue date * | 2020/08/11 | | LEI IOVO" |

| Product | environmental attributes - Market requirements (See General NOTE GN below) | | | |
|---------|---|---------------|-----------------------------|----------|
| | - Environmental conscious design | Require | ment | met |
| Item | *=mandatory to fill in. Additional information regarding each item may be found under P14. | Yes | No | n.a. |
| P7 | Design, Disassembly, recycling | | | |
| P7.1* | Parts that have to be treated separately are easily separable | | Щ. | Щ. |
| P7.2* | Plastic materials in covers/housing have no surface coating. | | Щ. | |
| P7.3* | Plastic parts > 100 g consist of one material or of easily separable materials. | | Щ. | |
| P7.4* | Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. | \boxtimes | | Щ |
| P7.5 | Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. | | | |
| P7.6* | Labels are easily separable. (This requirement does not apply to safety/regulatory labels). | \boxtimes | | |
| | Product lifetime | | | |
| P7.7* | Upgrading can be done e.g. with processor, memory, cards or drives | | Щ. | |
| P7.8* | Upgrading can be done using commonly available tools | | | |
| P7.9 | Spare parts are available after end of production for: 5 years | | | |
| P7.10 | Service is available after end of production for: 5 years | | | |
| | Material and substance requirements | | | |
| P7.11* | Product cover/housing material type (e.g. plastics, metal, aluminum): | | | |
| P7.12 | Material type: PC/ABS Material type: Material type: Insulation materials of external electrical cables are PVC free. | $\overline{}$ | \square | |
| P7.13 | Insulation materials of internal electrical cables are PVC free. | - | \overline{X} | - |
| P7.14 | External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% | <u> </u> | | + |
| F1.14 | weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and | | | Ш |
| | polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing | | | |
| | more than 25% post-consumer recycled content. | | | |
| P7.15 | Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloger as defined in IEC 61249-2-21. (See 1NOTE B2) | ı 📙 | | Ш |
| P7.16 | Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: | | \boxtimes | |
| P7.17 | Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): | | | |
| | TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #: | | \boxtimes | |
| | Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g | | | |
| | according ISO 1043-4: | | \boxtimes | |
| P7.18 | Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in | <u> </u> | | |
| | concentrations above 0,1%: | | \boxtimes | |
| | 1. Chemical name: , CAS #: (See NOTE B4) | | | |
| | 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: " | | | |
| | • | | | |
| D7.40 | Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: | <u> </u> | $\underline{\underline{X}}$ | <u> </u> |
| P7.19 | In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been | | \boxtimes | |
| | assigned the following Risk phrases; and Hazard statements: | | | |
| P7.20* | The source(s) for these classifications is/are found at (add URL(s)): Postconsumer recycled plastic material content is used in the product (See Note B6): | | $\overline{}$ | |
| F1.20 | Posiconsumer recycled plastic material content is used in the product (see Note Bo). | | Ш | Ш |
| | If YES; at least one of the two alternatives below shall be answered; | | | |
| | a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as | | | |
| | a percentage of total plastic by weight) is 3.6% . or | | | |
| | b) The weight of recycled material is 5.2 g. | | | |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

| Model number * | 82D1, 82D2 | Logo | Lanava |
|----------------|------------|------|-----------|
| Issue date * | 2020/08/11 | | LEI IOVO. |
| | | | |

| Product environmental attributes - Market requirements (continued) | Requi | remer | nt met |
|--|-------|-------|--------|
| Item | Yes | No | n.a. |

| | Material and sub | stance requirement | s (continued) | | | |
|-----------------------|---|----------------------------|--|----------------------------|--|---------------|
| P7.21* | Biobased plastic | material content is use | ed in the product (See N | NOTE B7): | | |
| P7.22* | • | • | e. less than 0,1 mg/lamp | | | |
| | • | d specify: Number of la | amps: and maxin | num mercury content բ | per lamp: mg | |
| P8 | Batteries | | | | | |
| P8.1* | Battery chemical | composition: Lithium | ion | | | |
| P9 | | ption (See NOTE B8) | | | | |
| P9.1 | | | els or energy consumpt | | T | |
| Energy mo | | Power level at 100 V AC | Power level at 115 V AC | Power level at 230 V AC | Reference/Standard for energy modes and test method * | |
| Peak (On- | ·max) | 65 W | 65 W | 65 W | Full load | |
| Categor | <u>y</u> | | | | | |
| Short Idle Enabled | State - WOL | 5.65 W | 5.73 W | 6.04 W | Use for ENERGY STAR V8 registration (Pidle) | |
| Long Idle Enabled | State - WOL | 1.92 W | 1.98 W | 2.19 W | Use for ENERGY STAR V8 registration | |
| Sleep (S3) |) - WOL Enabled | 0.55 W | 0.56 W | 0.60 W | Use for ENERGY STAR V8 registration | |
| Off (S5) - | WOL Enabled | 0.29 W | 0.30 W | 0.33 W | Use for ENERGY STAR V8 registration Use for ErP | |
| EPS No-lo | ad | 0.0194 W | 0.0194 W | 0.0194 W | | |
| (External power | supply / charger plugged in the sconnected from the product.) | • | | | | |
| PTEC * | sconnected from the product.) | W | W | W | | \boxtimes |
| _ | ergy Consumption | | • | | | |
| ETEC * Annual En | ergy Consumption | 18.85 kWh/year | 19.16 kWh/year | 20.35 kWh/year | E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{long_Idle} x 0.10+ P _{short Idle} x 0.30) | |
| | | Poff: Off Mode(S5) - V | VOL Enabled; P _{sleep} : Slee | p Mode(S3) - WOL Enab | oled; P _{idle} : Idle State - WOL Enabled | - |
| External P | ower Supply Efficie | ncy Level (Internation | al Efficiency Marking Pi | rotocol) * : V/ | | |
| | solution * : 3840*21 | • • | , , | , | | $\overline{}$ |
| | | ave mode: 30 minutes | 3 | | | \dashv |
| P9.2* | | | tion is provided with the | product | | - |
| | | 0, | • | product. | | |
| P9.3 | <u> </u> | class (monitors only): | | | | |
| P10 | Emissions | | | E B0) | | |
| D40.4 | | | to ISO 9296 (See NOT | | or A control of the control of the | (D) |
| P10.1 | Mode Idle | Mode description | | * 2.5 | mit A-weighted sound power level, $L_{WA,c}$ | (B) |
| | | * System Idle | | | | Щ. |
| | | * CPU Operation | and an account (1710) | * 2.5 | | |
| | Other mode | Declared A-weighted sou | and pressure level (dB) L_{pA} | m 15.8 (operator pos | sition desktop – idle) | |
| | Other mode | Declared A-weighted sou | and pressure level (dB) L_{pA} | m 15.9 (operator pos | sition desktop – operating) | |
| | Measured accord | ing to: X ISO 7779 | | | | _ |
| | | Other | (only if not covered b | v FCMA-74) | | |

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

| Model nu | mber * | 82D1, 82D2 | | | Logo | Lono | \ <u>\</u> | |
|------------|---|--|--|---|--|----------------------------|------------------|-------------|
| Issue date | e * | 2020/08/11 | | | | Leno | VO, | м |
| Product | environn | nental attributes | - Market requirements | (continued) | | Require | ment | met |
| Item | | | | | | Yes | No | n.a. |
| | | nagnetic emission | | | | | | |
| P10.4 | | | requirement for low freque | ncy electromagnetic fields | s of the following voluntary | / | | \boxtimes |
| | program | \ / | | | | | | |
| P12 | | mics for computing | | | | | | |
| P12.1* | The disp | lay meets the ergor | nomic requirements of ISO | 9241-307 for visual displa | y technologies. | | | |
| P12.2* | | • | eets the requirements of IS | O 9995 and ISO 9241-410 | 0. | \boxtimes | | |
| P13 | | ng and documenta | | | | | | |
| P13.1* | Product | packaging material | type(s): Paper - cardboard type(s): Plastic - PE (polye type(s): Plastic - Solid EPI | e thylene) weight (kg | g): 0.0096 | | | |
| P13.2* | Product | plastic primary pacl | caging is free from PVC. | | | \boxtimes | | |
| P13.3* | | duct primary corruger recovered fiber co | ated fiberboard packaging ontent: 90 % | , specify the contained p | percentage of minimum p | ost- | | |
| P13.4* | Specify r | media for user and | product documentation (tick Other | box): | | | | |
| P13.5 | Ùser and | | tem if paper documentation ation on paper media is chl | | | | | |
| | Element | hlorine-free al chlorine-free ed chlorine-free | | | | | | |
| P14 | Volunta | ry programs | | | | | | |
| P14.1 | The prod | duct meets the requ | irements of the following vo | luntary program(s): | | | | |
| | Eco-labe | el: | Criteria version: 8.0 Criteria version: Criteria version: | Date: 2020/08/14 Date: Date: | Product category: 2 Product category: Product category: | | | |
| P15 | | nal information (Se | · | | | | | |
| P9 | | | pecific configuration may | | | | | |
| | informati knowled provided informati | ion contained in this ge available at the t I here is approximat ion. | epresentations, guarantees document. All information ime of completion, and sup e and provided for informat | provided by supplier in thipplier shall have no obligational purposes only. See a | s document is provided be ion to update such informa a Lenovo Account Repres | ased on suppation. The inf | lier's ormati | ion |
| P9 | | | lotebooks & Tablet Comput ndex.cfm?fuseaction=find_a | | | | | |

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

| Reference | Declaration item |
|---|------------------------|
| Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications. | P1.1 |
| Regulation (EC) 1907/2006(REACH, Annex XVII | P1.2, P1.4, P1.6, P1.7 |
| Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances) | P1.3, P5.3 |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5 |
| Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator. | P2.1, P2.2, P2,3, P8.1 |
| Directive 2006/95/EC (Low Voltage Directive) | P3.1 |
| Directive 2004/108/EC (EMC Directive) | P3.1 |
| Directive 1999/5/EC (R&TTE Directive) | P3.1 |
| Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions | P3.1, P3.2 |
| Regulation (EC) No 1272/2008 (CLP Regulation) | P7.19 |
| Directive 2004/12/EC (Packaging Directive) | P5.1 |
| Decision 97/129/EC (Secondary packaging legislation) | P5.2 |
| Directive 2012/19/EU (WEEE directive) | P6.1 |

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

| Commercial name | IdeaPad Slim 9 14/Yoga Slim 9 14 | Logo | |
|------------------------|----------------------------------|------|---------|
| Model Number | 82D1, 82D2 | | Lonovo |
| Issue Date | 2020/08/11 | | Lenovo. |
| Additional information | | | |

| d) | Year of manufacture: | | | | |
|--|--|-------------------------------------|-------------------------------------|-------------------------------------|------------------------------------|
| e) | Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with | | | | cards (dGfx) are |
| f) | Etec value (kWh) per ErP Lot 3 Categor enable | ry and capability adjust | tments applied when a | all discrete graphics of | cards (dGfx) are |
| | | Category A (according to ErP Lot 3) | Category B (according to ErP Lot 3) | Category C (according to ErP Lot 3) | Category D (according to ErP Lot 3 |
| | Memory over base [GB] | 16 | | | |
| ents sting | Additional internal storage | No (Yes / No) | (Yes / No) | (Yes / No) | (Yes / No) |
| capability adjustments applied during testing | Discrete television tuner | No (Yes / No) | (Yes / No) | (Yes / No) | (Yes / No) |
| ability a lied du | Discrete Audio Card | No (Yes / No) | (Yes / No) | (Yes / No) | (Yes / No) |
| cap | Discrete graphics Card(s) [number / #] | No #: (Yes / No) | #: (Yes / No) | #: (Yes / No) | #: (Yes / No) |
| | Category of discrete graphics Card(s) | No | | | |
| saults | Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx) | 17.13 | | | |
| Test results | Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled | 17.13 | | | |
| (g) | Idle state power demand (Watts); | <u> </u> | | <u> </u> | 5.73 |
| h) | Sleep mode power demand (Watts); | | | | 0.56 |
| i) | Sleep mode with WOL enabled power de | emand (Watts) (where | enabled); | | 0.3 |
| j) | Off mode power demand (Watts); | | | | 0.3 |
| (k) | Off mode with WOL enabled power dem | and (Watts) (where en | abled); | | 0.3 |
| (I) | Internal power supply efficiency at 10 %, | , 20 %, 50 % and 100 ° | % of rated output pow | er (if applicable): | |
| | 10% 20% 50% | 100% Avera | age | | |
| (m) | External power supply efficiency (if appli | cable)*: | | | |
| | Average active efficiency: 86.61%,91.16 | 6%,86.02% | | | |
| (o) | *internal note: show values for all available external power supplies Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): | | | | |
| (p-1) | Measurement methodology used to dete | ermine information mer | ntioned in points (I) - i | nternal PSU efficiency: | : |

| (p-2) | D-2) Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0) | | | | |
|---|--|--|-------------------------------|-------|--|
| (p-3) | Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: ≥70% of Cmin | | | | |
| (p-4) | Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: IEC 62623 | | | | |
| (q) | Sequence of steps for achieving a stable condition with respect to power demand: *Power on -> Wait 5 minutes -> Stable condition* | | | | |
| (r) | (r) Description of how sleep and/or off mode was selected or programmed: **Begin menu -> Power -> Select sleep or off mode** | | | | |
| (s) | off mode: | | | | |
| NA NA | | | | | |
| (t) | Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): | | | 30min | |
| (u) Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): | | | NA | | |
| (v) | | | | | |
| (w) | (w) Information on the energy-saving potential of power management functionality: **Refer to User Guide** | | | | |
| (x) | (x) User information on how to enable the power management functionality: **Refer to User Guide** | | | | |
| (z) | (z) Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: 230V50HZ-2%-Edition 2.0, 2011-01, Section 4, IEC62301 | | | | |
| Additional Notebook Battery Information: | | | | | |
| Additio | Mai Notebook Batter | Battery[ies] not user replaceable | Battery[ies] user replaceable | n/a | |
| | | The battery[ies] in this product cannot be easily replaced by users themselves. 1) | , | | |
| Internal/built-in Battery | | \boxtimes | | | |
| External/detachable Battery | | | | | |
| Bios Backup Battery | | | | | |
| Other: | | | | | |
| Additional information | | | | | |
| | | | | | |
| | | | | | |
| <u></u> | | | | | |

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituídas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.

The battery[ies] in this product cannot be easily replaced by users themselves.