



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		_
Contact information *	Lenovo Global Environmental Affairs		Lenovo
e-mail address	Alvin L Carter		LEHOVO
	<u>alcarter@lenovo.com</u>		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	html	
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

	based on product specification or test results based obtained from sample testing), that the product of the given in this declaration.
Type of product *	Notebook
Commercial name *	IdeaPad Gaming 3-15/IdeaPad Creator 5-15
Model number *	81Y4, 82CG, 82D4
Issue date *	2020-3-10
Intended market *	Global Europe Asia, Pacific & Japan Americas Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	ımber *	81Y4, 82CG, 82D4	Logo	Labe		
Issue dat	te *	2020-3-10		Lend)V() _{tm}
Product	environ	mental attributes - Legal requirements		Require	men	t met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*	Products	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\boxtimes		
	hydrobro	omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachl	oride, 1,1,1-		_	
	concentr	ethane, methyl bromide (see legal reference). Comment: Legal reference has no ma ration values.				
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlyl (PCT) in preparations (see legal reference).				
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	on atoms in the			
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above 0, al reference).	,5 μg/cm²/week			
		nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*		Article 33 information about substances in articles is available at (add URL or mail of	contact):	\boxtimes		
	https://w	ww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure			_	
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the Information on proper disposal is provided in user manual. (See legal reference)	ne disposal	\boxtimes		
P2.2*	Batteries reference	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	ium. (See legal	\boxtimes		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg claration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance				
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	, ,	d information is; given in item P15 or added to this document,				
		available at: https://www.lenovo.com/us/en/compliance/ed	o-declaration			
P5		packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.				
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).	,			
P5.3*	(see lega	duct packaging material is free from ozone depleting substances as specified in the Mal reference).	ontreal Protoco	ol 🔀		
-		nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\square	\perp	

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	81Y4, 82CG, 82D4	Logo	Lanava
Issue date *	2020-3-10		LEI IOVO

Product	environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		Щ.	
P7.2*	Plastic materials in covers/housing have no surface coating.		X	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools			
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
P7.12	Material type: PC+ABS Material type: Insulation materials of external electrical cables are PVC free.			
P7.12	Insulation materials of internal electrical cables are PVC free.	- -		
			<u> </u>	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing			
	more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloger as defined in IEC 61249-2-21. (See 1NOTE B2)	1 <u> </u>		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):] 🗆		
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g	\boxtimes		Ш
·	according ISO 1043-4: <i>FR(16)</i>			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in	` □		
	concentrations above 0.1%:	•		
	Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
	FR(40)			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): European Council Directive 67/548/EEC , (See note B5)			
P7.20*	67/548/EEC , (See note B5) Postconsumer recycled plastic material content is used in the product (See Note B6):			$\overline{}$
1 7 .20	If YES; at least one of the two alternatives below shall be answered;	Ш		Ш
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is 0%.			
	or b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	81Y4, 82CG, 82D4	Logo	Lonovo
Issue date *	2020-3-10		Lei IOVO,

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

	Material and sub	stance requirements	(continued)			
P7.21*	Biobased plastic	material content is used	d in the product (See NO	OTE B7):		
P7.22*			less than 0,1 mg/lamp.			\boxtimes
DO		specify: Number of lar	mps: and maximi	um mercury content po	er lamp: mg	
P8.1*	Batteries	sampasition, LLION D	alisman battams and lith	irra madal baddami		
			olymer battery and lith	ium-metai battery		<u>Ш</u>
P9		otion (See NOTE B8)	L			
P9.1		Power level at	ls or energy consumption Power level at	Power level at	Deference/Ctandard for energy	$\overline{}$
Energy mo		100 V AC	115 V AC	230 V AC	Reference/Standard for energy modes and test method *	
Peak (On-I	max)	170 W	170 W	170 W	Full load	
Categor	<u>y 2</u>					
Short Idle Enabled	State - WOL	7.17 W	7.13W	7.46W	Use for ENERGY STAR V8.0 registration (P _{idle})	
Long Idle Enabled	State - WOL	3.01W	3.03 W	3.13 W	Use for ENERGY STAR V8.0 registration (Pidle)	
Sleep (S3)	- WOL Enabled	0.44 W	0.44W	0.47W	Use for ENERGY STAR V8.0 registration(P _{sleep})	
Off (S5) - V	WOL Enabled	0.30W	0.31 W	0.33 W	Use for ENERGY STAR V8.0 registration(Poff)	
Off (S5) - V	WOL Disabled	0.24W	0.25W	0.33W	Use for ErP	
EPS No-loa (External power s	supply / charger plugged in the	0.113 W	0.114 W	0.115W		
PTEC *	connected from the product.)	W	W	W		\boxtimes
_	ergy Consumption	**	**	V V		
ETEC *	ergy Consumption	23.49kWh/year	23.42 kWh/year	24.51 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{long_Idle} x 0.10+ P _{short Idle} x 0.30)	
		Poff: Off Mode(S5) - W	OL Enabled; Psleep: Sleep	Mode(S3) - WOL Enabl	ed; P _{idle} : Idle State - WOL Enabled	
External Po	ower Supply Efficie	ncy Level (Internationa	l Efficiency Marking Pro	tocol) * : VI		
Display res	solution * :2.07 meg	gapixels				f
Default time	e to enter enerav s	ave mode: 10 minutes				Ħ
P9.2*			ion is provided with the	nroduct		∺
P9.3		class (monitors only):	on is provided with the	produot.		X
		class (mornitors orny).				
P10	Emissions Noise emission	- Declared according to	o ISO 9296 (See NOTE	RO)		
P10.1		Mode description	0 130 9290 (See NOTE		it A-weighted sound power level, L _{WA.c} (E	B)
1 10.1		* Idle (Operating)		* 2.5	it 7 weighted Scalla power level, EWA,c (E	
		* HDD:Operation		* 2.7		+
		CPU:Operation		5.2		
	Other mode	Declared A-weighted sour	od pressure level (dB) $L_{p{\sf Am}}$		ition desktop – idle)	
			ad pressure level (dB) $L_{p m Am}$	40.9 (operator posi	ition desktop – operating)	
		ing to: X ISO 7779		1		
]		~ <u>=</u>	(only if not covered by	FCMΔ-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nur	nber *	81Y4, 82CG, 82D4	I.			Logo	Long	1/0	
Issue date	*	2020-3-10					Leno	VO.	м
Product	environn	nental attributes	- Market requirements	(continued)			Require	ment	met
Item							Yes	No	n.a.
		nagnetic emissions							
P10.4	program	(s): MPŔ-II(3 pin A		ncy electromagnetic fields	of the follo	owing voluntary			
P12		mics for computing							
P12.1*	The disp	lay meets the ergon	omic requirements of ISO	9241-307 for visual displa	y technolog	jies.			
P12.2*	The phys	sical input device me	eets the requirements of IS	O 9995 and ISO 9241-410) .				
P13	Packagi	ng and documenta							
P13.1*	Product Product Product Product	packaging material t packaging material t packaging material t	ype(s): paper(manual) ype(s): corner paper weig ype(s): EPE weight (kg): 0.	ght (kg): 0.082					
P13.2*	1		aging is free from PVC.						
P13.3*	consume	er recovered fiber co			ercentage	of minimum pos	st-		
P13.4*		media for user and p ic 🔲, Paper 📐, O	oroduct documentation (tick ther	x box):					
P13.5	Ùser and		em if paper documentation ation on paper media is chl						
	Element	hlorine-free al chlorine-free ed chlorine-free							
P14	Volunta	ry programs							
P14.1	The proc	luct meets the requi	rements of the following vo	luntary program(s):					
	ENERGY Eco-labe Eco-labe		Criteria version: 8.0 Criteria version: Criteria version:	Date: 2020/1/19 Date: Date:	Product c Product c Product c	0 ,			
P15	Addition	nal information (Se	e NOTE B10)						
P9	Energy	consumption of sp	ecific configuration may	vary: description of the	tested pro	duct configurat	tion.		

NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more

See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://downloads.enerhttps://www.energystar.gov/products/office_equipment/computers

P9

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad Gaming 3 15IMH05, IdeaPad Creator 5 15IMH05	Logo		
Model number *	81Y4, 82CG, 82D4		Lopovo	
Issue date *	2020-3-10		Lenovo	
Additional information				

d)	Year of manufacture:				2019	
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are	
f)	Etec value (kWh) per ErP Lot 3 Catego enable	ry and capability adjust	ments applied when a	all discrete graphics	cards (dGfx) are	
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)	
	Memory over base [GB]			16		
ents	Additional internal storage	(Yes / No)	(Yes / No)	Yes (Yes / No)	(Yes / No)	
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)	
bility a	Discrete Audio Card	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)	
capa	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	
	Category of discrete graphics Card(s)			G7		
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)					
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled			16.18		
g)	Idle state power demand (Watts);	<u> </u>		<u> </u>	C : 5.06	
ר)	Sleep mode power demand (Watts);				C: 0.59	
)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		C: 0.59	
)	Off mode power demand (Watts);				C: 0.45	
()	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		C : 0.45	
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):		
	10% 20% 50%	100% Avera	nge			
n)	External power supply efficiency (if appl	icable)*:				
	Average active efficiency: 92.53%					
	*internal note: show values for all available external p	ower supplies				
0)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to r	notebook computers):	300CYCLES	
p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: NA					
p-2)	Measurement methodology used to dete	ermine information mer 63:2011 measuremen		external PSU efficience	cy:	

Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: EN 62623:2013 measurement methodology	(p-3)	Measurement metho	dology used to determine information mentioned in p EN 50563:2011 measurement methodo	()		
(i) Description of how sleep and/or off mode was selected or programmed: EN 62623:2013 measurement methodology (s) Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: refer to power management, 30mins automatically reaches sleep mode (t) Duration of idle state condition before the computer automatically reaches sleep mode (in minutes): (u) Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirements for sleep mode (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Information on the energy-saving potential of power management functionality: refer to user manual (x) User information on how to enable the power management functionality: refer to user manual (2) Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: 230V, 50GHz, Total Harmonic Distortion <2 % Additional Notebook Battery Information: Battery[ies] not user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1) Internal/built-in Battery Internal/detachable Battery Distortion Secure Patternal Se	(p-4)	power as defined in Point P9.1 in the Product IT Eco Declaration:				
(s) Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: refer to power management, 30mins automatically reaches sleep mode (t) Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): (u) Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (w) Information on the energy-saving potential of power management functionality: refer to user manual (x) User information on how to enable the power management functionality: refer to user manual (z) Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electrical testing: 230V, 50GHz, Total Harmonic Distortion <2 % Additional Notebook Battery Information: Battery[ies] not user replaceable The battery[ies] in this product cannot be easily replaceable The battery[ies] in this product cannot be easily replaceable Distortion Superior of the electrical testing: External/detachable Battery Internal/built-in Battery Sios Backup Battery Other:	(q)					
(t) Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): (u) Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time after a period of user management functionality: (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time after a period of user inactivity in which the computer automatically reaches a power mode (in minutes): (v) Length of time after a period of user inactivity in which the computer automatically reaches a power mode (in minutes): (v) Length of time after a period of user activate after user inactivity (in minutes): (v) Length of time after a period of user activate after user inactivity (in minutes): (v) Length of time activate after user inactivity in which the continuents): (v) Length of time before the displ	(r)					
condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): (u) Length of time after a period of user inactivity in which the computer auditorial reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivate after u	off mode:					
mode that has a lower power demand requirement than sleep mode (in minutes): (v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): (w) Information on the energy-saving potential of power management functionality:	condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):				30	
(v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes): 10 (w) Information on the energy-saving potential of power management functionality: refer to user manual 10 (x) User information on how to enable the power management functionality: refer to user manual 10 (z) Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: 230V, 50GHz, Total Harmonic Distortion <2 % Additional Notebook Battery Information: Battery[ies] not user replaceable Battery[ies] user replaceable n/a The battery[ies] in this product cannot be easily replaced by users themselves. 1) Internal/built-in Battery Image: Company of the pattern of				NA		
(w) Information on the energy-saving potential of power management functionality: refer to user manual (x) User information on how to enable the power management functionality: refer to user manual (z) Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: 230V, 50GHz, Total Harmonic Distortion <2 % Additional Notebook Battery Information: Battery[ies] not user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1) Internal/built-in Battery External/detachable Battery Bios Backup Battery Other: Other:	(v)				10	
Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: 230V, 50GHz, Total Harmonic Distortion <2 % Additional Notebook Battery Information: Battery[ies] not user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1) Internal/built-in Battery External/detachable Battery Bios Backup Battery Other:	(w) Information on the energy-saving potential of power management functionality:					
the electrical testing: 230V, 50GHz, Total Harmonic Distortion <2 % Additional Notebook Battery Information: Battery[ies] not user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1) Internal/built-in Battery External/detachable Battery Bios Backup Battery Other:						
Battery[ies] not user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1) Internal/built-in Battery External/detachable Battery Bios Backup Battery Other: Battery[ies] user replaceable n/a	the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:					
The battery[ies] in this product cannot be easily replaced by users themselves. 1) Internal/built-in Battery External/detachable Battery Bios Backup Battery Other:						
replaced by users themselves. 1) Internal/built-in Battery External/detachable Battery Bios Backup Battery Other:			Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a	
External/detachable Battery			The battery[ies] in this product cannot be easily replaced by users themselves. 1)			
Bios Backup Battery	Internal/built-in Battery					
Other:	External/detachable Battery					
	Bios Backup Battery					
Additional information	Other:					
	Additio	nal information			•	
)					

./ The battery[ies] in this product cannot be easily replaced by users themselves. Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Τασύαβα θε αστο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w latwy sposób wymienić baterii w tym produkcie.
A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.
Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.