

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs					
e-mail address	Alvin L Carter	Lenovo				
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	t.html				
Additional information	tion The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statement	conforms to the statements given in this declaration.						
Type of product *	Notebook						
Commercial name *	Legion 5 15ITH6/H						
Model number *	82JK,82JH						
Issue date *	2021-4-19						
Intended market *	🛛 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	82JK,82JH Logo	Long		
Issue dat	e *	2021-4-19	Leng		D.
Product	environ	mental attributes - Legal requirements	Require	men	t met
Item			Yes	No	n.a.
P1	Hazardo	ous substances and preparations			
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\square		
P1.2*	Products Commer	\boxtimes			
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated /I (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the Intaining at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/weeł al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*		Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	\boxtimes		
P2	Batterie	S			
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	\boxtimes		
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega			
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Conform	nity verification & Eco design (ErP)			
P3.1*	The proo	duct is CE-marked to show conformance with applicable legal requirements (see legal reference). eclaration of Conformity can be requested at (add link or e-mail address www.lenovo.com/us/en/compliance/eu-doc):		
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).	\boxtimes		
	Required	d information is; given in item P15 or added to this document, available at (add URL):			
		www.lenovo.com/us/en/compliance/eco-declaration			
P5		t packaging			
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium an ent chromium by weight of these together.			
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature of the material(se legal reference).			
P5.3*	(see lega	duct packaging material is free from ozone depleting substances as specified in the Montreal Protoco al reference). nt: Legal reference has no maximum concentration values.	ol 🔀		
P6		nt information			
P6.1*		ion for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	82JK,82JH	Logo	Lon		
Issue dat	te *	2021-4-19		Len	ovo) m
Product		mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require		
Item P7		tory to fill in. Additional information regarding each item may be found under P14. Disassembly, recycling		Yes	No	n.a.
P7.1*		at have to be treated separately are easily separable				
						<u> </u>
P7.2*		naterials in covers/housing have no surface coating.				<u> </u>
P7.3* P7.4*		parts > 100 g consist of one material or of easily separable materials.			<u> </u>	<u> </u>
P7.4" P7.5		parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	available tee		<u> </u>	
P7.6*		parts are free from metal inlays or have inlays that can be removed with commonly are easily separable. (This requirement does not apply to safety/requiatory labels).			<u> </u>	<u> </u>
F7.0						
		t lifetime				
P7.7*		ng can be done e.g. with processor, memory, cards or drives			<u> </u>	<u> </u>
P7.8*	10	ng can be done using commonly available tools		\square		
P7.9		arts are available after end of production for: 3 years				
P7.10	Service i	is available after end of production for: 3 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
P7.12		type: PC+ABS Material type: n materials of external electrical cables are PVC free.		<u> </u>		
P7.12		n materials of external electrical cables are PVC free.		<u> </u>		<u> </u>
P7.13		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm)	broming and	0.10/		<u> </u>
P7.14	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flam	ne retardants	, and 📃		
		l chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine an 25% post-consumer recycled content.	in parts conta	lining		
P7.15	as define	circuit boards, PCBs (without components) are low halogen: all 🗌 PCBs > 25 g [ed in IEC 61249-2-21. (See 1NOTE B2)		ogen	\square	
P7.16	Marking:					
P7.17		Chemical specifications of flame retardants in printed circuit boards > 25 g (with	nout compone	ents):		\boxtimes
	TBBPA ((additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:				
		hemical specifications of flame retardants in printed circuit boards (without compo g ISO 1043-4: <i>FR(16)</i>	nents) > 25 g			
P7.18	Alt. 1			\boxtimes		
	concentr	retarded plastic parts >25g contain the following flame retardant substance rations above 0.1%:	es/preparation	ns in		
		ent: No legal limits exist, this is a market requirement.				
		ical name: <i>Oligomeric phosphorous compound</i> CAS #: <i>Confidential</i>				
		ical name: CAS #: ical name: CAS #:				
		ical name: , CAS #:				
	Alt. 2			\boxtimes		
		al specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	FR(40)	c parts > 25 g, flame retardant substances/preparations above 0,1% are used whic	h have heen			
P7.19	assigned	d the following Risk phrases; Confidential and Hazard statements: H411; H rce(s) for these classifications is/are found at (add URL(s)): European Cou	413			
	67/548/E					
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):			\boxtimes	
		at least one of the two alternatives below shall be answered;			لالے	
		total plastic parts' weight > 25 g, the postconsumer recycled plastic material conte ercentage of total plastic by weight) is 0% .	nt (calculated	as		
	or b) The	e weight of recycled material is 0 g.				
J	~/ IIC					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	nber *	82JK,82	JH			Logo	Long		
Issue date	• *	2021-4-1	9				Lenc	VO	ты
Product	environm	ental at	tributes - Market I	requirements (conti	nued)		Require	emen	t met
Item					,			No	n.a.
	Matorial	and subs	stance requirements	(continued)					
P7.21*				d in the product (See N	OTE B7) [.]			\boxtimes	
		-			-				
	,			es below shall be answ , the biobased plastic m	,	tod os a porcontas	no of		
			y weight) is 0 %			neu as a percentaç	je ol		
	or	piactic 2	, no.g.n, io 🗸 💦						
			the biobased plastic						
P7.22*			17	less than 0,1 mg/lamp				\boxtimes	
P8	If mercury Batteries		specify: Number of la	mps: and maxim	um mercury content pe	er lamp: mg			
P8.1*			omposition: LI-ION P	olymer battery and litl	nium-metal hattery				
P9			tion (See NOTE B8)						
P9.1				ls or energy consumpti	ons are reported.				
Energy mo		oudot inc	Power level at	Power level at	Power level at	Reference/Stand	dard for ene	erav	
			100 V AC	115 V AC	230 V AC	modes and test		57	
Peak (On-I	max)		230 W	230 W	230 W	Full load			
Categor	v 2								
Caleyon	<u>y </u>								
Short Idle	State - WC	DL	19.49 W	21.55 W	22.03 W	Energy Star Co	mputers 8.0		
Enabled									
Long Idle	State - WO	L	8.20 W	9.67 W	10.08 W	Energy Star Co	mputers 8.0		
Enabled									
Sleep (S3)	- WOL En	abled /	0.59 W	0.63 W	0.65 W	Energy Star Co	mputers 8.0		
Disabled									
Off (S5) - V	VOL Enab	led /	0.44 W	0.44 W	0.44 W	Energy Star Co	mputers 8.0,	ErP	
Disabled									
EPS No-loa	ad		0.113 W	0.114 W	0.115W				
(External power s wall outlet but disc		lugged in the							
PTEC *	connected from th	ne product.)	W	W	W				\boxtimes
Typical Ene	ergy Consu	Imption							
ETEC *	07		61.18 kWh/year	68.00 kWh/year	69.68 kWh/year	E _{TEC} = (8760/10	00) x (P _{off} x 0.	25	
Annual Ene	ergy Consu	Imption				+ P _{sleep} x 0.35 +	Plong_Idle x 0.1	0+	
}			P Off Mode(S5) M	OL Enabled; P _{sleep} : Sleep	Mode(S2) - MOL Ercht	P _{short_Idle} x 0.30)	WOL Enabled		
Evternal Pr	wer Sunnl	v Efficien		al Efficiency Marking Pro			WOL Enabled		
Display res									<u> </u>
			51						<u> </u>
			ve mode: 10 minutes						<u> </u>
P9.2*			0,	ion is provided with the	product.	1	\square		<u>Ц</u>
P9.3			class (monitors only):						\square
P10	Emission		Dealana di "	- 100 0000 (0 1075	DO				
P10.1			J.	o ISO 9296 (See NOTE		it A woighted action	d power lovel	_	(P)
11.1	Mode Idle		<pre>lode description ldle (Operating)</pre>		Statistical upper lim * 2.6		<u>a power iever,</u>	<i>∟w</i> A,c	
}	Operation		HDD:Operation		* NA(No HDD)				<u> </u>
			PU:Operation		5.1				
Ì	Other mo	de 🛛	eclared A-weighted sour	nd pressure level (dB) $L_{p {\sf Am}}$	18.4 (operator posi	tion desktop – idle)			
}	Other mo			ad pressure level (dB) L_{pAm}			atina)		
						aon desktop – opera	uny/		
	Measured	l accordir		ECMA-74					
	1		Other	(only if not covered by	ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

Model nu	Imber *	82JK,82JH				Logo	Lore		
Issue dat	te *	2021-4-19				-	Lend	ovo	тн
Product	environ	nental attribu	tes - Market requirement	ts (continued)			Require	ement	met
Item							Yes	No	n.a.
		nagnetic emiss							
P10.4			the requirement for low frequent for low frequent for low frequence on the second structure of the sec	ency electromagnet	ic fields of the fol	lowing volun	tary 🔀		
P12		mics for compu							
P12.1*	The disp	lay meets the e	rgonomic requirements of ISC) 9241-307 for visua	l display technolo	ogies.	\square		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.								
P13	Packag	ing and docum	entation						
P13.1*	Product Product Product	packaging mate packaging mate packaging mate	rial type(s): corrugated we rial type(s): paper(manual) rial type(s): PP weight (kg): rial type(s): PE weight (kg): rial type(s): EPE we	weight (kg): 0.016	0.096				
P13.2*	Product	plastic primary	backaging is free from PVC.	0 (0)			\square		
P13.3*			rrugated fiberboard packagin er content: 100 %	g, specify the conta	ained percentage	e of minimun			
P13.4*	Specify		nd product documentation (tie	ck box):					
P13.5	Úser an		nis item if paper documentation nentation on paper media is c						
	Element	hlorine-free al chlorine-free ed chlorine-free							
P14	Volunta	ry programs							
P14.1	The pro	duct meets the r	equirements of the following v	voluntary program(s)	:				
	Eco-labo Eco-labo	el:	Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product	category: category: category:			
P15			(See NOTE B10)						
P9			of specific configuration ma						
	informat knowled	ion contained in ge available at t I here is approxi	no representations, guarantee this document. All information he time of completion, and su mate and provided for informa-	n provided by supplie pplier shall have no	er in this docume obligation to upda	nt is provided ate such info	d based on sup rmation. The in	plier's format	tion
P9	See Ene	ergy Star Qualifie	ed Notebooks & Tablet Comp ps://www.energystar.gov/proo						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name *	Legion 5 15ITH6/H	Logo
Model number *	82JK,82JH	
Issue date *	2021-4-19	Lenovo
Additional information		

(d)	Year of manufacture:				2021
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Categor enable	ry and capability adjust	ments applied when a	II discrete graphics o	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]			16	
ents sting	Additional internal storage	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)
cap app	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled			30.95	
(g)	Idle state power demand (Watts);				10.72
h)	Sleep mode power demand (Watts);				0.65
i)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		0.65
j)	Off mode power demand (Watts);				0.42
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.42
(I)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	ige		
m)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 230W:92.849		70W: 92.53%, 92.77%	, 91.50%	
(o)	*internal note: show values for all available external p Minimum number of loading cycles that		tand (applies only to n	otebook computers):	300CYCLES
(p-1)	Measurement methodology used to dete	rmine information mer	tioned in points $(1) - it$	nternal PSI Lefficiency	

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)							
(p-3)	Measurement metho	dology used to determine information mentioned in <i>≥</i> 70% of Cmin	ooints (o) – loading cycles batteries:					
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration: <i>IEC</i> 620						
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::					
		Power on -> Wait 5 minutes ->Stable co	ndition					
(r)	Description of how sleep and/or off mode was selected or programmed:							
		Begin menu -> Power -> Select sleep or o	off mode					
(s)	Sequence of events off mode: NA	required to reach the mode where the equipment au	tomatically changes to sleep and/or					
(t)	condition which does	te condition before the computer automatically r s not exceed the applicable power demand requirem	ents for sleep mode (in minutes):	30min				
(u)		r a period of user inactivity in which the compute wer power demand requirement than sleep mode (ir		NA				
(v) (w)	Length of time before	ore the display sleep mode is set to activate after nergy-saving potential of power management function	user inactivity (in minutes):	10min				
(w)	Refer to User Guide		nany:					
(x)	User information on	how to enable the power management functionality:						
		Refer to User Guide						
(z)		measurements: — test voltage in V and frequency ir system, — information and documentation on the in sting: 230V50HZ-2%-Edition 2.0, 2011-01, Section	strumentation, set-up and circuits					
Additiona	I Notebook Batter	ry Information:						
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a				
		The battery[ies] in this product cannot be easily replaced by users themselves. $^{1)} \ensuremath{D}$						
Internal/bu	ilt-in Battery							
External/d	etachable Battery							
Bios Back	up Battery							
Other:								
Additional	information							
/мулаторната	[ите] батерия[и] в този п	asily replaced by users themselves. родукт не може да се замени[ят] лесно от самите потребите. er sustituidas fácilmente por los propios usuarios.	пи.					
měnu baterie/ł ıgeren kan ikk	oaterií v tomto výrobku by e uden videre udskifte bat	neměli provádět sami uživatelé. tteriet/batterierne i dette produkt.						
sutajad ei saa	selle toote akut/akusid ise		verden.					
les batterie(s	présente(s) dans ce produ	ούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες it ne peuvent être facilement remplacée(s) par les utilisateurs et neuverneuverneuverneu	ıx-mêmes.					
batteria/le bat		on può/possono essere facilmente sostituita/e dall'utente.						
gaminio bate	ar nomainīt šā ražojuma a rijos [baterijų] pats vartoto ilátorát/akkumulátorait a f	ikurnulatoru(-us). jas negali lengvai pakeisti. elhasználó nem tudja egyedül egyszerűen kicserélni.						
atterija/batteri	i f'dan il-prodott ma tistax	/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.						
batterij(en) in	dit product is (zijn) door d	tt erstattes av brukerne selv. e gebruiker niet gemakkelijk vervangbaar. wenienië baterij w me predukcio						
ou as baterias	deste produto não podem	wymienić baterii w tym produkcie. ser facilmente substitu(das pelos próprios utilizadores. o (act) 6 uros salesuită (daleguita) da utilizatarii saciai						
tériu(-ie) v tom	to výrobku nemôže vymie							
män tuotteen a	akku [akut] ei[vät] ole help	mi ne morejo zlahka zamenjati. osti käyttäjän vaihdettavissa.						
t är inte enkelt	för kunden att själv byta	ut batteriet/batterierna.						