



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs		ODOVO			
e-mail address	Alvin L Carter		Lenovo			
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information						

The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statements given in this declaration.				
Type of product *	Type of product * Monitor			
Commercial name *	Lenovo C22-20, C22-25, D22-20			
Model number *	66AD, 62A7, 66AF			
Issue date *	2020/06/01			
Intended market *	Global Europe Asia, Pacific & Japan Americas Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *	66AD, 62A7, 66AF	Logo	Lonovo
Issue date *	2020/06/01		Lei IOVO.

Product	Requirement met			
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\square		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-		_	
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\square		
	terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week			
	(see legal reference).			
D4 7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5.		_	
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://static.lenovo.com/ww/docs/sustainability/ww-disclosure-Lenovo-REACH-SVHC-Disclosure.pdf	\boxtimes	Ш	Ш
	<u> </u>			
P2	Batteries		_	
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	Ш	Ш	\boxtimes
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal			\boxtimes
D0.04	reference)		_	<u> </u>
P2.3*	Batteries and accumulators are readily removable. (See legal reference)		Ш	\boxtimes
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc		Ш	
P3.2*	The product complies with the Eco design requirements for energy-related products,	X		
	(see legal reference).			_
	Required information is; given in item P15 or added to this document,	\boxtimes		
	available at: https://www.lenovo.com/us/en/compliance/eco-declaration			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an	d 🔀		
P5.2*	hexavalent chromium by weight of these together.	\ \ \	$\overline{}$	
P5.2	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s used (see legal reference).	(a)	Ш	Ш
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea	al 🔀		
	Protocol (see legal reference).		_	
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information Information for recyclers/treatment facilities is available (see legal reference).			
P6.1*		\mathbf{M}		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	66AD, 62A7, 66AF	Logo	Lopovo
Issue date *	2020/06/01		reliovo"

Product	environmental attributes - Market requirements (See General NOTE GN below)			
		quire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.		\boxtimes	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes	$\overline{\Box}$	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes	$\overline{\sqcap}$	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes	Π	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes	Ħ	
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			\boxtimes
P7.8*	Upgrading can be done using commonly available tools			\boxtimes
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
D7.40	Material type: PC Material type: PC Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.	Щ.		
P7.13	Insulation materials of internal electrical cables are PVC free.	Ц.	<u>×</u>	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.		Ш	
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other:, CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			\boxtimes
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	∺	$\overline{\sqcap}$	
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):		\boxtimes	
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is or b) The weight of recycled material is 0 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * 66AD, 62A7, 66AF				Logo	Lonovio			
Issue date *	ssue date * 2020/06/01					Lenovo.		
Product environmental attributes - Market requirements (continued)						Requirement m	et	
Item			•	•		Yes No n.a	а.	
	Material and substance requirements (continued)							
P7.21* Biobas	ed plastic m	naterial content is used	in the product (See NO	TE B7):]	
If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0%. or b) The weight of the biobased plastic material is 0g.								
- U		free from mercury, i.e. I specify: Number of lam		m mercury content per	lamp: mg]	
P8 Batter	es							
P8.1* Battery	chemical c	composition:					\boxed	
		tion (See NOTE B8)						
P9.1 For the	product the	e following power levels	s or energy consumption	ns are reported:			\boxed	
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Stand modes and test r	ard for energy nethod *		
ENERGY STAR® ((System Idle)	On Mode*							
ENERGY STAR® I Sleep Mode*								
ENERGY STAR® (Apparent Off Mode								
PTEC *		W	W	W				
Typical Energy Cor	sumption	VV	VV	VV			7	
ETEC * Annual Energy Cor		kWh/year	kWh/year	kWh/year	$E_{TEC} = (8760/100)$ $P_{Sleep} \times 0.1 + P_{idle}$	/ \ \ '	3	
		ncv Level (International	Efficiency Marking Prot	ocol) * :	I sleep X U.I · I lak	× 0.0)	a -	
Display resolution*		• •		· · · · · ·		<u>V</u>	<u> </u>	
		eve mode: 15 seconds						
P9.2* Informa	ation about	the energy save function	on is provided with the p	roduct.	•	\square \square \square	Τ	
		s the energy requireme version: Product cate	nts of the following volu	ntary program/s:			֓֡֡֞֞֞֡֜֞֡֞֜֞֜֡	
P10 Emiss	210 Emissions							
Noise	Noise emission – Declared according to ISO 9296 (See NOTE B9)							
P10.1 Mode		Mode description		Statistical upper limit	A-weighted sound	d power level, $L_{WA,c}$ (B)		
Idle	*	HDD: Idle		*				
Operat	ion *	HDD: Operating		*			3	
Other			d pressure level (dB) $L_{p{ m Am}}$	(operator pos	ition desktop – idle)		
Other	node <i>L</i>	Declared A-weighted sound	d pressure level (dB) $L_{p{\sf Am}}$	(operator pos	ition desktop – ope	rating)		
Measu	red accordii	ng to: ISO 7779 Other	ECMA-74 (only if not covered by E	ECMA-74)				

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

wodei nu	ımber "	66AD, 62A7, 66	AF			Logo	Lond	110		
Issue date *		2020/06/01						Lenovo		
Product	Product environmental attributes - Market requirements (continued)						Require	ment	met	
Item							Yes	No	n.a.	
	Electron	nagnetic emissio	ns							
P10.4	Compute program		ne requirement for low f	requency electromagnetic	fields of the foll	owing voluntary				
P12	Ergonoi	nics for computi	ng products							
P12.1*	The disp	lay meets the ergo	onomic requirements of	ISO 9241-307 for visual d	isplay technolo	gies.	\boxtimes			
P12.2*	The phys	sical input device	meets the requirements	of ISO 9995 and ISO 924	1-410.					
P13	Packagi	ng and documen	tation							
P13.1*	Product Product	packaging materia packaging materia		weight (kg): 0.195 weight (kg): 0.018						
P13.2*	Product	plastic primary pa	ckaging is free from PV	C.						
P13.3*	consume	er recovered fiber	content: 85%	aging, specify the contain	ed percentage	of minimum po	ost-			
P13.4*		media for user and ronic, ⊠Paper, ☐	d product documentation Other	n (tick box):						
P13.5	Ùser and		item if paper documen ntation on paper media							
	Totally chlorine-free									
	Process	ed chlorine-free					Ħ			
P14	Volunta	ry programs								
P14.1	The prod ENERG' Eco-labe Eco-labe	duct meets the req Y STAR® el: el:	Criteria version: Criteria version: Criteria version:	ng voluntary program(s): Date: Date: Date:	Product	category: category: category:				
P15		nal information (S								
P9		•	· · · · · · · · · · · · · · · · · · ·	may vary; description of						
	informati knowled provided informati	on contained in the ge available at the here is approximation.	is document. All informations time of completion, and ate and provided for info	ntees, assurances or warra ation provided by supplier i d supplier shall have no ob ormational purposes only. S	in this documer oligation to upda	nt is provided ba ate such informa	ased on suppation. The in	plier's formati	ion	
P9	See Energy Star Qualified Monitors & Displays for the latest information: https://www.energystar.gov/products/office_equipment/displays									

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1