



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo					
Company name *	Lenovo						
Contact information *	Lenovo Global Environmental Affairs		ODOVO				
e-mail address	Alvin L Carter		Lenovo				
	alcarter@lenovo.com						
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html						
Additional information							

The company declares (	The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statemer	nts given in this declaration.					
Type of product *	Monitor					
Commercial name *	Lenovo D22-17					
Model number *	61FF					
Issue date *	2020/1/3					
Intended market *	Global Europe Asia, Pacific & Japan Americas Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *	61FF	Logo	Lonovo
Issue date *	2020/1/3		LEI IOVO

Product	Product environmental attributes - Legal requirements						
Item	·	Require Yes	No	n.a.			
P1	Hazardous substances and preparations						
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	$\boxtimes$					
P1.2*	Products do not contain Asbestos (see legal reference).	$\boxtimes$					
	Comment: Legal reference has no maximum concentration value.						
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\boxtimes$					
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum						
	concentration values.						
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated						
	terphenyl (PCT) in preparations (see legal reference).		ш				
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	e 🔀					
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).						
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week						
	(see legal reference).						
P1.7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5.  REACH Article 33 information about substances in articles is available at (add URL or mail contact):		_	_			
F 1.7	https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	$\boxtimes$	Ш	Ш			
DO	·						
P2	Batteries (1) It is a large of the large of		_				
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)		Ш	$\boxtimes$			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega			$\times$			
	reference)						
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			$\boxtimes$			
P3	Conformity verification & Eco design (ErP)						
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$					
	The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc						
P3.2*	The product complies with the Eco design requirements for energy-related products,	$\bowtie$					
	(see legal reference).						
	Required information is; given in item P15 or added to this document,		ш	ш			
	available at: https://www.lenovo.com/us/en/compliance/eco-declaration						
P5	Product packaging		_				
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀	Ш				
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s	s) 🔀					
1 0.2	used (see legal reference).	"	ш				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea	al 🔀					
	Protocol (see legal reference).						
	Comment: Legal reference has no maximum concentration values.						
P6	Treatment information						
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).						

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	61FF	Logo	Lanava
Issue date *	2020/1/3		LEI IOVO"

Product	t environmental attributes - Market requirements (See General NOTE GN below)								
	- Environmental conscious design Requirement met								
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.					
P7	Design								
D7.4*	Disassembly, recycling								
P7.1*	Parts that have to be treated separately are easily separable		$\square$						
P7.2*	Plastic materials in covers/housing have no surface coating.								
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.								
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$							
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$							
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$							
	Product lifetime								
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			$\boxtimes$					
P7.8*	Upgrading can be done using commonly available tools			$\boxtimes$					
P7.9	Spare parts are available after end of production for: 5 years								
P7.10	Service is available after end of production for: 5 years								
	Material and substance requirements								
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):								
	Material type: ABS Material type: STEEL Material type:								
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$						
P7.13	Insulation materials of internal electrical cables are PVC free.		$\boxtimes$						
P7.14	4 External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts								
	containing more than 25% post-consumer recycled content.								
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)	<i>N</i>							
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:								
P7.17	· ·								
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:								
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations is concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "  3. Chemical name: , CAS #: "	n							
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			$\boxtimes$					
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			$\boxtimes$					
	assigned the following Risk phrases; and Hazard statements:								
D7.00*	The source(s) for these classifications is/are found at (add URL(s)):  (See note B5)								
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):  If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 75.3%. (EPEAT calculation) / 85% (TCO calculation) or  b) The weight of recycled material is 593.3 g.	×							

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	mber *	61FF				Logo	Long		
Issue date	e *	2020/1/3					Lend	JVC	<b>D</b> <sub>th</sub>
Product	Product environmental attributes - Market requirements (continued)  Requirement m								ıt met
Item							Yes	No	n.a.
	Material and substance requirements (continued)								
P7.21*				d in the product (See N	IOTE B7):				
	If YES; at least one of the two alternatives below shall be answered;								
	a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage								
	or to	otal plastic	by weight) is 0%.						
	b) The weight of the biobased plastic material is <i>0</i> g.								
P7.22*				. less than 0,1 mg/lamp			$\boxtimes$		
DO			specify: Number of la	mps: and maxin	num mercury content p	er lamp: mg			
P8.1*	Batterie	_	omposition:						
P9			<u> </u>						
P9.1			tion (See NOTE B8)	els or energy consumpt	ions are reported:				
Energy mo		noddot tire	Power level at	Power level at	Power level at	Reference/Standa	rd for en	erav	
- 57			100 V AC	115 V AC	230 V AC	modes and test me	ethod *	- 37	
ENERGY	STAR® Or	n Mode*	11.69W@50Hz	11.73W	11.82W	ENERGY STAR®			
(System Id	dle)		11.77W @ 60Hz			Requirements for Monitors: Ver. 7.1	Computer		
ENERGY	STAR® Lo	w Power	0.15W@50Hz	0.15W	0.18W	ENERGY STAR®	Program	-	
Sleep Mod			0.15W @ 60Hz	0.1011	0.1011	Requirements for			
			0.0014/0.5011			Monitors: Ver. 7.1	_		
ENERGY	STAR® Of	f/	0.09W@50Hz 0.09W @ 60Hz	0.08W	0.10W	ENERGY STAR® Requirements for			
Apparent (	Off Mode*		0.0377 @ 00/12			Monitors: Ver. 7.1	Computer		
PTEC *			36.70W @ 50Hz	36.82W	37.27W				$\overline{}$
-	nergy Cons	umption	36.94W @ 60Hz	00.02.11	0.1.2.1.1				ш
ETEC *			36.94Wh/year	36.82Wh/year	37.27Wh/year	$E_{TEC} = (8760/1000)$		.6 +	
	ergy Cons		and lavel (Internations	L Efficiency Marking D	roto col\ * ·	P <sub>sleep</sub> x 0.1 + P <sub>idle</sub> 2	x 0.3)		
External P	ower Supp	ny Emcien	icy Level (Internationa	al Efficiency Marking P	Olocol) :	ENERGY CTARS	D		
Display re	solution* :	2.1 mega	nnixels			ENERGY STAR® Requirements for			
2.op.a, 10.						Monitors: Ver. 7.1	ooputo.		
						ENERGY STAR®			
Default tim	ne to enter	energy sa	ive mode: 60 second	S		Requirements for	Computer		
P9.2*	P9.2* Information about the energy save function is provided with the product.								
P9.3*			0,	<u> </u>	·			+	+
1 0.0	P9.3* The product meets the energy requirements of the following voluntary program/s:  ENERGY STAR® version: 7.1 Product category: Display.								ш
The data of P9.1 is from Foxconn plant test									
P10	Emissio		5	100 0000 (0 NOT	- DO)				
D40.4				o ISO 9296 (See NOT		-:t A			(D)
P10.1							(D)		
	Other mode $\frac{Declared A-weighted sound pressure level (dB)}{Declared A$								
	Otherwork and Americk decrease are sent (dD) =								
	Other mode $\frac{Declared A-weighted sound pressure level (dB) L_{pAm}}{Declared A-weighted sound pressure level (dB) L_{pAm}}$ (operator position desktop – operating)								
	Measure	d accordir	ng to: 🔀 ISO 7779 🛚	ECMA-74					
			Other	(only if not covered b	y ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model number *		61FF				Logo		Loro		
Issue date * 202		2020/1/3						Leno	VO,	
Product	environr	mental attributes	- Market requiren	nents (cor	itinued)			Require	ment	met
Item				•				Yes	No	n.a.
	Electron	magnetic emission	ıs							
P10.4		er display meets the (s): <b>TCO7.0</b>	e requirement for low f	requency el	ectromagnetic fiel	ds of the following	voluntary			
P12		mics for computin								
P12.1*	The disp	play meets the ergo	nomic requirements of	f ISO 9241-	307 for visual disp	lay technologies.		$\boxtimes$		
P12.2*	The phys	sical input device m	neets the requirements	of ISO 999	95 and ISO 9241-4	10.				$\boxtimes$
P13	Packagi	ing and document	ation							
P13.1*	Product Product Product	packaging material packaging material packaging material	type(s): <b>Bag</b> type(s):	weight (kg weight (kg weight (kg	): <b>0.264</b> j): <b>0.046</b>					
P13.2*	Product	plastic primary pacl	kaging is free from PV	C.						
P13.3*		duct primary corruger recovered fiber c	gated fiberboard pack ontent: <b>85</b> %	aging, spec	cify the contained	percentage of mi	nimum po	st-		
P13.4*			product documentatio Other	n (tick box):						
P13.5	Ùser and		tem if paper documen tation on paper media							
	Element	chlorine-free al chlorine-free ed chlorine-free								
P14	Volunta	ry programs								
P14.1	The prod ENERG' Eco-labe Eco-labe	duct meets the requ Y STAR® el: el:	irements of the follow Criteria version: 7.1 Criteria version: Criteria version:		y program(s): Date: <b>2020/1/3</b> Date: Date:	Product catego Product catego Product catego	ry:	lonitor		
P15		nal information (Se								
P9			pecific configuration							
	informati knowled	ion contained in this ge available at the I here is approxima	representations, guara s document. All inform time of completion, an te and provided for inf	ation provid d supplier s	ed by supplier in t hall have no obliga	his document is pro ation to update suc	ovided ba h informa	sed on supp tion. The inf	olier's formati	on
P9	See Ene	ergy Star Qualified N	Monitors & Displays fo /products/office_equip							

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1