



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2- Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Log	0	
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs		Lenovo	
e-mail address	Alvin L Carter		LCIIOVO	
	alcarter@lenovo.com			
Internet site *	http://www3.lenovo.com/us/en/social responsibility/environment			
Additional information	The latest version of this document can be found at:			
	http://www.lenovo.com/ecodeclaration			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Display			
Commercial name*	Lenovo D22e-20			
Model number*	66D2			
Issue date *	2021/04/30			
Intended market *	Global Europe Asia, Pacific & Japan Americas Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number*		66D2	Logo	Long		
Issue dat	sue date * 2021/04/30			Lenovo.		
Product environr		mental attributes - Legal requirements		Require	ment	met
Item		<u> </u>		Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference andNOTE	B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no maration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychyl (PCT)inpreparations(see legal reference).	lorinated			
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	e 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above (al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5μg/cm²/week			
P1.7*	REACH	Article 33information about substances in articles is available at (add URL or mail owww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal			
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadr	nium. (See lega	ıl		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)				X
P3	Conform	nity verification& Eco design (ErP)				
P3.1*	The Dec	duct isCE-markedto show conformance with applicable legal requirements (see leg- claration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/complaince/eu-doc	al reference).			
P3.2*		duct complies with the Eco design requirements forenergy-related products, al reference).		\boxtimes		
	Required	d information is;				
P5		packaging				
P5.1*	Packagii	ng and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together.	y, cadmium ar	nd 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature legal reference).	of the material(s) 🔀		
P5.3*	The pro	duct packaging material is free from ozone depleting substances as specified (see legal reference). nt: Legal reference has no maximum concentration values.	in the Montre	al 🔀		
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				
						_

NOTE B1Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

wodei nu	mber *	00D2	Logo	Long		
Issue date *		2021/04/30		Len		TH.
Product environmental attributes - Market requirements (See General NOTE GN below)						
			Require			
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7	Design Disasse	mbly, recycling				
P7.1*		at have to be treated separately are easily separable			П	
P7.2*		naterials in covers/housing have no surface coating.			Ħ	Ħ
P7.3*		arts > 100 g consist of one material or of easily separable materials.			Ħ	
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			Ħ	Ħ
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly	available tools.		Ħ	$\overline{}$
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			$\overline{\Box}$	H
	Product	lifetime				
P7.7*		ng can be done e.g. with processor, memory, cards or drives				\square
P7.8*	Upgradir	ng can be done using commonly available tools			$\overline{\Box}$	
P7.9	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
	Material	and substance requirements				
P7.11*		cover/housing material type(e.g. plastics, metal, aluminum):				
			al type: PC			
P7.12		n materials of external electrical cables arePVC free.				
P7.13		n materials of internal electrical cables are PVC free.				Щ
P7.14 External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.						
P7.15	Printed	circuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > as defined in IEC61249-2-21. (See NOTEB2)	25 g 🗌 are lo	ow		
P7.16	Flame re Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: no flame retardant				
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without copy (additive), TBBPA(reactive)(See NOTEB3) Other prominated epoxy res		8- 🛚		
		emical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR4</i>	ents)> 25 g			
P7.18	concentr 1. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: "	es/preparations	in		
	3. Chem	ical name: , CAS #: " emical specifications of flame retardants in plastic parts > 25 g according ISO 1043	3-4:			
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements:	n have been			
	-		ee note B5)			
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):	cc note boj			
	If YES; a a) Of t perc	It least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g,the postconsumer recycled plastic material content centage of total plastic by weight) is 84.7%. (EPEAT calculation)/85%(TCO calculation) weight of recycled material is 663.57g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B6Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	umber * 66D2 Logo		\/O							
Issue date	e date * 2021/04/30				Leno	enovo.				
Product environmental attributes - Market requirements (continued)						Requirement met				
Item					Yes I	No n.a.				
	Material and substance requirements (continued)									
P7.21*	Biobased	d plastic m	naterial content is used	d in the product (See N	IOTEB7):					
	If YES; a	t least one	e of the two alternative	es below shall be answ	ered;					
					material content (calcu	lated as a percenta	ge			
	of to	otal plastic	by weight) is %	0.						
		weight of	f the biobased plastic r	material is g.						
P7.22*	Light sou	irces are f	ree from mercury, i.e.	less than 0,1 mg/lamp			X			
			specify: Number of lar	nps: 0 and maximum r	nercury content per lam	ıp: <mark>0</mark> mg				
P8.1*	Batteries		omposition:							
P9	•		tion (See NOTEB8)							
P9.1				ls or energy consumpti	ons are reported:					
Energy mo			Power level at	Power level at	Power level at	Reference/Standa	ard for ene	rgy		
0,			100 V AC	115 V AC	230 V AC	modes and test m		· ·		
ENERGY S		า	9.59 W @ 60Hz	9.62 W @ 60Hz	9.72 W @ 60Hz	CEC-Title 20. Pu				
Mode*(Sys	tem Idle)					and Energy@Se 1605.3(v)(4)	ction			
ENERGY S	STAR® Lo	w Power	0.14 W @ 60Hz	0.14 W @ 60Hz	0.18 W @ 60Hz	CEC-Title 20. Public Utilities				
Sleep Mode						and Energy@Section				
·			0.44.W. @ 0011-	0.44.W. @ 001.1-	0.441W @ 001 I=	1605.3(v)(4)	LU-Hana-			
ENERGY S		f/	0.11 W @ 60Hz	0.11 W @ 60Hz	0.14 W @ 60Hz		CEC-Title 20. Public Utilities and Energy@Section			
Apparent C	off Mode*					1605.3(v)(4)				
PTEC *			3.45 W	3.458 W	3.52 W	$P_{TEC} = P_{on} \times 0.35$	+ P _{sleep} x 0.6	5		
Typical Ene	ergy Cons	umption								
ETEC *	•		30.20 kWh/year	30.29 kWh/year	30.83 kWh/year	$E_{TEC} = 8.76 \times (P_{or})$	x 0.35 + P _{s/e}	ер 🔲		
Annual Ene			ov Level (Internationa	<u>I</u> I Efficiency Marking Pr	otocol)* ·MA	x 0.65)				
LAGINALI	ower Supp	ny Emolem	icy Level (Internationa	Linciency Marking Fr	otocor) .NA	CEC-Title 20. Pu	blic Utilities			
Display res	olution* :	2.07mega	pixels			and Energy@Se				
. ,	1605.3(v)(4)									
D - f	- 44					CEC-Title 20. Pu				
Default time	Default time to enter energy save mode: 20seconds and Energy@Section 1605.3(v)(4)									
P9.2*										
P9.3*	<u> </u>									
P10										
				o ISO 9296 (See NOTE						
P10.1	Mode		Mode description		Statistical upper lim	it A-weighted sound	power level,	L _{WA,c} (B)		
	Idle		I/A		N/A					
	Operatio		I/A		N/A					
	Other mo		I/A		N/A N/A					
	Measured according to: USO 7779 LECMA-74									
			Other (on	ly if not covered by EC	IVIA-14)					

NOTE B8A Guidance document on Energy Efficiency is available; seehttp://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model number	* 66D2 Logo	00010					
Issue date *	2021/04/30	-enovo					
Product envir	ronmental attributes - Market requirements (continued)	Requirement met					
Item		Yes No n.a.					
Elec	ctromagnetic emissions						
	nputer display meets the requirement for low frequency electromagnetic fields of the following voluntary gram(s):						
P12 Erg	onomics for computing products						
	display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.						
P12.2* The	physical input device meets the requirements of ISO 9995 and ISO 9241-410.						
P13 Pac	kaging and documentation						
Prod Prod Prod	duct packaging material type(s): Carton duct packaging material type(s): Cushion duct packaging material type(s): EPE Bag duct packaging material type(s): Tape duct packaging material type(s): Label weight (kg): 0.791 weight (kg): 0.335 weight (kg): 0.017 weight (kg): 0.01						
P13.2* Prod	Product plastic primary packaging is free from PVC.						
	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 90%						
P13.4* Spe	Specify media for user and product documentation (tick box):						
Ùse	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:						
Eler	Totally chlorine-free Elemental chlorine-free Processed chlorine-free						
P14 Volu	untary programs						
P14.1 The Low	product meets the requirements of the following voluntary program(s): v blue light (Software) Criteria version: 2.0 Date:2022-01-07 Product category: Display ker Free Criteria version: 1.0 Date:2022-01-07 Product category: Display						
P15 Add	ditional information (See NOTE B10)						
P9 Ene	ergy consumption of specific configuration may vary; description of the tested product configuration	on:					
NOT infor knov prov	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.						
P9 See	Energy Star Qualified Monitors & Displays for the latest information: s://www.energystar.gov/products/office_equipment/displays						

NOTE B10Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* *Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive)* *These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC)801/2013 amending Regulation (EC) No 1275/2008 with regard toecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1