



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Computer monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo		<u>,</u>			
Contact information *	Lenovo Global Environmental Affairs		Lenovo.			
e-mail address	Alvin L Carter		LEITOVO			
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Monitor				
Commercial name *	Lenovo L24e-30				
Model number *	66BC				
Issue date *	2020/11/12				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	66BC Logo	,	o lo		
Issue dat	e *	2020/11/12		Lend		<b>)</b> <sub>TM</sub>
Product	environ	mental attributes - Legal requirements	F	Require	men	met
Item		<u> </u>		Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)		$\boxtimes$		
P1.2*	Commer	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximuration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinat d (PCT) in preparations (see legal reference).	:ed			
P1.5*	chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon at ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/ al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	cm <sup>2</sup> /week			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contactation and contactatic.lenovo.com/ww/docs/sustainability/ww-disclosure-Lenovo-REACH-SVHC-Disclosure.				
P2	Batterie	s				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the dis Information on proper disposal is provided in user manual. (See legal reference)	posal			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)					
P2.3*					$\boxtimes$	
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal reference laration of Conformity can be requested at: <a href="https://www.lenovo.com/us/en/compliance/eu">https://www.lenovo.com/us/en/compliance/eu</a>		$\boxtimes$		
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		$\boxtimes$		
	-	d information is; given in item P15 or added to this document,		$\boxtimes$		
		available at: https://www.lenovo.com/us/en/compliance/eco-de	claration			
P5		packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury, cad ent chromium by weight of these together.	mium and			
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature of the legal reference).	, ,			
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the Montre al reference). nt: Legal reference has no maximum concentration values.	al Protocol			
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		$\boxtimes$		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	66BC	Logo	Lanava
Issue date *	2020/11/12		Lei IOVO.

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	equire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design			
P7.1*	Disassembly, recycling  Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.			+
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			+
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		+	+
P7.4 P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		-	╬
P7.5 P7.6*			<del> </del>	-
P7.0	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
P7.7*	Product lifetime  Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done e.g. with processor, memory, cards or drives  Upgrading can be done using commonly available tools		-	<del>-  -  </del> -
				_#_
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
D7 44*	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):  Material type: PC  Material type: PC+ABS			
P7.12	Insulation materials of external electrical cables are PVC free.		$\square$	
P7.13	Insulation materials of internal electrical cables are PVC free.	$\dashv$		$\dashv$
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			+
1 7.17	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	$\boxtimes$		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "  3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			$\boxtimes$
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	$\neg \Box$	Ħ	
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):			
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 85.6%. or b) The weight of recycled material is 456 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * 6	66BC		Lonovo
Issue date * 2	2020/11/12		Leilovo

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

	Material and substance requirements (continued)								
P7.21*	Biobased plastic	material content is used	in the product (See N	OTE B7):	[		$\boxtimes$		
	If YES; at least o	one of the two alternatives below shall be answered;							
			parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of						
	•	by weight) is 0%.	weight) is 0%.						
	or b) The weight	of the biobased plastic n	naterial is <i>0</i> g.						
P7.22*	Light sources are free from mercury, i.e. less than 0,1 mg/lamp.								
	If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg								
P8	Batteries	atteries							
P8.1*	Battery chemical	composition:					$\boxtimes$		
P9		ption (See NOTE B8)							
P9.1	For the product t	ne following power level	s or energy consumpti	ons are reported:					
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard fo modes and test method		$\boxtimes$		
ENERGY S	STAR® On Mode*			12.12 W					
(System Id	lle)								
ENERGY S	STAR® Low Powe	r		0.16 W					
Sleep Mod									
	STAR® Off /			0.13 W					
Apparent C	Jπ Mode*								
EPS No-lo		W	W	W					
(External power s	supply / charger plugged in th sconnected from the product.)	е							
PTEC *	sconnected from the product.)	W	W	12.12 W					
Typical En	ergy Consumption								
ETEC *		kWh/year	kWh/year	38.07 kWh/year					
Annual En	ergy Consumption			<u> </u>	_ •				
External Po	ower Supply Efficie	ency Level (International	Efficiency Marking Pr	otocol) * :			$\boxtimes$		
Display res	solution * : <b>1920X</b> 1	080 megapixels							
Default tim	e to enter energy	save mode: 15 seconds							
P9.2*	Information abou	t the energy save function							
P9.3		class (monitors only): A							
P10	Emissions								
	Noise emission – Declared according to ISO 9296 (See NOTE B9)								
P10.1	Mode	Mode description Statistical upper limit A-weighted sound power level, Lw					(B)		
	Idle	*		*			$\boxtimes$		
	Operation	*		*			$\boxtimes$		
	Other mode	Declared A-weighted sound							
	Other mode	Declared A-weighted sound							
	Measured accord	ling to: ISO 7779	•	1					
		_	(only if not covered by	/ FCMA-74)					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nui	mber *	66BC				Logo	Long	W/0	
Issue date *		2020/11/12					Lenc	VU	тм
Product	environn	nental attributes	s - Market requirements (	(continued)			Require	ment	met
Item			•	•			Yes	No	n.a.
		nagnetic emissioi							
P10.4	Compute program		e requirement for low frequen	cy electromagnetic field	ds of the foll	lowing voluntary			
P12		mics for computin							
P12.1*	The disp	lay meets the ergo	nomic requirements of ISO 92	241-307 for visual displ	ay technolo	gies.			
P12.2*	The phys	sical input device n	neets the requirements of ISO	9995 and ISO 9241-4	10.				
P13		ng and document							
P13.1*	Product Product	packaging material packaging material		weight (kg): <b>0.288</b> weight (kg): <b>0.904</b> weight (kg): <b>0.021</b>					
P13.2*	Product	plastic primary pac	kaging is free from PVC.						
P13.3*	consume	er recovered fiber o			percentage	of minimum p	ost-		
P13.4*		media for user and ronic, ⊠Paper, ☐	product documentation (tick to Other	oox):					
P13.5	Ùser and		item if paper documentation u tation on paper media is chlor						
	Element	hlorine-free al chlorine-free ed chlorine-free							
P14	Volunta	ry programs							
P14.1	The prod	duct meets the requ	uirements of the following volu	intary program(s):					
	Eco-labe	el:	Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product	category: category: category:			
P15		nal information (S							
P9			pecific configuration may v						
	informati knowled provided informati	ion contained in thi ge available at the I here is approxima ion.	representations, guarantees, s document. All information pr time of completion, and suppl te and provided for informatio	rovided by supplier in the lier shall have no obligational purposes only. See	nis documer ation to upda e a Lenovo A	nt is provided ba ate such informa	ased on suppation. The in	olier's format	lion
P9			Notebooks & Tablet Compute ndex.cfm?fuseaction=find_a_			_code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1