

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs	Lenovo
e-mail address	Alvin L Carter	LEIIOVO
	alcarter@lenovo.com	
Internet site *	https://www.lenovo.com/us/en/about/sustainability	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Monitor					
Commercial name *	Lenovo L24q-30					
Model number *	65FB					
Issue date *	2019/09/16					
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	65FB		Logo				
Issue date *		2019/09/16			Lend	Lenovo.		
	t environ	mental attributes - Legal requirements			Require		t met	
Item					Yes	No	n.a.	
P1		us substances and preparations						
P1.1*	Products	do comply with current European RoHS Directive. (S	See legal reference and NOTE	. B1)	\square			
P1.2*	Comme	do not contain Asbestos (see legal reference). It: Legal reference has no maximum concentration va						
P1.3*	hydrobro trichloro	do not contain Ozone Depleting Substances: Chloro mofluorocarbons (HBFC), hydrochlorofluorcarbons (H ethane, methyl bromide (see legal reference). Comm ation values.	HCFC), Halons, carbontetrach					
P1.4*		do not contain more than; 0,005% polychlorinated bi I (PCT) in preparations (see legal reference).	phenyl (PCB), 0,005% polychl	lorinated	\square			
P1.5*	Products	do not contain more than 0,1% short chain chloropan ntaining at least 48% per mass of chlorine in the SCC		on atoms in	the 🔀			
P1.6*	(see leg	h direct and prolonged skin contact do not release nic al reference). It: Max limit in legal reference when tested according		,5 μg/cm²/we	eek 🔀			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):							
P2	Batterie	\$						
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal is provided in user manual. (See legal reference)							
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal							
P2.3*	Batteries and accumulators are readily removable. (See legal reference)							
P3	Conform	nity verification & Eco design (ErP)						
P3.1*	The proc	luct is CE-marked to show conformance with applicat laration of Conformity can be requested at: https://www	le legal requirements (see leg	jal reference ice/eu-doc).			
P3.2*	The proc	luct complies with the Eco design requirements for er al reference).			\boxtimes			
	Require	l information is; given in item P15 or added	,	oo doolaratic				
P5	Droduct	packaging		Jo-deciaratio		_		
P5.1*		packaging ng and packaging components do not contain mor	re than 0.01% lead moreur	/ cadmium	and 🔽	_		
	hexavale	ent chromium by weight of these together.	-					
P5.2*	used (se	kaging materials are marked with abbreviations and n e legal reference).	-					
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.							
P6		nt information						

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		65FB	Logo				
Issue dat	te *	2019/09/16		Len	_enovo		
Product	t environ	mental attributes - Market requirements (See General NOTE GN	below)				
		onmental conscious design		Require	ment	met	
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.	
P7	Design Disasse	mbly, recycling					
P7.1*	Parts that	at have to be treated separately are easily separable		\boxtimes			
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			\boxtimes		
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.		\square			
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.					
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.				
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).					
	Product	lifetime					
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		\square			
P7.8*	Upgradir	ng can be done using commonly available tools		\square			
P7.9	Spare pa	arts are available after end of production for: 5 years					
P7.10	Service i	s available after end of production for: 5 years					
	Material	and substance requirements					
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):					
D7.40		type: ABS Material type: PC Materia n materials of external electrical cables are PVC free.	al type:				
P7.12		<u> </u>		<u> </u>			
P7.13		n materials of internal electrical cables are PVC free.				<u> </u>	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.						
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen X						
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:						
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without ca PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	omponents):	\boxtimes			
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g				
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance rations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations i	in			
	<u>Alt. 2: </u> Cł	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:			\square	
P7.19	assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements:					
P7.20*		rce(s) for these classifications is/are found at (add URL(s)): , (S sumer recycled plastic material content is used in the product (See Note B6):	See note B5)				
11.20	lfYES;a a) Oft ape or	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is 67.4%. (EPEAT calculation) / 85% (TCO ca	·				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * 65FB		Logo			
Issue date *	2019/09/16		Lenovo		
Product environm	nental attributes - Market requirements (continued)		Requirement met		

Requirement met Yes No n.a.

If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) in 0%									
total plastic by weight) is 0%. or									
b) The weight of the biobased plastic material is 0g.									
Light sources are free from mercury, i.e. less than 0,1 mg/lamp.									
nergy									
0.6 +									
н, <i>L_{WA,c} (B)</i>									
Emissions Noise emission – Declared according to ISO 9296 (See NOTE B9) Mode Mode description Statistical upper limit A-weighted sound power level, Idle * HDD: Idle * Operation * HDD: Operating * Other mode Declared A-weighted sound pressure level (dB) L _{pAm} (operator position desktop – idle) Other mode Declared A-weighted sound pressure level (dB) L _{pAm} (operator position desktop – operating) Measured according to: ISO 7779 ECMA-74 Other (only if not covered by ECMA-74)									

Item

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number * Issue date *		65FB					Logo				
		2019/09/16						Le	Lenovo		
Product	t environi	nental attribu	tes - Market requirem	nents (conti	nued)			Re	quire	ment	me
Item									Yes	No	n.a
		nagnetic emiss									
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary										
P12	Ergonomics for computing products										
P12.1*	The disp	lay meets the e	rgonomic requirements of	f ISO 9241-30	7 for visual displa	ıy technologi	es.		\boxtimes		
P12.2*	The phy	sical input devic	e meets the requirements	s of ISO 9995	and ISO 9241-41	0.					X
P13	Packag	ing and docum	entation								
P13.1*	Product packaging material type(s): Carton Box weight (kg): 0.99 Product packaging material type(s): Cusion weight (kg): 0.22 Product packaging material type(s): Bag weight (kg): 0.02 Product packaging material type(s): weight (kg): weight (kg): Product packaging material type(s): weight (kg):										
P13.2*	Product	plastic primary p	ackaging is free from PV	′C.					\boxtimes		
P13.3*		duct primary con er recovered fibe	rugated fiberboard pack er content: 80 %	aging, specify	the contained p	percentage of	of minimur	n post-			
P13.4*	Specify media for user and product documentation (tick box):										
P13.5	Ùser an		nis item if paper documen ientation on paper media		e:						
	Totally o	hlorine-free									
	Element	al chlorine-free									
	Process	ed chlorine-free									
P14	Volunta	ry programs							_		
P14.1	ENERG Eco-labe Eco-labe	Y STAR® el: el:	equirements of the follow Criteria version: 8.0 Criteria version: Criteria version:		program(s): pate: 2019/09/09 pate: pate:	Product ca Product ca Product ca	tegory:	CD Monito	or		
P15	Additio	nal information	(See NOTE B10)								
P9	Energy	consumption o	f specific configuration	may vary; de	escription of the	tested proc	luct config	guration:			
	NOTE: S informat knowled	Supplier makes r ion contained in ge available at t I here is approxi	this document. All inform this document. All inform he time of completion, an mate and provided for info	intees, assura ation provideo d supplier sha	nces or warranties by supplier in thi Il have no obligat	s whether ex is document tion to update	cpress or in is provided s such info	nplied, reg d based of rmation. 7	n supp The int	olier's format	tion
P9	See Ene	ergy Star Qualifie	ed Monitors & Displays fo jov/products/office_equip								

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1