



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo		.22			
Contact information *	information * Lenovo Global Environmental Affairs		Lenovo			
e-mail address	Alvin L Carter		LETIOVO			
	arter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statemen	conforms to the statements given in this declaration.				
Type of product *	Monitor				
Commercial name *	Lenovo L28-30				
Model number *	65FA				
Issue date *	2019/12/12				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	65FA	Logo	Lanava
Issue date *	2019/12/12		LEI IOVO"

P1	t met
P1.1* Products do comply with current European RoHS Directive. (See legal reference and NOTE B1) P1.2* Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). P1.5* Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	n.a.
P1.2* Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). P1.5* Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	
Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). P1.5* Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	
P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). P1.5* Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	
terphenyl (PCT) in preparations (see legal reference). P1.5* Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	
P1.5* Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	
J p	
P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.	
P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	
P2 Batteries	
P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)	
P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)	\boxtimes
P2.3* Batteries and accumulators are readily removable. (See legal reference)	\boxtimes
P3 Conformity verification & Eco design (ErP)	
P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc	
P3.2* The product complies with the Eco design requirements for energy-related products, (see legal reference).	
Required information is; given in item P15 or added to this document,	
available at: https://www.lenovo.com/us/en/compliance/eco-declaration	
P5 Product packaging	
P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	
P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).	
P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	
P6 Treatment information	
P6.1* Information for recyclers/treatment facilities is available (see legal reference).	

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	65FA	Logo	Lopovo
Issue date *	2019/12/12		LEI IOVO"

Product	t environmental attributes - Market requirements (See General NOTE GN below)					
		Require	met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P7	Design Disassembly, recycling					
P7.1*	Parts that have to be treated separately are easily separable					
P7.2*	Plastic materials in covers/housing have no surface coating.			Ħ		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			П		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Ħ			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).					
	Product lifetime					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives					
P7.8*	Upgrading can be done using commonly available tools	\boxtimes				
P7.9	Spare parts are available after end of production for: 5 years					
P7.10	Service is available after end of production for: 5 years					
	Material and substance requirements					
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):					
P7.12	Material type: ABS Material type: PC Material type: Insulation materials of external electrical cables are PVC free.		\square			
P7.12	Insulation materials of external electrical cables are PVC free.	- -	\overline{X}	-		
P7.13				-		
F7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and					
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts					
P7.15	containing more than 25% post-consumer recycled content.					
F7.13	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)					
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			\square		
	Marking:					
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: Brominated Epoxy Resin, CAS #:					
	☐ IBBPA (additive), ☑ IBBPA (reactive) (See NOTE B3), ☑ Other: Brominated Epoxy Resin , CAS #: 68928-70-1, 26265-08-7		Ш	Ш		
	·					
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:		ш			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in					
	concentrations above 0,1%:			\boxtimes		
	1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "					
	3. Chemical name: , CAS #: "					
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:					
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		$\overline{\Box}$			
	assigned the following Risk phrases; and Hazard statements:					
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)					
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	\boxtimes				
	If YES; at least one of the two alternatives below shall be answered;					
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as					
	a percentage of total plastic by weight) is 81.5% (EPEAT Calculation) / 85% (TCO calculation).					
	or b) The weight of recycled material is 767.4 g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nun	el number * 65FA		Logo	Lon					
Issue date	sue date * 2019/12/12				Len	OVC) _{TM}		
Product environmental attributes - Market requirements (continued)							Requi	emer	t met
Item				•	•		Yes	No	n.a.
Material and substance requirements (continued)									
P7.21* Biobased plastic material content is used in the product (See NOTE B7):								\boxtimes	
	If YES; at least one of the two alternatives below shall be answered;								
	a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage								
	of total plastic by weight) is %.								
	or b) The weight of the biobased plastic material is g.								
P7.22*				less than 0,1 mg/lamp.				П	
			specify: Number of lar		um mercury content per	r lamp: mg			
P8	Batteries								
P8.1*			omposition:						
P9			tion (See NOTE B8)						
P9.1 Energy mo		roduct the	Power level at	ls or energy consumption Power level at	Power level at	Reference/Stan	idard for a	oerav	
Litergy ino	ue		100 V AC	115 V AC	230 V AC	modes and test		leigy	
ENERGY S	STAR® Or	n Mode*				ENERGY STAF			
(System Id	le)		23.85	23.8	23.65	Requirements for			
ENEDOV 6	NTABO 1					Monitors: Ver. 8 ENERGY STAF			
Sleep Mode		w Power	0.22	0.23	0.28	Requirements for			
Sieep Mou	E					Monitors: Ver. 8			
ENERGY STAR® Off /		f /				ENERGY STAF	•		
Apparent C		. ,	0.2	0.2	0.25	Requirements for Monitors: Ver. 8			
						Monitors, ver. c	5.0		
			T	T	•	1			
PTEC *	oray Conc	umption	23.85 W	23.8 W	23.65 W				
Typical Energy Consumption ETEC *		umpuon	74.38 kWh/year	74.28 kWh/year	74.11 kWh/year	E _{TEC} = (8760/10	000) x (P _{o#} x (2.6 +	
Annual Ene						$P_{sleep} \times 0.1 + P_{id}$			ш
External Po	ower Supp	ly Efficien	cy Level (Internationa	l Efficiency Marking Pro	otocol) * :				\boxtimes
						ENERGY STAF			
Display res	solution* :	3840x21	60 megapixels			Requirements for Monitors: Ver. 8			
						ENERGY STAF			
Default time	e to enter	energy sa	ve mode: 30 minutes	;		Requirements for			
						Monitors: Ver. 8	3.0		
P9.2*				on is provided with the					
P9.3*	P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: <i>ES V8.0</i> Product category: <i>Display</i> .								
P10									
	Noise emission – Declared according to ISO 9296 (See NOTE B9)								
P10.1	Mode		Mode description		Statistical upper limit	A-weighted sour	nd power leve	I, L _{WA,c}	
	Idle		HDD: Idle		-				
	Operatio	n *	HDD: Operating	al management (alD)	"				\boxtimes
	Other mo	ode D	eciared A-weighted soun	d pressure level (dB) $L_{p{ m An}}$	(operator pos	ition desktop – idl			
	Other mo	ode D	eclared A-weighted soun	od pressure level (dB) $L_{p{\sf An}}$	(operator pos	ition desktop – op	erating)		
	Measure	d accordir	ng to: 🔀 ISO 7779	ECMA-74					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

(only if not covered by ECMA-74)

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Other

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Product el		2019/12/12						
	nvironn	ssue date * 2019/12/12			Leno	VO.	*	
Item		nental attributes	- Market requirements (c	ontinued)		Require	ment	met
						Yes	No	n.a.
	Electron	nagnetic emissions						
	Compute program(. ,	requirement for low frequency	/ electromagnetic fields	of the following voluntary			
		nics for computing						
P12.1*	The disp	lay meets the ergon	omic requirements of ISO 924	11-307 for visual displa	y technologies.	\boxtimes		
P12.2*	The phys	sical input device me	eets the requirements of ISO 9	9995 and ISO 9241-410	0.	\boxtimes		
P13	Packagi	ng and documenta	tion					
	Product Product	packaging material t packaging material t	ype(s): EPS(Cushion) ype(s): Paper(Carton) ype(s): HDPE/LDPE/EPE	weight (kg): 0.41 weight (kg): 1.45 weight (kg): 0.03				
P13.2*	Product	plastic primary pack	aging is free from PVC.					
	consume	er recovered fiber co			ercentage of minimum po	st-		
		media for user and p onic, Paper,	roduct documentation (tick bo Other)x):				
	Ùser and		em if paper documentation us ation on paper media is chlorin				\boxtimes	
	Elementa	hlorine-free al chlorine-free						
		ed chlorine-free						
		ry programs						
	ENERGY	/ STAR®	rements of the following volun Criteria version: 8.0	Date: 2019/08/09	Product category: Monito	r		
	Eco-labe Eco-labe		Criteria version: Criteria version:	Date: Date:	Product category: Product category:			
		al information (Sec		Date.	Product category.			
			ecific configuration may val	rv: description of the	tested product configura	tion:		
	NOTE: S informati knowled	supplier makes no re on contained in this ge available at the ti here is approximate	presentations, guarantees, as document. All information pro me of completion, and supplie and provided for information	ssurances or warranties vided by supplier in this er shall have no obligati	s whether express or implie s document is provided bas ion to update such informat	d, regardin ed on supp ion. The int	olier's formati	ion
	See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO							
·								

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1