



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

## Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo					
Company name *	Lenovo						
Contact information *	Lenovo Global Environmental Affairs		Lenovo				
e-mail address	Alvin L Carter		LCIIOVO				
	alcarter@lenovo.com						
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html						
Additional information	The latest version of this document can be found at:						
	http://www.lenovo.com/ecodeclaration						

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statemen	conforms to the statements given in this declaration.					
Type of product *	DT					
Commercial name *	Lenovo Legion R5 Tower					
Model number *	90NE, 90NC, 90NJ, 90NK					
Issue date *	2020/04/10					
Intended market *	Global Europe Asia, Pacific & Japan Americas Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *		90NE, 90NC, 90NJ, 90NK	Logo	Long		
Issue dat	te *	2020/04/10		Lend		<b>)</b> <sub>TM</sub>
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	E B1)	$\boxtimes$		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		$\boxtimes$		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no n ration values.				
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych vl (PCT) in preparations (see legal reference).				
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	ie 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above ( al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	),5 μg/cm²/wee	k 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail tatic.lenovo.com/ww/docs/sustainability/ww-disclosure-Lenovo-REACH-SVHC-Disc				
P2	Batterie	s				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal			
P2.2*	Batteries reference	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn e)	nium. (See lega	al 🔀		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		X		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal requirements) duration of Conformity can be requested at: <a href="https://www.lenovo.com/us/en/compliar">https://www.lenovo.com/us/en/compliar</a>				
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		$\boxtimes$		
	, ,	d information is; given in item P15 or added to this document,		$\boxtimes$		
	•	available at: https://www.lenovo.com/us/en/compliance/e	eco-declaration			
P5	Product	packaging				
P5.1*	Packagii	ng and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together.	y, cadmium ar	nd 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature se legal reference).	of the material(	s) 🔀		
P5.3*	The prod (see lega	duct packaging material is free from ozone depleting substances as specified in the Nal reference). In telerence). In the control of the Maximum concentration values.	Montreal Protoc	ol 🔀		
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		$\boxtimes$		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	90NE, 90NC, 90NJ, 90NK	Logo	Lonovo
Issue date *	2020/04/10		LEHOVO.

Product	environmental attributes - Market requirements (See General NOTE GN below)			
		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.	$\boxtimes$		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$		
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: ABS PCR65%+ ABS Material type: Material type:			
P7.12	+PC+ABS/PC PCR 30% Metal*3(SGCC+SUS301+SPCC) Insulation materials of external electrical cables are PVC free.			
P7.13	Insulation materials of internal electrical cables are PVC free.	-		╫
P7.13	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			<u> </u>
P7.14	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and		Ш	Ш
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing			
	more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g 🔀 are low haloger	າ 🛚		
D7.40	as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:		Ш	Ш
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: <b>Brominated Epoxy Resin</b> , CAS #:	$\boxtimes$		
	26265-08-7			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			$\boxtimes$
	according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in	ı		
	concentrations above 0,1%:	Ш	Ш	$\boxtimes$
	All 0 01 1 1 10 10 10 10 10 10 10 10 10 10			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:		Щ.	X
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; <i>R45</i> , <i>R40</i> , <i>R46</i> , <i>R48</i> , <i>R50</i> , <i>R51</i> , <i>R53</i> , <i>R60</i> , <i>R61</i> and Hazard		Ш	$\boxtimes$
	statements:			
	The source(s) for these classifications is/are found at (add URL(s)):  (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):			
7 7 .20	. 35.55555555) old pidoto material content to dood in the product (000 mote bo).		ш	
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is <b>18.5%</b> . or			
	b) The weight of recycled material is <b>352.6</b> g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	90NE, 90NC, 90NJ, 90NK	Logo	Lonovo
Issue date *	2020/04/10		Lei IOVO,

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

		stance requirements	, ,				
P7.21*	•		I in the product (See No	· · · · · · · · · · · · · · · · · · ·		$\boxtimes$	
P7.22*		free from mercury, i.e. specify: Number of lan	less than 0,1 mg/lamp.	um mercury content pe	r lamp: mg		
P8	Batteries	'	•	,			
P8.1*	Battery chemical of	composition:				X	
P9	Energy consump	otion (See NOTE B8)					
P9.1			s or energy consumption	ons are reported:			
Energy mo		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *		
Peak (On-	max)	W	W	W	Full load		
Categor	y <u>D2</u>						
Chart Idla	State - WOL	39.74 W	39.84 W	40.52 W	Use for ENERGY STAR V8		
Enabled	State - WOL	39.74 VV	39.84 VV	40.52 VV	registration (P <sub>idle</sub> )		
Long Idle Enabled	State - WOL	38.14 W	38.03 W	39.43 W	Use for ENERGY STAR V8 registration (P <sub>idle</sub> )		
Sleep (S3)	- WOL Enabled	1.27 W	1.27 W	1.404 W	Use for ENERGY STAR V8 registration (P <sub>sleep</sub> )		
Off (S5) - V	WOL Enabled	0.52 W	0.53 W	0.65 W	Use for ENERGY STAR V8 registration (P <sub>off</sub> )		
Off (S5) - V	WOL Disabled	W	W	<b>0.64</b> W	Use for ErP		
EPS No-loa	ad	W	W	W		X	
(External power s	supply / charger plugged in the connected from the product.)						
PTEC *	connected from the product.)	W	W	W			
	ergy Consumption	,,,	,,,	,,,			
ETEC *	ergy Consumption	D2:143.55kWh/year	<b>D2:143.72</b> kWh/year	D2:147.43 kWh/year	E <sub>TEC</sub> = (8760/1000) x (P <sub>off</sub> x 0.45 + P <sub>sleep</sub> x 0.05 + P <sub>long_ldle</sub> x 0.15+ P <sub>short_ldle</sub> x 0.35)		
		Poff: Off Mode(S	55) - WOL Enabled: Psleen	: Sleep Mode(S3) - WOL	Enabled; P <sub>idle</sub> : Idle State - WOL Enabled	1	
External Po	ower Supply Efficier	ncy Level (International	Efficiency Marking Pro	otocol) * : N/A		X	
Display res	solution * : N/A meg	apixels					
		ave mode: 25 minutes					
P9.2*			an ia pravidad with the	n ro du at		-	
		0,	on is provided with the	product.		Щ.	
P9.3		class (monitors only):				$\boxtimes$	
P10	Emissions						
		<u> </u>	ISO 9296 (See NOTE				
P10.1		Mode description			t A-weighted sound power level, $L_{WA,c}$	(B)	
	Idle *	HDD:Idle		* 3.6			
	Operation '	HDD: Operating		* 3.4			
		Declared A-weighted sound		28 (operator position		-	
	Other mode	Declared A-weighted sound	d pressure level (dBL)(A)	34 (operator position	n desktop – HDD operating)		
	Measured accordi	ing to: 🔀 ISO 7779 🔀	ECMA-74				
	Other (only if not covered by ECMA-74)						

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model nu	mber *	90NE, 90NC, 90N	IJ, 90NK				Logo	Long	V	
Issue date	e *	2020/04/10						Leno	VO.	res
Product	environn	nental attributes	s - Market requiren	nents (con	tinued)			Require	ment	met
Item								Yes	No	n.a.
		magnetic emissior								
P10.4	Compute program	' '	e requirement for low	frequency el	ectromagnetic field	ds of the foll	owing voluntary			
P12		mics for computin								
P12.1*	The disp	lay meets the ergo	nomic requirements o	f ISO 9241-3	307 for visual displ	ay technolog	gies.			$\boxtimes$
P12.2*	The phys	sical input device m	neets the requirements	s of ISO 999	5 and ISO 9241-4	10.				X
P13	Packagi	ng and document	ation							
P13.1*	Product	packaging material packaging material packaging material	l type(s): <i>EPE</i>	weight (kg weight (kg weight (kg	): <b>0.686</b>					
P13.2*			kaging is free from PV		,				$\Box$	$\boxtimes$
P13.3*		duct primary corruger recovered fiber of	gated fiberboard pack content: <b>70%</b> %	kaging, spec	ify the contained	percentage	of minimum po	st-		
P13.4*		media for user and ronic, Paper,	product documentation Other	n (tick box):						
P13.5	Ùser and	, ,	item if paper documer tation on paper media	,						
	•	hlorine-free al chlorine-free						$\boxtimes$		
	Processe	ed chlorine-free						$\boxtimes$		
P14		ry programs								
P14.1	The proc	luct meets the requ	uirements of the follow	ring voluntar	y program(s):					
		Y STAR®	Criteria version: 8.0		Date: 2020/2/24		category: D2			
		el: <b>EPEAT</b>	Criteria version: 2.0	0	Date: 2020/2/24		category: <b>Bronz</b> e	9		
D4.5		el: Greenguard	Criteria version:		Date:	Product of	category:			
P15	Addition	nal information (Se	ee NOTE B10)							

Energy consumption of specific configuration may vary; description of the tested product configuration:

See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find\_a\_product.showProductGroup&pgw\_code=CO

NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

P9

P9

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# **Lenovo ErP Lot3 Information Sheet** - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Legion T5	Logo
	Lenovo Legion R5	
Model Number	90NE, 90NC, 90NJ, 90NK	Lopovo
Issue Date	2020/04/10	Lenovo.
Additional information	Energy Star 8.0;	

P7.1.1	Product environmental attributes				
(d)	year of manufacture:				2020
(e)	Etec value (kWh) per ErP Lot 3 Categor disabled and if the system is tested with				cards (dGfx) are
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when <b>a</b>	II discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]		-		62
ents sting	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	Yes (Yes / No)
adjustm ring tes	Discrete television tuner	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)
capability adjustments applied during testing	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)
capi	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)
Ì	Category of discrete graphics Card(s)				G7
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				142.4
(g)	Idle state power demand (Watts);	•	•	•	39.58
(h)	Sleep mode power demand (Watts);				1.41
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		1.43
(j)	Off mode power demand (Watts);				0.64
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.64
(I)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 °	% of rated output power	er (if applicable):	
	650W: 10% <b>89.56%</b> 20% <b>91.91%</b> 50	0% <b>86.15%</b> 100% <b>91.</b>	83% Average 87.79	9%	
(m)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: N/A				
(o)	*internal note: show values for all available external policy Minimum number of loading cycles that t		tand (applies only to n	otebook computers):	N/A
(p-1)	Measurement methodology used to dete Generalized Test Protocol for Calcu		iciency of Internal Ad		

(p-2)	Measurement metho	dology used to determine information mentioned in p N/A	points (m) – external PSU efficiency:	
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  N/A			
(p-4)	4) Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:  IEC 62623 Edition 1.0 2012-10 - Desktop and notebook computers - Measurement of energy consumption/ IEC EN50564:2011 measurement methodology			
(q)	Sequence of steps for achieving a stable condition with respect to power demand:  **Based on user manual/Power on->Wait 5 minutes->Stable condition**			
(r)	Description of how sleep and/or off mode was selected or programmed:  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select sleep or off mode**  **Based on user manual/Begin menu -> Power -> Select			
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:			
Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan				
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			20
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):			180
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):			10
(w)	Information on the energy-saving potential of power management functionality:  **Based on user manual**			
(x)	User information on how to enable the power management functionality:  **Based on user manual**			
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:  230V, 50Hz, Total Harmonic Distortion <2 %			
Addition	al Notebook Batter	y Information:		
rtadition	ur Hotobook Buttor	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)	Dation y [ree] about to phase about	1,74
Internal/built-in Battery				
External/detachable Battery				
Bios Backup Battery				
Other:				
Additional information				
)				

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.