



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo					
Company name *	Lenovo						
Contact information *	Lenovo Global Environmental Affairs		ODOVO				
e-mail address	Alvin L Carter		Lenovo				
	alcarter@lenovo.com						
Internet site *	http://www.lenovo.com/social responsibility/us/en/environment.html						
Additional information							

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Monitor					
Commercial name *	Lenovo Qreator 27					
Model number *	66B7					
Issue date *	2020/10/21					
Intended market *	Global Europe Asia, Pacific & Japan Americas Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	66B7	Logo	Lanava
Issue date *	2020/10/21		LEI IOVO"

Product	Requirement met			
Item	<u> </u>	Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
54.00	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated			
	terphenyl (PCT) in preparations (see legal reference).	_		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	e 🔀		
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week			
	(see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\square	$\overline{}$	
1 1.7	https://static.lenovo.com/ww/docs/sustainability/ww-disclosure-Lenovo-REACH-SVHC-Disclosure.pdf		Ш	ш
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal		$\overline{}$	
F2.1	symbol. Information on proper disposal is provided in user manual. (See legal reference)	Ш	Ш	\boxtimes
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega			\boxtimes
	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			\boxtimes
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
	The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc			
P3.2*	The product complies with the Eco design requirements for energy-related products,	\boxtimes		
	(see legal reference).			
	Required information is; given in item P15 or added to this document,		Ш	ш
-	available at: https://www.lenovo.com/us/en/compliance/eco-declaration			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀	Ш	
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s	s) 🔀		
1 0.2	used (see legal reference).	<i>y</i>	Ш	Ш
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea	al 🔀		
	Protocol (see legal reference).	_		
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	66B7	Logo		Lanava
Issue date *	2020/10/21			LEI IOVO"

Davidous	A major manufal attail									
Produc	t environmental attributes - Market requirements (See General NOTE GN below) - Environmental conscious design	Poquiro	mont	mot						
Item	- Environmental conscious design *=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a.									
P7	Design									
	Disassembly, recycling									
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes								
P7.2*	Plastic materials in covers/housing have no surface coating.		\boxtimes							
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.									
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes								
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes								
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes								
	Product lifetime									
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			\boxtimes						
P7.8*	Upgrading can be done using commonly available tools			\boxtimes						
P7.9	Spare parts are available after end of production for: 5 years									
P7.10	Service is available after end of production for: 5 years									
	Material and substance requirements									
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):									
D7.40	Material type: PC Material type: PC									
P7.12	Insulation materials of external electrical cables are PVC free.			_ <u>_</u> _						
P7.13	Insulation materials of internal electrical cables are PVC free.			_ <u></u> _						
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and									
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts									
	containing more than 25% post-consumer recycled content.									
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low	v	\boxtimes							
	halogen as defined in IEC 61249-2-21. (See 1NOTE B2)									
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			\boxtimes						
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):									
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: brominated epoxy resin , CAS #:	\boxtimes								
	68928-70-1			_						
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			\boxtimes						
	according ISO 1043-4:									
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in	1								
	concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4)			\boxtimes						
	2. Chemical name: , CAS #: (See NOTE B4)									
	3. Chemical name: , CAS #: "									
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			\square						
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been									
	assigned the following Risk phrases; and Hazard statements:	ш								
	The source(s) for these classifications is/are found at (add URL(s)): (See note B5)									
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):		\boxtimes	П						
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as									
	a percentage of total plastic by weight) is 8.5%. (EPEAT calculation) / 85% (TCO calculation)									
	or									
	b) The weight of recycled material is 82.5 g.									

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	Model number * 66B7				Logo	Lono	V/0		
Issue date * 2020/10/21						Leno	VO _m		
Product environmental attributes - Market requirements (continued)							Requiren	nent met	
Item							Yes N	lo n.a.	
	Material and substance requirements (continued)								
P7.21*	.21* Biobased plastic material content is used in the product (See NOTE B7):								
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0%.								
	or b) The weight of the biobased plastic material is 0 g.								
P7.22*				less than 0,1 mg/lamp.					
			specify: Number of lar	mps: and maximu	um mercury content per	r lamp: mg			
P8	Batteries								
P8.1*			omposition:						
P9			tion (See NOTE B8)	la					
P9.1 Energy mo		roduct the	Power level at	ls or energy consumption Power level at	Power level at	Deference/Stan	ndard for ener	mı.	
Energy Ino	ue		100 V AC	115 V AC	230 V AC	modes and test		gy	
ENERGY S	STAR® On	Mode*	32.64 W @ 50Hz	32.80 W @ 60Hz	32.74 W @ 50Hz	ENERGY STAP			
(System Id				_		Requirements f Monitors: Ver. 8			
ENERGY S	STAR® Lov	w Power	0.38 W @ 50Hz	0.38 W @ 60Hz	0.40 W @ 50Hz	ENERGY STAF	R® Program		
Sleep Mod						Requirements for Computer Monitors: Ver. 8.0			
ENERGY S		1	0.29 W @ 50Hz	0.30 W @ 60Hz	0.16 W @ 50Hz	ENERGY STAR® Program Requirements for Computer			
Apparent C	Off Mode*					Monitors: Ver. 8			
·			T 4 4 4 7 1 1 4	Lacente					
PTEC * Typical Ene	erav Consi	ımption	11.67 W	11.73 W	11.72 W	0.65	c 0.35 + Psleep	x	
ETEC *	orgy correc	лпрасп	102.23 kWh/year	102.73 kWh/year	102.65 kWh/year	ETEC = 8.76 x	(Pon x 0.35 +		
Annual Ene					,	Psleep x 0.65)	`		
External Po	ower Supp	ly Efficien	cy Level (Internationa	l Efficiency Marking Pro	tocol) *:				
Display res	olution* :	3840*216	60 megapixels						
			ve mode: 15 seconds						
P9.2*	Information about the energy save function is provided with the product.								
P9.3*	Energy efficiency class (monitors only): B ERP lot 5								
P10	Emissions								
	Noise emission – Declared according to ISO 9296 (See NOTE B9)								
P10.1	Mode Mode description Statistical upper limit A-weighted sound power level, L _{WA,c} (
Idle *									
	Operation * *					\boxtimes			
	Other mode Declared A-weighted sound pressure level (dB) L _{pAm} (operator position desktop – idle)								
	Other mo	de D	eclared A-weighted soun	od pressure level (dB) $L_{p{\sf Am}}$	(operator pos	sition desktop – op	perating)		
	Measured	d accordir	ng to: SO 7779 Other	ECMA-74 (only if not covered by	FCMA-74)				
	Culci (only in not covered by Lowin-1-4)								

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model number *		66B7					Logo				
Issue date *		2020/10/21						L	sno	VO,	м
Product	t environr	nental attributes	- Market requiren	nents (con	tinued)			Re	equire	ment	met
Item			-	•	•				Yes	No	n.a.
	Electror	magnetic emission	s								
P10.4		er display meets the (s): TCO8.0	requirement for low	frequency el	ectromagnet	ic fields of the fol	lowing volur	itary			
P12		mics for computing									
P12.1*	The disp	lay meets the ergor	nomic requirements o	f ISO 9241-3	307 for visua	l display technolo	gies.		\boxtimes		
P12.2*	The phys	sical input device m	eets the requirements	s of ISO 999	5 and ISO 92	241-410.					\boxtimes
P13	Packagi	ing and documenta	ation								
P13.1*	Product Product	packaging material packaging material packaging material packaging material	type(s): Bag	weight (kg weight (kg weight (kg weight (kg): 0.58): 0.04						
P13.2*	Product	plastic primary pack	kaging is free from PV	/C.					\boxtimes		
P13.3*		duct primary corrug er recovered fiber co	ated fiberboard pack ontent: 80%	kaging, spec	ify the conta	ained percentage	of minimu	n post-			
P13.4*			oroduct documentation	on (tick box):							
P13.5	Ùser and		tem if paper documer ation on paper media								
	Element	hlorine-free al chlorine-free ed chlorine-free									
P14	Volunta	ry programs									
P14.1	ENERG` Eco-labe Eco-labe	Y STAR® el: el:	irements of the follow Criteria version: Criteria version: Criteria version:	ring voluntar	y program(s) Date: Date: Date:	Product Product	category: L o category: category:	CD Monit	tor		
P15		nal information (Se									
P9	NOTE: S informati knowled provided informati	Supplier makes no rion contained in this ge available at the the there is approximation.	pecific configuration epresentations, guara document. All inform ime of completion, and e and provided for info	antees, assu nation provid nd supplier s formational p	rances or wa ed by supplie hall have no ourposes only	rranties whether er in this documer obligation to update	express or int is provide ate such info	mplied, rod d based ormation.	egardin on supp The in	olier's formati	ion
			products/office_equip								

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1