



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		<u> </u>
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com		Lenovo.
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statemen	nts given in this declaration.					
Type of product *	Notebook					
Commercial name *	Lenovo ThinkBook 15					
Model number *	20RW, 20SM					
Issue date *	2019-9-18					
Intended market *	Global Europe Asia, Pacific & Japan Americas Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	20RW, 20SM	Logo	Lon		
Issue dat	:e *	2019-9-18		Lend		D _{tm}
Product	environ	mental attributes - Legal requirements		Require	men	t met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		X	$\overline{}$	
	hydrobro trichloro	omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /l (PCT) in preparations (see legal reference).	lorinated			
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	e 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/weel	k 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail	contact):			
	https://w	ww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure				
P2	Batterie	s				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	the disposal			
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm e)	nium. (See lega	l 🔀		
P2.3*		s and accumulators are readily removable. (See legal reference)		\boxtimes	П	
P3	Conform	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg		\boxtimes		
P3.2*		claration of Conformity can be requested at: https://www.lenovo.com/us/en/compliar duct complies with the Eco design requirements for energy-related products.	ice/eu-doc		$\overline{}$	
F3.2		al reference).			Ш	Ш
	Require	d information is; given in item P15 or added to this document,		\boxtimes		
		available at: https://www.lenovo.com/us/en/compliance/e	eco-declaration			
P5		packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercurgent chromium by weight of these together.	y, cadmium ar	nd 🔀		
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature on the legal reference).	of the material(s) 🔀		
P5.3*	The prod	duct packaging material is free from ozone depleting substances as specified in the N	/Iontreal Protoc	ol 🔀		
	` 0	al reference). nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\square	П	

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	20RW, 20SM	Logo	Longvo
Issue date *	2019-9-18		LEI IOVO

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment i	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		Щ.	Щ
P7.2*	Plastic materials in covers/housing have no surface coating.		Щ.	Щ.
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: >PC-GF30FR(40)< Material type: >PC-TD2 (TD+MD)15FR(40)< Material type: >PC-TD2	25FR(40)<	:	
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		$\overline{\mathbb{X}}$	\Box
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	d 🔼		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)	n 🛚		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: >PC-GF30FR(40)< Marking: >PC+ABS-(TD+MD)15FR(40)<			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: DOPO, CAS #: 35948-25-5			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "	n 🔲		
	3. Chemical name: , CAS #: " Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	\square		
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		+	
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	\square		
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 2.8%. or b) The weight of recycled material is 23.1 g.	K		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	20RW, 20SM	Logo	Lanava
Issue date *	2019-9-18		Lei IOVO"

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

		stance requirements				
P7.21*	Biobased plastic r	naterial content is used	d in the product (See No	OTE B7):		
	If YES; at least or	ne of the two alternative	es below shall be answe	ered;		
			the biobased plastic m	aterial content (calcula	ited as a percentage of	
	total plastic b	by weight) is %.				
	or b) The weight o	of the highest algertie	motorial ia a			
P7.22*		of the biobased plastic	less than 0,1 mg/lamp.			$\overline{}$
1 7.22		specify: Number of lar		um mercury content pe		Ш
P8	Batteries					
P8.1*	Battery chemical	composition: Lithium I	on			П
P9	Energy consum	otion (See NOTE B8)				
P9.1			ls or energy consumption	ons are reported:		
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy	
		100 V AC	115 V AC	230 V AC	modes and test method *	
Peak (On-	max)	65 W	65 W	65 W	Full load	
Categor	<u>y 1</u>					
Short Idle	State - WOL	5.13 W	5.1 W	5.26 W	Use for ENERGY STAR V7.1	
Enabled					registration (P _{idle})	
I ann Iella	State - WOL	3.11 W	3.14 W	3.13 W	Use for ENERGY STAR V7.1	
Enabled	State - WOL	3.11 VV	3.14 VV	3.73 VV	registration (P _{idle})	
Litabled					registration (Figure)	
Sleep (S3)	- WOL Disabled	0.84 W	0.82 W	0.86 W	Reference	
Off (S5) - 1	WOL Disabled	0.49 W	0.49 W	0.52 W	Use for ErP	
EPS No-loa	ad	0.07 W	0.07 W	0.13 W		
	au supply / charger plugged in the		0.07 VV	0.73 VV		
wall outlet but dis	connected from the product.)		101	307		
PTEC *	ergy Consumption	W	W	W		\boxtimes
ETEC *	cigy Consumption	19.9 kWh/year	19.8 kWh/year	20.3 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$	
_	ergy Consumption	Total Kiring your	Total Kiring Gai	2010 KVVIII y Gai	+ P _{Sleep} x 0.35 + P _{long_Idle} x 0.10+	ш
					Pshort_Idle x 0.30)	
					ed; P _{idle} : Idle State - WOL Enabled	
			I Efficiency Marking Pro	otocol) * : VI		
Display res	solution * : 1920 x 1	080 megapixels				
Default tim	e to enter energy s	ave mode: 25 minutes				
P9.2*	Information about	the energy save functi	on is provided with the	product.		
P9.3	Energy efficiency	class (monitors only):				
P10	Emissions					
	Noise emission -	 Declared according to 	o ISO 9296 (See NOTE			
P10.1	Mode	Mode description			it A-weighted sound power level, $L_{WA,c}$ ((B)
	Idle	* HDD:Idle		* 27.5		
	Operation	* HDD: Operating		* 39.2		
	Other mode	Declared A-weighted soun	od pressure level (dB) $L_{p{ m Am}}$	21.6 (operator posit	tion desktop – idle)	
	Other mode	Declared A-weighted soun	od pressure level (dB) $L_{p{\sf Am}}$	34.8 (operator posit	tion desktop – operating)	
	Measured accord	ing to: 🔀 ISO 7779 🔀	ECMA-74	•		
		Other	(only if not covered by	ECMA-74)		
	1		, ,,	/		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model num	ber *	20RW, 20SM				Logo	Long	V/0	
Issue date	*	2019-9-18					Leno	VO.	н
Product e	nvironn	nental attributes	- Market requirements (co	ntinued)			Require	nent	met
Item							Yes	No	n.a.
		nagnetic emissions							
	program((s):	requirement for low frequency of	electromagnetic fields	of the follo	owing voluntary			
		nics for computing							
	-	•	omic requirements of ISO 9241			gies.			
	The phys	sical input device me	ets the requirements of ISO 99	95 and ISO 9241-410).				\boxtimes
		ng and documentat							
	Product p	packaging material ty	/pe(s): Corrugated carton /pe(s): paper(manuel) /pe(s): EPE cushion /pe(s): PE bag	weight (kg): 0.269 weight (kg): 0.066 weight (kg): 0.086 weight (kg): 0.012					
P13.2*	Product p	olastic primary packa	aging is free from PVC.						
	For prod consume	uct primary corruga er recovered fiber co	ted fiberboard packaging, spentent: 80 %	cify the contained po	ercentage	of minimum po	st-		
			roduct documentation (tick box) Other):					
	Ùser and	only complete this ite I product documenta ease specify:	em if paper documentation used tion on paper media is chlorine	d) -free:					
	Elementa	nlorine-free al chlorine-free ed chlorine-free							
		y programs							
			ements of the following volunta	ry program(s):					
		/ STAR® I:	Criteria version: 7.1 Criteria version: Criteria version:	Date: 2019/08/30 Date: Date:	Product of				
		al information (See							
			ecific configuration may vary						
	information knowledoprovided information	on contained in this on contained in this of ge available at the tire here is approximate on.	presentations, guarantees, ass document. All information provi- me of completion, and supplier and provided for informational	ded by supplier in this shall have no obligati purposes only. See a	s documen on to upda a Lenovo A	it is provided bas ite such informa	sed on supp tion. The inf	lier's ormat	on
			otebooks & Tablet Computers for dex.cfm?fuseaction=find_a_pro			code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo ThinkBook 15-IML	Logo	
Model Number	20RW, 20SM		Lonovo
Issue Date	2019-9-18		Lenovo.
Additional information			

(d)	Year of manufacture:				
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Categor enable	ry and capability adjust	ments applied when a	all discrete graphics of	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3
	Memory over base [GB]				20GB
ents sting	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)
adjustrr rring tee	Discrete television tuner	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)
capability adjustments applied during testing	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)
cap	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	No #: (Yes / No)
	Category of discrete graphics Card(s)				N/A
ssults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				17.53
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
(g)	Idle state power demand (Watts);	•		•	5.11
h)	Sleep mode power demand (Watts);				0.92
i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		N/A
j)	Off mode power demand (Watts);				0.46
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		N/A
(1)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	ige		
m)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 88.44%, 89.2	9%, 88.50%			
(o)	*internal note: show values for all available external po Minimum number of loading cycles that t		tand (applies only to n	otebook computers):	800cycle
(p-1)	Measurement methodology used to dete	rmine information mer	ntioned in points (I) - in	nternal PSU efficiency:	:

(p-2)		dology used to determine information mentioned in program Requirements for Single Voltage Externa Eligibility Criteria (Version 2.0)	` '		
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: ≥70% of Cmin				
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: IEC 62623				
(d)	Sequence of steps for achieving a stable condition with respect to power demand: *Power on -> Wait 5 minutes -> Stable condition*				
(r)	Description of how sleep and/or off mode was selected or programmed: **Begin menu -> Power -> Select sleep or off mode** **Begin menu -> Select sleep or off				
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: NA				
		NA .			
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			30min	
(u) Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):			NA		
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes): 10min				
(w) Information on the energy-saving potential of power management functionality: **Refer to User Guide**					
(x)	(x) User information on how to enable the power management functionality: **Refer to User Guide**				
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:				
230V50HZ-2%-Edition 2.0, 2011-01, Section 4, IEC62301					
Additional Notebook Battery Information:					
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a	
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)			
Internal/built-in Battery					
External/detachable Battery					
Bios Backup Battery					
Other:					
Additional information					
ļ					
)					
,					

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.

The battery[ies] in this product cannot be easily replaced by users themselves.