



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs	ODOVO				
e-mail address	Alvin L Carter	Lenovo				
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statemen	conforms to the statements given in this declaration.				
Type of product *	Notebook				
Commercial name *	Lenovo V17 G2 ITL				
Model number *	82NX				
Issue date *	2021-3-16				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		82NX	Logo	Lenovo		
Issue date * 2021-3-15		2021-3-15		Lenc	JVC	-
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1	Hazardo	us substances and preparations		•		
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	$\boxtimes$		
P1.2*		do not contain Asbestos (see legal reference). It: Legal reference has no maximum concentration value.		$\boxtimes$		
				$\boxtimes$	$\Box$	
hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.						
P1.4*						
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	ne 🔀		
P1.6*						
P1.7*						
P2	Batterie	S				
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)					
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		$\boxtimes$	П	
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The D	luct is CE-marked to show conformance with applicable legal requirements (see legeleration of Conformity can be requested at (add link or e-www.lenovo.com/us/en/compliance/eu-doc	gal reference). mail address	s):		
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).		X		
	, ,	d information is; given in item P15 or added to this document,		$\boxtimes$		
		available at (add URL):				
		www.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging 0.04% land and the second s		1		
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercurent chromium by weight of these together.	y, cadmium ar	nd 🔀	Ш	
P5.2*	The pack	caging materials are marked with abbreviations and numbers indicating the nature elegal reference).	of the material(	s) 🔀		
P5.3*				ol 🔀		
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).			$\Box$	

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	82NX	Logo	Lenovo
Issue date *	2021-3-15		Leriovo.
	mental attributes - Market requirements (See General NOTE GN onmental conscious design	below)	Requirement met

Produc	t environmental attributes - Market requirements (See General NOTE GN below)			
		Require		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
<b>P7</b> P7.1*	Design, Disassembly, recycling  Parts that have to be treated separately are easily separable		$\overline{}$	
P7.1*	Plastic materials in covers/housing have no surface coating.			$\vdash$
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		<u>Ц</u>	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			_ <u>_</u>
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):  Material type: <i>PC+ABS</i> Material type: <i>Fe</i>			
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$	$\Box$
P7.13	Insulation materials of internal electrical cables are PVC free.		X	Ħ
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%	6		∺
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing	d 🔼		
P7.15	more than 25% post-consumer recycled content.			_
	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)			<u> Ц</u>
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: <b>Brominated Epoxy Resins</b> , CAS # 26265-08-7	:		$\boxtimes$
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1			$\square$
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:	1		
	Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: CAS #:			
	2. Chemical name: CAS #: 3. Chemical name: CAS #:			
	4. Chemical name: , CAS #:			
	Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40)			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	$\boxtimes$		
	assigned the following Risk phrases; <b>confidential</b> and Hazard statements: <b>H411;H413</b> The source(s) for these classifications is/are found at (add URL(s)): <b>European Council Directive</b>			
	67/548/EEC , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):		$\square$	$\overline{}$
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is 0%.			
	or b) The weight of recycled material is a.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82NX	Logo	Lanova
Issue date *	2021-3-15		LEI 10 VO

Product environmental attributes - Market requirements (continued)	Requi	remen	t met
Item	Yes	No	n.a.

	Material and substance red	quirements (continue	ed)				
P7.21*			tent is used in the product (See NOTE B7):				
	If YES; at least one of the tw a) Of total plastic parts' we total plastic by weight)	eight > 25 g, the bioba		ıl content (calculat	ted as a percentage of		
	or b) The weight of the bioba	sed plastic material is	s g.				
P7.22*	Light sources are free from r	nercury, i.e. less than	0,1 mg/lamp.				
P8	If mercury is used specify: N  Batteries	umber of lamps:	and maximum m	ercury content per	r lamp: mg		
P8.1*	Battery chemical compositio	n: I I-ION Polymer ba	attery and lithium-	metal hattery			
P9	Energy consumption (See	<u>-</u>	ttory und manuall	motur buttory			
P9.1	For the product the following	power levels or energ	gy consumptions ar	re reported:			
Energy mo		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *		
Peak (On-	max)	65 W	65 W	65 W	Full load		
Categor	<u>y 1</u>						
Short Idle	State - WOL Enabled	5.98W	6.12 W	6.14 W	ENERGY STAR V8		
Long Idle	State - WOL Enabled	3.28W	3.23 W	<b>3.45</b> W	ENERGY STAR V8		
Sleep (S3)	) - WOL Enabled/Disabled	<b>0.44</b> W	<b>0.45</b> W	0.54 W	ENERGY STAR V8		
Off (S5) -	WOL Enabled/Disabled	<b>0.20</b> W	<b>0.20</b> W	<b>0.23</b> W	Energy Star V8, Use for ErP		
EPS No-Io (External power disconnected fro	supply / charger plugged in the wall outlet but	0.068 W	0.069 W	0.070W			
PTEC * Typical En	ergy Consumption	W	W	W			
ETEC * Annual En	ergy Consumption	20.38 kWh/year	20.73 kWh/year	21.32 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long\_ldle} \times 0.10 + P_{short\_ldle} \times 0.30)$		
		P <sub>off</sub> : Off Mode(S5) - W Enabled	OL Enabled; P <sub>sleep</sub> : S	Sleep Mode(S3) - W	OL Enabled; Pidle: Idle State - WOL		
Categor	<u>y 2</u>						
Short Idle	State - WOL Enabled	6.36 W	6.34 W	6.50 W	ENERGY STAR V8		
Long Idle	State - WOL Enabled	2.31 W	2.34 W	2.50 W	ENERGY STAR V8		
Sleep (S3)	) - WOL Enabled/Disabled	0.55 W	0.55 W	0.69 W	ENERGY STAR V8		
Off (S5) -	WOL Enabled/Disabled	0.16 W	0.15 W	<b>0.17</b> W	Energy Star V8, Use for ErP		
EPS No-Io (External power disconnected fro	supply / charger plugged in the wall outlet but	0.113 W	0.114 W	0.116W			
PTEC * Typical En	ergy Consumption	W	W	W		$\boxtimes$	
ETEC * Annual En	ergy Consumption	20.77 kWh/year	20.73 kWh/year	<b>21.76</b> kWh/year	E <sub>TEC</sub> = (8760/1000) x (P <sub>off</sub> x 0.25 + P <sub>sleep</sub> x 0.35 + P <sub>long_ldle</sub> x 0.10+ P <sub>short_ldle</sub> x 0.30)		
		Enabled			OL Enabled; P <sub>idle</sub> : Idle State - WOL		
External P	ower Supply Efficiency Level (	International Efficienc	y Marking Protocol	) * : <b>VI</b>			
Display res	solution * :2.07 megapixels						
Default tim	ne to enter energy save mode:	10 minutes					
P9.2*	Information about the energy	save function is prov	vided with the produ	ıct.		Ħ	
P9.3	Energy efficiency class (mor	•	•				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

P10	Emissions		
	Noise emission	on – Declared according to ISO 9296 (See NOTE	B9)
P10.1 Mode Mode description		Mode description	Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)
	Idle	* Idle (Operating)	* 2.6
	Operation	* HDD:Operation CPU:Operation	* 2.6 4.3
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p  m Am}$	
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p { m Am}}$	36.4 (operator position desktop – operating)
	Measured acco	ording to: S ISO 7779 ECMA-74	ECMA 74)
	ivieasured acco	Other (only if not covered by	ECMA-74)

Model number *		82NX				Logo	Leno	WO	
Issue date	*	2021-3-15					LETTO	VO	
Product 6	environn	nental attributes	- Market requiremen	ts (continued)			Require	ment	met
Item			•	,			Yes	No	n.a.
	Electron	nagnetic emission	S					•	
P10.4		er display meets the (s): <b>MPR-II(3 pin A</b> 0	requirement for low frequence control frequency (C adapter only)	uency electromagnetic	c fields of the foll	lowing voluntary	y		
P12		nics for computing							
P12.1*									
P12.2*	The phys	sical input device m	eets the requirements of	ISO 9995 and ISO 924	41-410.				
P13		ng and documenta							
P13.1*	Product Product Product	packaging material b packaging material b	type(s): paper(manual) type(s): corner paper we type(s): EPE we	eight (kg): <b>0.37</b> weight (kg): <b>0.</b> eight (kg): <b>0.048</b> eight (kg): <b>0.112</b>	.05				
P13.2*	Product	plastic primary pack	aging is free from PVC.						
P13.3*		luct primary corruga er recovered fiber co	ated fiberboard packagir ontent: <mark>100</mark> %	ng, specify the contai	ned percentage	of minimum p	ost-		
P13.4*	. ,	media for user and p ic ⊠, Paper ⊠, O	product documentation (ti ther	ick box):					
P13.5	Ùser and		em if paper documentation on paper media is c						
	Elementa	hlorine-free al chlorine-free ed chlorine-free							
P14		ry programs							
P14.1	The proc	luct meets the requi	rements of the following	voluntary program(s):					
	Eco-labe Eco-labe	el:	Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product	category: category: category:			
P15		nal information (Se							
P9			ecific configuration ma						
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.					ion			
P9			otebooks & Tablet Comp www.energystar.gov/pro						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo V17 G2 ITL	Logo
Model number *	82NX	Longvo
Issue date *	2021-3-15	Lenovo.
Additional information		

d)	Year of manufacture:				2021		
e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.  Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are						
)	enable	ry and capability adjust	ments applied when a	all discrete graphics (	cards (dGfx) are		
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
ents ting	Memory over base [GB]	16	16				
	Additional internal storage	Yes (Yes / No)	Yes (Yes / No)	(Yes / No)	(Yes / No)		
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)		
ability a lied du	Discrete Audio Card	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)		
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	#: (Yes / No)		
	Category of discrete graphics Card(s)	N/A	G3				
sallts	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	10.75					
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		13.57				
<b>j</b> )	Idle state power demand (Watts);						
1)	Sleep mode power demand (Watts);						
1	Sleep mode with WOL enabled power demand (Watts) (where enabled);						
	Off mode power demand (Watts);						
)	Off mode with WOL enabled power demand (Watts) (where enabled);						
(I) Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):							
	10% 20% 50% 100% Average						
n)	External power supply efficiency (if applicable)*:						
	Average active efficiency: 89.03% 89.7	70% 90.88%					
`	*internal note: show values for all available external p		h	- 4-11			
)	Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): 300CYCLE						
o-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:						
)-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:						

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  EN 61960 measurement methodology							
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:							
	EN 62623:2013 measurement methodology							
(q)	Sequence of steps for achieving a stable condition with respect to power demand::							
	EN 62623:2013 measurement methodology							
(r)	Description of how sl	now sleep and/or off mode was selected or programmed:						
By selecting sleep and/or off mode thru Windows operating system								
(s)	(s) Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:							
refer to power management, 10mins automatically reaches sleep mode								
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):							
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):  N.							
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):  10							
(w)								
User information described in User Guide and Power Manager under Lenovo V17 G2 ITL menu in all programs								
(x)	User information on how to enable the power management functionality:							
User information described in User Guide and Power Manager under Lenovo V17 G2 ITL menu in all programs								
(z)	(7) Test parameters for measurements: test voltage in \/ and frequency in \/ 2 tests harmonic distortion of							
(2)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:							
230V, 50GHz, Total Harmonic Distortion <2 %								
Additional Notebook Battery Information:								
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a				
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)						
Internal/built-in Battery								
External/detachable Battery								
Bios Backup Battery								
Other:								
Additional information								

'/ The battery[ies] in this product cannot be easily replaced by users themselves. Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

II-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.

Batteriat [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.