

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs		Lenovo			
e-mail address	Alvin L Carter		LEIIOVO			
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html				
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product							
conforms to the statement	conforms to the statements given in this declaration.						
Type of product *	All-in-One Computer						
Commercial name *	Lenovo V50 All-in-One 22"						
Model number *	11FN, 11FQ, 11FR, 11FS						
Issue date *	2020.4.24						
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other						
Additional information	ENERGY STAR®,CEL, EPEAT, Low blue light,TCO						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	11FN, 11FQ, 11FR,	11FS			Logo			
Issue date *		2020.4.24					Leno	OVC	
Produc	t environ	mental attributes	- Legal requirem	nents			Require		met
Item							Yes	No	n.a.
P1		ous substances and							
P1.1*	Product	s do comply with curr	ent European RoHS	S Directive. (See legal re	ference and NOTI	E B1)	\boxtimes		
P1.2*		s do not contain Asbe nt: Legal reference ha					\boxtimes		
P1.3*	hydrobro trichloro	omofluorocarbons (H	BFC), hydrochlorofl	nces: Chlorofluorocarbo uorcarbons (HCFC), Hal nce). Comment: Legal ı	ons, carbontetracl		-		
P1.4*		s do not contain more /I (PCT) in preparatio		chlorinated biphenyl (PC nce).	B), 0,005% polycł	nlorinated	\square		
P1.5*	Product	s do not contain more	e than 0,1% short ch	nain chloroparaffins (SCC ne in the SCCP (see leg		bon atoms i	n the 🔀		
P1.6*	(see leg	al reference).		ot release nickel in conc		0,5 μg/cm²/w	veek 🔀		
P1.7*	REACH	Article 33 information	n about substances	in articles is available at	(add URL or mail	contact):			
P2	Batterie	S							
P2.1*				or, the battery/accumula ed in user manual. (See		the disposal	\boxtimes		
P2.2*	Batterie		not contain more th	an 0,0005% of mercury	or 0,002% of cadr	nium. (See l	egal 🔀		
P2.3*	Batterie	s and accumulators a	re readily removabl	e. (See legal reference)			\boxtimes		
P3	Confor	nity verification & E	co desian (ErP)						
P3.1*	The pro	duct is CE-marked to	show conformance	with applicable legal red at: https://www.lenovo.c			e). 🔀		
P3.2*		duct complies with the al reference).	e Eco design require	ements for energy-relate	d products,		\boxtimes		
	· ·	d information is;	= ~	P15 or added to this doc			Vien		
P5	Droduce	nackaging		mps.//www.ienovo.com/	us/en/compliance/	eco-uecialal			_
P5.1*		t packaging	omponente do set	contain more than 0,0	1% lead moreur	y cadmium	and 🔽		
	hexaval	ent chromium by weig	pht of these togethe	r.		-			
P5.2*	used (se	e legal reference).		viations and numbers inc	-				
P5.3*	(see leg	duct packaging mater al reference). nt: Legal reference ha		e depleting substances a accentration values.	as specified in the l	Montreal Pro	itocol 🔀		
P6		ent information							
		ion for recyclers/treat				the second se			_

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		11FN, 11FQ, 11FR, 11FS	Logo			
Issue dat	te *	2020.4.24		Len	ovc	Этн
Product	t environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7.1*		Disassembly, recycling				
		t have to be treated separately are easily separable			<u> </u>	<u> </u>
P7.2*		aterials in covers/housing have no surface coating.			<u> </u>	<u> </u>
P7.3*		arts > 100 g consist of one material or of easily separable materials.				
P7.4*	•	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.	\square		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\square		
	Product					
P7.7*		g can be done e.g. with processor, memory, cards or drives		\square		
P7.8*	Upgradir	g can be done using commonly available tools		\square		
P7.9	Spare pa	rts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: ABS Material type: PC+ABS Materia	al type:			
P7.12	Insulation	n materials of external electrical cables are PVC free.			\times	
P7.13	Insulation	n materials of internal electrical cables are PVC free.			$\overline{\mathbf{X}}$	
P7.14	weight (' polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i n 25% post-consumer recycled content.	e retardants, an	d 📕		
P7.15	as define	ircuit boards, PCBs (without components) are low halogen: all	-	n 🗌	\square	
P7.16	Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: >ABS<,>PC+ABS-FR(40)<		\square		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c A (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	omponents):	\boxtimes		\square
	accordin	nemical specifications of flame retardants in printed circuit boards (without compon- g ISO 1043-4:				
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name:, CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations i	n		
	<u>Alt. 2: </u> Ch FR(40) <	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:> PC+ABS-	\boxtimes		
P7.19	assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements:	have been			\square
D7 cot	The source(s) for these classifications is/are found at (add URL(s)):		See note B5)			
P7.20*	lfYES;a a) Oft ape or	sumer recycled plastic material content is used in the product (See Note B6): t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conter ercentage of total plastic by weight) is 6.91%.	t (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *			Lenovo.
	nental attributes - Market requirements (continued)		Requirement met

Item

Requirement met

Yes No n.a.

	Material and subs	stance requirements	(continued)					
P7.21*	Biobased plastic m	aterial content is used	d in the product (See N	IOTE B7):				
P7.22*	Light sources are free from mercury, i.e. less than 0,1 mg/lamp.							
P8	Batteries							
P8.1*		chemical composition: Lithium Manganese Dioxide						
P9		tion (See NOTE B8)						
P9.1			ls or energy consumpt					
Energy m		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *			
Peak (On	n-max)	120 W	120 W	120 W	Full load			
<u>Catego</u>	<u>ry 1</u>	W	W	W				
Short Idle Enabled	e State - WOL	17.66 W	17.11 W	18.29 W	Use for ENERGY STAR V8 registration (P _{idle})			
Long Idle Enabled	e State - WOL	4.87 W	4.97 W	5.42 W	Use for ENERGY STAR V8 registration (P _{idle})			
Sleep (S3	3) - WOL Enabled	0.88 W	0.86 W	0.84 W	Use for ENERGY STAR V8 registration (P _{sleep})			
Sleep (S3	3) - WOL Disabled	0.866 W	0.866 W	0.866 W	Use for ErP			
Off (S5) -	WOL Enabled	0.76 W	0.75 W	0.85 W	Use for ENERGY STAR V8 registration (P _{off})			
Off (S5) -	WOL Disabled	0.879 W	0.879 W	0.879 W	Use for ErP			
<u>Catego</u>	<u>ry 2</u>							
Short Idle Enabled	e State - WOL	18.54 W	17.96 W	18.64 W	Use for ENERGY STAR V8 registration (P _{idle})			
Long Idle Enabled	e State - WOL	6.15 W	5.45 W	6.03 W	Use for ENERGY STAR V8 registration (P _{idle})			
Sleep (S3	3) - WOL Enabled	0.81 W	0.77 W	0.73 W	Use for ENERGY STAR V8 registration (P _{idle})			
Sleep (S3	3) - WOL Disabled	0.894 W	0.894 W	0.894 W	Use for ErP			
Off (S5) -	WOL Enabled	0.78 W	0.79 W	0.73 W	Use for ENERGY STAR V8 registration (P _{idle})			
	WOL Disabled	0.882 W	0.882 W	0.882 W	Use for ErP			
EPS No-lo (External power wall outlet but d	oad er supply / charger plugged in the disconnected from the product.)	W	W	W				
PTEC * Typical Er	nergy Consumption	W	W	W				
ETEC * Annual Er	nergy Consumption	1: 55.14 kWh/year 2: 58.30 kWh/year	1: 53.69 kWh/year 2: 55.66 kWh/year	1: 57.24kWh/year 2: 58.10 kWh/year	V7.0 E _{TEC} = (8760/1000) x (P _{off} x 0.35 + P _{sleep} x 0.10 + P _{long_Idle} x 0.15 + P _{short_Idle} x 0.40)			
					V8.0 E _{TEC} = (8760/1000) x (P _{off} x 0.15 + P _{sleep} x 0.45 + P _{long_Idle} x 0.10+ P _{short_Idle} x 0.30)			
					Enabled; Pidle: Idle State - WOL Enabled			
External F	Power Supply Efficien	cy Level (Internationa	I Efficiency Marking Pr	otocol) * VI	International Efficiency Marking Protocol for External Power Supplies			
Display re	esolution * : 2.07 meg	apixels						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Default tim	e to enter energy	/ save mode: 25 minutes						
P9.2*	Information abo	but the energy save function is provided with the						
P9.3	Energy efficien	cy class (monitors only):						
P10	Emissions							
	Noise emission – Declared according to ISO 9296 (See NOTE B9)							
P10.1	Mode	Mode description	Statistical upper limit	A-weighted sound power level, L _{WA,c} (B)				
	Idle * HDD:Idle * 2.9							
	Operation	* HDD: Operating	* 3.1					
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p\rm Am}$	19.6 (operator position desktop – idle)					
	Other mode $\begin{array}{c} Declared A-weighted sound pressure level (dB) \\ L_{pAm} \end{array}$ 21.1 (operator position desktop – operating)							
	Measured according to: ISO 7779 ECMA-74 Other (only if not covered by ECMA-74)							

Model nu	mber *	11FN, 11FQ, 11FR	, 11FS			Logo				
Issue dat	e *	2020.4.24					Le	eno	VO	тн
Product	environr	nental attributes	- Market requirem	nents (con	tinued)		Re	quirer		met
Item								Yes	No	n.a.
		magnetic emissions								
P10.4		er display meets the (s): BSMI, VCCI, CE		requency el	ectromagnetic fie	elds of the following volu	untary	\square		
P12	Ergono	mics for computing	products							
P12.1*	The disp	olay meets the ergon	omic requirements of	f ISO 9241-3	807 for visual dis	play technologies.			\boxtimes	
P12.2*	The phy	sical input device me	ets the requirements	s of ISO 999	5 and ISO 9241-	-410.			\boxtimes	
P13	Packagi	ing and documenta	tion							
P13.1*	Product	packaging material t packaging material t packaging material t	ype(s): <i>cushion</i>	weight (kg weight (kg weight (kg): 0.647					
P13.2*	Product	plastic primary pack	aging is free from PV	′C.				\boxtimes		
P13.3*		duct primary corrugater recovered fiber co		aging, spec	ify the containe	d percentage of minim	um post-			
P13.4*			roduct documentatio Other	n (tick box):						
P13.5	(Please User and	only complete this it	em if paper documen ation on paper media					\boxtimes		
	Element	hlorine-free al chlorine-free ed chlorine-free								
P14	Volunta	ry programs								
P14.1			rements of the followi	ing voluntar	/ program(s):					
	Eco-labe	el: Energy Star el: EPEAT el: Low Blue light el: TCO	Criteria version: 8.0 Criteria version: 20 Criteria version: Criteria version: 7C	19	Date: 2020/4 Date: 2020/4 Date: 2020/5 Date: 2020/5	Product category: Product category: Product category: Product category:	All-in-One All-in-One	2		
P15		nal information (Se								
P9	10700T	; GPU : AMD/R19M	-M18-50 ; RAM :32G	; Storage :	1T HDD + 5120	he tested product con G SSD ; OS : WIN10				
D 0	informat knowled providec informat	ion contained in this ge available at the ti I here is approximate ion.	document. All inform me of completion, an and provided for info	ation provid d supplier s ormational p	ed by supplier in nall have no oblig urposes only. Se	nties whether express of this document is provic gation to update such ir ee a Lenovo Account R	led based on formation.	n supp The info	lier's ormati	ion
P9			otebooks & Tablet Co dex.cfm?fuseaction=			nation: tGroup&pgw_code=CO				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo V50 All-in-One 22"	Logo
Model Number	11FN, 11FQ, 11FR, 11FS	
Issue Date	2020.4.24	Lenovo
Additional information	ENERGY STAR®, CEL, EPEAT, Low blue light, TCO	

	P7.1.1 F	Product environmental attributes				
	(d)	year of manufacture:				2020
	(e)	Etec value (kWh) per ErP Lot 3 Categor disabled and if the system is tested with				cards (dGfx) are
	(f)	Etec value (kWh) per ErP Lot 3 Categor enable	cards (dGfx) are			
			Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
		Memory over base [GB]		32		32
	lents sting	Additional internal storage	(Yes / No)	YES (Yes / No)	(Yes / No)	YES (Yes / No)
	capability adjustments applied during testing	Discrete television tuner	(Yes / No)	NO (Yes / No)	(Yes / No)	NO (Yes / No)
	ability a	Discrete Audio Card	(Yes / No)	NO (Yes / No)	(Yes / No)	NO (Yes / No)
	app	Discrete graphics Card(s) [number / #]	#: (Yes / No)	YES #: 1 (Yes / No)	# <u>:</u> (Yes / No)	YES #: 1 (Yes / No)
		Category of discrete graphics Card(s)		G2		G2
	esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				
	Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		27.44		28.26
1	(g)	Idle state power demand (Watts);	1	1		D: 6.748 / B : 6.553
1	(h)	Sleep mode power demand (Watts);				D: 0.894 / B : 0.866
1	(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		D: 0.911 / B : 0.931
1	(j)	Off mode power demand (Watts);			1	D: 0.882 / B : 0.879
1	(k)	Off mode with WOL enabled power dem		,,		D: 0.875 / B : 0.845
1	(I)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100	% of rated output pow	er (if applicable):	
		10% 20% 50%	100% Aver	age		
((m)	External power supply efficiency (if appli	icable)*:			
		Average active efficiency: 90w 88.26%	120w 89.8%			
((0)	*internal note: show values for all available external p Minimum number of loading cycles that		stand (applies only to n	otebook computers):	NA
1	(p-1)	Measurement methodology used to dete	ermine information me NA	ntioned in points (I) – iı	nternal PSU efficiency:	
	(p-2)	Measurement methodology used to dete refer to EN 50563:201	ermine information me 1 External a.c. — d.c	ntioned in points (m) – . and a.ca.c. power	external PSU efficiend supplies	cy:

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: NA							
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:							
Refer to IEC 62623:2013-Desktop and notebook computer					urement of energy conmumption			
(q)	Sequence of steps for achieving a stable condition with respect to power demand::							
	Ba	ased	on user manual/Power on->Wait 5 m	ninutes-	Stable condition			
(r)	Description of how sl	еер а	and/or off mode was selected or progra	ammed:				
	Bas	ed or	n user manual/Begin menu -> Power	·-> Selee	ct sleep or off mode			
(s)	Sequence of events off mode:	requi	red to reach the mode where the equip	oment au	tomatically changes to sleep and/or			
	Based on user ma	nual	/Control Panel->Power Options-> Cl for this plan	hange S	ettings-> Restore default settings			
(t)	condition which does	not e	ndition before the computer automa exceed the applicable power demand r	equirem	ents for sleep mode (in minutes):	25 minutes		
(u)	•	•	eriod of user inactivity in which the one of	•	•			
(v)	Length of time befo	re th	e display sleep mode is set to activ	ate after	user inactivity (in minutes):	10 minutes		
(w)	Information on the er	ergy	-saving potential of power managemer	nt functio	nality:			
			NA					
(x)	User information on I	now t	o enable the power management func	tionality:				
			Based on user manual-Set the	e power	plan			
	Set the power	pla	n					
	For ENERGY STAR [®] been idle for a speci		pliant computers, the following power p luration:	olan takes	s effect when your computers have			
	Table 1. Default power	r plan	(when plugged into ac power)					
	Turn off the display	/: Afte	r 10 minutes					
	• Put the computer t	o slee	p: After 25 minutes					
	To awaken the comp	outer	from Sleep mode, press any key on you	ır keyboa	rd.			
	To reset the power p	lan to	achieve the best balance between per	formanc	e and power saving:			
			and view by large icons or small icons.		,			
(-)	-		s, and then choose or customize a power	•	-			
(z)		syste	urements: — test voltage in V and frec m, — information and documentation	on the in				
	Instrument	_	230 Volts AC, 50 H Range Used	Z		[
	Туре		Or ***		Make and Model **	[
	AC Power Sourc	e	230V;50Hz		EXTECH;6810;SN:1450172	i		
						i		
	Power Meter		0~200V;0~20A	YOł	(OGAWA;WT210;SN:91H427511	•		
	Hygrothermograph-20 to 50°C;20 to 90%SEKONIC;ST-50							
	Light Measuring1° ; 0.01 to 999,900 cd/m2Konica Minolta;LS-150							
Additiona	I Notebook Batter	-						
		Bat	ttery[ies] not user replaceable		Battery[ies] user replaceable	n/a		
			battery[ies] in this product cannot b aced by users themselves. ¹⁾	e easily				
Internal/bu	uilt-in Battery							
External/d	etachable Battery							
Bios Back	up Battery							

Other:			\square
Additional information			

The battery[ies] in this product cannot be easily replaced by users themselves

Акумилаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt. Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

1)

μ μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non puó/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti.

Si gammi baterijus paterijus pate

Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi usor înlocuită (înlocuită) du utilizatorii înșiși. Bateria (bateriile) din acest produs nu poate (pot) fi usor înlocuită (înlocuită) du utilizatorii înșiși. Bateria/baterije v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.