

ECMA/TC38-TG3/2015/026 (Rev. 1 - 15 April 2015)

Annex B2 - Product environmental attributes **Desktop/All-in-One Computers**

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo					
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs		Lenovo			
e-mail address	Alvin L Carter		LEIIOVO			
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html				
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Desktop			
Commercial name *	Lenovo V50t Tower			
Model number *	11EC, 11ED, 11HC, 11HD			
Issue date *	2020-4-28			
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other			
Additional information	Energy Star, EPEAT			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	11EC, 11ED, 11HC,	11HD			Logo			
Issue date *		2020-4-28				Leno	Lenovo		
Produc	t environ	mental attributes -	- Legal requiren	nents			Require		t met
ltem							Yes	No	n.a.
P1		ous substances and							
P1.1*		s do comply with curre		, -	I reference and NOT	E B1)	\square		
P1.2*	Comme	s do not contain Asbes nt: Legal reference ha	s no maximum cor	ncentration value.			\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.								
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).								
P1.5*	chain co	s do not contain more ntaining at least 48%	per mass of chlori	ne in the SCCP (see	legal reference).				
P1.6*	(see leg	th direct and prolonge al reference). nt: Max limit in legal re				0,5 μg/cm²/w	reek 🔀		
P1.7*	REACH	Article 33 information tatic.lenovo.com/ww/d	about substances	in articles is available	at (add URL or mail		\square		
P2	Batterie								
P2.1*	If the pro symbol.	oduct contains a batter Information on proper	ry or an accumulat disposal is provid	or, the battery/accum ed in user manual. (So	ulator is labeled with ee legal reference)	the disposal	\boxtimes		
P2.2*		s or accumulators do r				mium. (See le	egal 🔀		
P2.3*	Batteries	and accumulators ar	e readily removab	le. (See legal referenc	e)		\boxtimes		
P3	Conform	nity verification & Ec	o design (ErP)						
P3.1*	The proc	duct is CE-marked to s laration of Conformity	show conformance	with applicable legal at: https://www.lenov	requirements (see le o.com/us/en/complia	egal reference ance/eu-doc	e). 🔀		
P3.2*		duct complies with the	Eco design requir	ements for energy-rel	ated products,		\boxtimes		
	· -	al reference).	—						
	Require	d information is;		P15 or added to this d			\boxtimes		
			🔀 available at: /	https://www.lenovo.co	m/us/en/compliance/	/eco-declarat	ion		
P5		packaging							
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together.								
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).					ial(s) 🔀			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). (see legal reference). Comment: Legal reference has no maximum concentration values.								
P6									
		Treatment information Information for recyclers/treatment facilities is available (see legal reference).							_

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		11EC, 11ED, 11HC, 11HD	Logo				
Issue dat	te *	2020-4-28		Len	Lenovo		
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)				
		onmental conscious design		Require		met	
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.	
P7.1*	U /	Disassembly, recycling thave to be treated separately are easily separable					
P7.2*		haterials in covers/housing have no surface coating.			<u> </u>	<u> </u>	
P7.3*		arts > 100 g consist of one material or of easily separable materials.			╞	╞	
P7.4*	Plastic p			<u> </u>	╞		
P7.5			╞	╞			
P7.6*		arts are free from metal inlays or have inlays that can be removed with commonly a re easily separable. (This requirement does not apply to safety/regulatory labels).			<u> </u>	╞	
F7.0							
P7.7*	Product Upgradin	ig can be done e.g. with processor, memory, cards or drives					
P7.8*		g can be done using commonly available tools			╞	╞	
P7.9		Ints are available after end of production for: 5 years				╞	
P7.10		s available after end of production for: 5 years				╞	
F7.10		and substance requirements					
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):					
			al type:				
P7.12		n materials of external electrical cables are PVC free.			\boxtimes		
P7.13	Insulatio	n materials of internal electrical cables are PVC free.		<u> </u>		Ħ	
P7.14	External	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	romine and 0,1	%		Ħ	
	weight (' polyvinyl	1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i n 25% post-consumer recycled content.	e retardants, a	nd			
P7.15	Printed c	ircuit boards, PCBs (without components) are low halogen: all PCBs > 25 g ed in IEC 61249-2-21. (See 1NOTE B2)	are low halog	en	\square		
P7.16	Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:					
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	omponents):	\boxtimes			
		nemical specifications of flame retardants in printed circuit boards (without compon- g ISO 1043-4:	ents) > 25 g			\boxtimes	
P7.18	concentr 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: "	es/preparations	in			
		ical name: , CAS #: " nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:				
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements:	n have been				
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B		See note B5)				
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		\bowtie			
	a) Of t a pe or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conter ercentage of total plastic by weight) is <i>11.5</i> %.	it (calculated as	;			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * Issue date *	11EC, 11ED, 11HC, 11HD 2020-4-28	Logo	Lenovo.
Product environ	nental attributes - Market requirements (continued)		Requirement met

Item

Requirement metYesNon.a.

	Material and subs	stance requirements	s (continued)			
P7.21*	Biobased plastic m	naterial content is use	ed in the product (See N	NOTE B7):		
P7.22*		free from mercury, i.e specify: Number of la	. less than 0,1 mg/lamp mps: and maxir	o. num mercury content p	er lamp: mg	\square
P8	Batteries		•	,		
P8.1*	Battery chemical c	omposition: Lithium	Manganese Dioxide			
P9	Energy consump	tion (See NOTE B8)				
P9.1			els or energy consumpt	tions are reported:		
Energy m	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	
Peak (On	n-max)	W	W	W	Full load	
Catego	ry 12					
Short Idle Enabled	e State - WOL	15.1 W	15.8 W	15 W	Use for ENERGY STAR V8 registration (P _{idle})	
Long Idle Enabled	e State - WOL	14.1 W	14.8 W	13.1 W	Use for ENERGY STAR V8 registration (P _{idle})	
Sleep (S3	3) - WOL Enabled	1.1 W	1.1 W	1.1 W	Use for ENERGY STAR V8 registration(P _{sleep})	
Off (S5) -	WOL Enabled	0.7 W	0.7 W	0.7 W	Use for ENERGY STAR V8 registration(Poff)	
Off (S5) -	WOL Disabled	W	W	0.68 W	Use for ErP lot3	
Catego	ry D2					
Short Idle Enabled	e State - WOL	21 W	21 W	20.9 W	Use for ENERGY STAR V8 registration (P _{idle})	
Long Idle Enabled	e State - WOL	19.9 W	19.8 W	19.7 W	Use for ENERGY STAR V8 registration (P _{idle})	
Sleep (S3	3) - WOL Enabled	0.8 W	0.8 W	0.8 W	Use for ENERGY STAR V8 registration(P _{sleep})	
Off (S5) -	WOL Enabled	0.7 W	0.7 W	0.7 W	Use for ENERGY STAR V8 registration(Poff)	
EPS No-le (External power wall outlet but d	oad er supply / charger plugged in the disconnected from the product.)	W	W	W		\square
PTEC * Typical E	nergy Consumption	W	W	W		\square
ETEC * Annual Er	nergy Consumption	57.3 kWh/year 76.6 kWh/year	59.7 kWh/year 76.6 kWh/year	56.3 kWh/year 76.3 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.45) + P_{sleep} \times 0.05 + P_{long_{ldle}} \times 0.15 + P_{short_{ldle}} \times 0.35)$	
F () / 7					L Enabled; Pidle: Idle State - WOL Enable	
			al Efficiency Marking P	rotocol) ^ :		
		egapixels				\square
Default tir	me to enter energy sa	ve mode: 25 minutes	;			
P9.2*	Information about	the energy save func	tion is provided with the	e product.		
P9.3	Energy efficiency of	class (monitors only):				

P10	Emissions					
	Noise emission – Declared according to ISO 9296 (See NOTE B9)					
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound power level, L _{WA,c} (B)			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

Idle	* HDD:Idle	* 3.4	
Operation	* HDD: Operating	* 3.6	
Other mode	Declared A-weighted sound pressure level (dB) $L_{p\rm Am}$		
Other mode	Declared A-weighted sound pressure level (dB) $L_{\rm pAm}$	21 (operator position desktop – operating)	
Measured according to: 🛛 ISO 7779 🗌 ECMA-74			
	Other (only if not covered by E	ECMA-74)	

Model nu	Imber *	11EC, 11ED, 11	HC, 11HD			Logo	lono		
Issue dat	te *	2020-4-28					Leno	VO	
Product	environr	nental attribute	es - Market requiren	nents (continued)		Require		ıe
Item							Yes	No r	า.อ
		magnetic emission							
P10.4	program	(s):	he requirement for low t	frequency electroma	agnetic fields of the fol	lowing voluntar	у		X
P12		mics for comput							
P12.1*		-	onomic requirements o			ogies.			\ge
P12.2*	The phy	sical input device	meets the requirements	s of ISO 9995 and IS	SO 9241-410.		\square		
P13		ing and docume							
P13.1*	Product	packaging materi packaging materi packaging materi	al type(s): <i>EPE</i>	weight (kg): 1.07 weight (kg): 0.32 weight (kg): 0.01					
P13.2*			ickaging is free from PV	/C.			\square		
P13.3*		duct primary corre	ugated fiberboard pack content: 70 %	aging, specify the	contained percentage	e of minimum p		[
P13.4*		media for user an ronic, XPaper,	d product documentatio	n (tick box):				[_
P13.5	Úser and		s item if paper documer ntation on paper media				\boxtimes		
	,	hlorine-free al chlorine-free							
	Process	ed chlorine-free					H		
P14	Volunta	ry programs							
P14.1			quirements of the follow	ing voluntary progra	am(s):				
	Eco-labe Eco-labe	el:	Criteria version: 8.0 Criteria version: Criteria version:	D Date: Date: Date:	Product	category: Desk category: category:	top		
P15		nal information (
P9			specific configuration						
	informat knowled	ion contained in the ge available at the l here is approxim	o representations, guara his document. All inform e time of completion, ar ate and provided for inf	nation provided by so nd supplier shall hav	upplier in this docume e no obligation to upd	nt is provided b ate such inform	ased on supplication. The inf	lier's ormatior	n
P9	See Ene	ergy Star Qualified	I Notebooks & Tablet Co //index.cfm?fuseaction=			_code=CO			

Annex B1 of ECMA-370 5th edition (Lenovo) 2015-04-08

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo V50t Tower	Logo
Model Number	per 11EC, 11ED, 11HC, 11HD	
Issue Date	2020-4-28	Lenovo
Additional information	Energy Star, EPEAT	

P7.1.1	Product environmental attributes							
(d)	year of manufacture:				2020			
(e)	Etec value (kWh) per ErP Lot 3 Categor disabled and if the system is tested with				cards (dGfx) are			
(f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable							
		Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)					
	Memory over base [GB]		126		124			
ents sting	Additional internal storage	(Yes / No)	Yes (Yes / No)	(Yes / No)	Yes (Yes / No)			
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)			
ability a	Discrete Audio Card	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)			
cap app	Discrete graphics Card(s) [number / #]	#: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)			
	Category of discrete graphics Card(s)		G2		G2			
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)		61.48		59.31			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		76.52		78.77			
(g)	Idle state power demand (Watts);	<u>.</u>			20.75 21.41			
(h)	Sleep mode power demand (Watts);				1.10 1.08			
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		1.11 1.08			
(j)	Off mode power demand (Watts);				0.69 0.68			
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.69 0.68			
(I)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	0.00			
	HK360-71PP 10% 85.63% 20% 86.30	% 50% 87.45% 10 ⁴	0% 84.36% Average	e 86.04%				
(m)	External power supply efficiency (if appli	cable)*:						
	Average active efficiency:							
(2)	*internal note: show values for all available external po		tand (applies aply to p	atabaak aamautara)				
(0)	Minimum number of loading cycles that t	the datteries can withs	tand (applies only to n	olebook computers):	NA			
(p-1)) Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: 80 PLUS® Program							

(p-2) Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:						
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: NA					
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:					
IEC 62623 Ed. 1.0, 2012-10						
(q)	Sequence of steps for achieving a stable condition with respect to power demand::					
Based on Energy Star Computer V7.1I/Power on->Wait 5 minutes->Stable condition(long idle)						
(r) Description of how sleep and/or off mode was selected or programmed:						
Start menu -> Power -> Select sleep or off mode						
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:					
	Control Panel->Power Options-> Change Settings-> Restore default settings for this plan					
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): 25					
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode (in minutes): mode that has a lower power demand requirement than sleep mode (in minutes):					
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes): 10					
(w)	Information on the energy-saving potential of power management functionality:					
			NA			
(x)	User information on how to enable the power management functionality:					
Refer to User Guide						
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:					
Test voltage in V and frequency in Hz: 230V/50Hz						
Total harmonic distortion of the electricity supply system: $\leq 2\%$						
	Instrument Name		Range Used or ******	Make and Model**		
	AC Power Source		1~300VAC;1~550Hz; 1000VA	NF; EC1000S		
	Power Meter		1~500V;0~20A	YOKOGAWA; WT310		
	Digital W		Full Range	CASIO; HS-70W		
	Ambient M		-10~60℃; 0~100&RH	Testo; 622		
	Anemom	leter	0~20m/s	Testo; 425		
Additional Notebook Battery Information: Battery[ies] not user replaceable Battery[ies] user replaceable				Battery[ies] user replaceable	n/a	
		The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾				
Internal/built-in Battery						
External/detachable Battery						
Bios Backup Battery						
Other:						
Additional information						
/						

The battery[ies] in this product cannot be easily replaced by users themselves. Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt. Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

H μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji f dan il-prodott ma tistax/jistgħux tiġ/jíġu sostitiwita/i mill-utenti stess. Batteriet lenel i dette produktet kan ikke lett erstattes av brukerne selv

Batteria (bateria) i tan il-product ma tistax/jistgnux tig/jigt sostitivita/ mil-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înșiși. Bateriu(-ie) v tomto výrobku nemôže vymieňať používateľ. Paterii/hetorii o y tomto výrobku nemozie vomieňať používateľ.

Baterij/Setrije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.