



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		_
Contact information *	Lenovo Global Environmental Affairs		Lenovo
e-mail address	Alvin L Carter		LEHOVO
	<u>alcarter@lenovo.com</u>		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	html	
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product
conforms to the statemen	nts given in this declaration.
Type of product *	Notebook
Commercial name *	Lenovo Yoga 7 15
Model number *	82BH, 82BJ
Issue date *	2020-8-28
Intended market *	Global Europe Asia, Pacific & Japan Americas Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	82BH, 82BJ	Logo	Lon		
Issue dat	e *	2020-8-28		Lend		J _{TM}
Product	environ	mental attributes - Legal requirements		Require	men	met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	Products	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	loride. 1.1.1-	\boxtimes		
	trichloro	ethane, methyl bromide (see legal reference). Comment: Legal reference has no matter ration values.				
P1.4*		s do not contain more than; $0,005\%$ polychlorinated biphenyl (PCB), $0,005\%$ polych ℓ (PCT) in preparations (see legal reference).	lorinated			
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	e 🔀		
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference).),5 μg/cm²/weel	(<u> </u>		
		nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*		Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie					
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See lega	I 🔀		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		\boxtimes		
P3		nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal requirements) described at: https://www.lenovo.com/us/en/complian				
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
		d information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/e	aa daalaratian			
P5	Droduct	packaging	co-deciaration			
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury	/ cadmium an	id 🔀		
_	hexavale	ent chromium by weight of these together.			<u> </u>	_
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).	•	,		
P5.3*	(see lega	duct packaging material is free from ozone depleting substances as specified in the Nal reference).	Montreal Protoc	ol 🔀	Ш	Ш
		nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	82BH, 82BJ	Logo	Lanava
Issue date *	2020-8-28		Lei IOVO.
Product environ	mental attributes - Market requirements (See General NOTE GN I	helow)	

Product	environmental attributes - Market requirements (See General NOTE GN below)			
		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		_ <u></u> _	Щ.
P7.2*	Plastic materials in covers/housing have no surface coating.		\boxtimes	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			\boxtimes
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
D= 40	Material type: plastic(PC+ABS) Material type: plastic(PC+ABS)			
P7.12	Insulation materials of external electrical cables are PVC free.	<u></u>		Щ.
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containin			
	more than 25% post-consumer recycled content.	9		
P7.15	Drinted circuit beards DCDs (without components) are low beloach all DCDs > 25 a are low beloach			
	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloge as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: Brominated Epoxy Resins, CAS #	<i>‡</i> :		
	26265-08-7			\boxtimes
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g	_		
	according ISO 1043-4:			
P7.18	Alt. 1			
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations i concentrations above 0.1%:	n		
	Chemical name: <i>Oligomeric phosphorous compound</i> CAS #: <i>Confidential</i>			
	2. Chemical name: CAS #:			
	Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:		Щ.	<u> </u>
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	\boxtimes		
	assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): European Council Directive			
	The source(s) for these classifications is/are found at (add URL(s)): European Council Directive 67/548/EEC , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	$\overline{}$		$\overline{\Box}$
1 7 .20	If YES; at least one of the two alternatives below shall be answered;			Ш
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is			
	or b) The weight of recycled material is q.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82BH, 82BJ	Logo	Lonovo
Issue date *	2020-8-28		Lei IOVO,

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

		stance requirements			
P7.21*	Biobased plastic i	material content is used	d in the product (See No	OTE B7):	
		tic parts' weight > 25 g,	es below shall be answe the biobased plastic m		ted as a percentage of
		of the biobased plastic r	material is g.		
P7.22*		free from mercury, i.e. I specify: Number of lar	less than 0,1 mg/lamp.	um mercury content pe	r lamp: mg
P8	Batteries	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		, , , , , , , , , , , , , , , , , , , ,	3
P8.1*	Battery chemical	composition: LI-ION Po	olymer battery		
P9	Energy consump	otion (See NOTE B8)			
P9.1	For the product th		s or energy consumption		
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *
Peak (On-	max)	65 W	65 W	65 W	Full load
Categor	<u>y 2</u>				
Short Idle Enabled	State - WOL	5.79 W	5.82 W	5.85 W	Use for ENERGY STAR V8.0 registration
Long Idle Enabled	State - WOL	4.10 W	4.07 W	4.13 W	Use for ENERGY STAR V8.0 registration
Sleep (S3)	- WOL Disabled	0.84 W	0.84 W	0.86 W	Use for ENERGY STAR V8.0 registration
Off (S5) - I	WOL Enabled	0.38 W	0.37 W	0.43 W	Use for ENERGY STAR V8.0 registration
Off (S5) - I	WOL Disabled	0.38 W	0.37 W	0.43 W	Use for ErP
EPS No-loa (External power s	ad supply / charger plugged in the connected from the product.)	0.057 W	0.057 W	0.058W	
PTEC *	ergy Consumption	W	W	W	
ETEC *	ergy Consumption	22.22kWh/year	22.25 kWh/year	22.57 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{long_idle} x 0.10+ P _{short idle} x 0.30)
		Poff: Off Mode(S5) - WO	OL Enabled; P _{sleep} : Sleep	Mode(S3) - WOL Enable	d; P _{idle} : Idle State - WOL Enabled
External Po	ower Supply Efficie	ncy Level (International	l Efficiency Marking Pro	otocol) * : VI	
Display res	solution * :2.07 meg	gapixels			
		ave mode: 10 minutes			T T
P9.2*			on is provided with the	product.	
P9.3		class (monitors only):			
P10	Emissions	, , , , , , , , , , , , , , , , , , ,			
		- Declared according to	ISO 9296 (See NOTE	B9)	
P10.1	Mode	Mode description	`	Statistical upper limit	t A-weighted sound power level, L _{WA,c} (B)
	Idle	* Idle (Operating)		* 2.1	
		* HDD:Operation CPU:Operation		* 2.1	
	Other mode	Declared A-weighted soun	d pressure level (dB) $L_{p{ m Am}}$	4.4 16.8 (operator posit	ion desktop – idle)
	Other mode	Declared A-weighted soun	d pressure level (dB) $L_{p m Am}$	36.5 (operator posit	ion desktop – operating)
	Measured accord	ing to: X ISO 7779	ECMA-74		
		Other	(only if not covered by	ECMA-74)	

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	umber *	82BH, 82BJ			Logo	Lore	N/0	
Issue da	te *	2020-8-28				Lend		
Product	t environr	nental attribu	tes - Market requirements	(continued)		Require	ement m	et
Item						Yes	No n.	.a.
	Electro	nagnetic emiss	ions					
P10.4			the requirement for low frequen	cy electromagnetic field	ls of the following volu	ntary 🔀		J
P12		mics for compu	n AC adapter only)					
P12.1*			gonomic requirements of ISO 92	241-307 for visual displa	av technologies			
P12.2*			e meets the requirements of ISC	·	· · · · · · · · · · · · · · · · · · ·		H	╡
P13	Packagi	ing and docume	entation					Ħ
P13.1*	Product Product Product Product	packaging mate packaging mate packaging mate packaging mate	rial type(s): CARTON weigh rial type(s): paper(manual) rial type(s): corner paper weigh	nt (kg): 0.154				
P13.2*			packaging is free from PVC.			\boxtimes		
P13.3*			rugated fiberboard packaging, er content: 100 %	specify the contained	percentage of minimu	ım post-		Ī
P13.4*	Specify		nd product documentation (tick b	oox):				
P13.5	Ùser an		is item if paper documentation ι entation on paper media is chlo					
	Totally o	hlorine-free						
	Element	al chlorine-free				$\overline{\boxtimes}$		
	Process	ed chlorine-free				Ħ		
P14	Volunta	ry programs						
P14.1	The prod	duct meets the re	equirements of the following volu	untary program(s):				
	ENERG Eco-labe Eco-labe		Criteria version: 8.0 Criteria version: Criteria version:	Date: 2020/8/6 Date: Date:	Product category: 2 Product category: Product category:			
P15			(See NOTE B10)					
P9			f specific configuration may v	-	<u> </u>			
	informat knowled provided informat	ion contained in ge available at t I here is approxi ion.	no representations, guarantees, this document. All information p ne time of completion, and supp mate and provided for informatio	rovided by supplier in the lier shall have no obliga onal purposes only. See	nis document is providention to update such information a Lenovo Account Re	ed based on sup formation. The ir	plier's formation	
P9			ed Notebooks & Tablet Compute os://www.energystar.gov/produc					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Yoga 7 15ITL5	Logo	
Model number *	82BH, 82BJ		Lonovo
Issue date *	2020-8-28		Lenovo.
Additional information			

d)	Year of manufacture:				2020
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Categorenable	ry and capability adjust	ments applied when a	all discrete graphics o	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	16			
ents sting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	13.87			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
g)	Idle state power demand (Watts);	1	-	1	A : 4.13
h)	Sleep mode power demand (Watts);				A : 0.86
i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		A : 0.86
j)	Off mode power demand (Watts);				A : 0.43
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		A : 0.43
l)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	ige		
m)	External power supply efficiency (if appli	icable)*:			
	Average active efficiency: 89.82%; 90.7	75%; 89.71%			
	*internal note: show values for all available external p	ower supplies			
0)	Minimum number of loading cycles that		tand (applies only to r	notebook computers):	300 CYCLES
p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – i	nternal PSU efficiency:	
p-2)	Measurement methodology used to deta	ermine information mer 63:2011 measuremen	ntioned in points (m) -	external PSU efficiend	cy:

(p-3)	(p-3) Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 50563:2011 measurement methodology				
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: EN 62623:2013 measurement methodology				
(q)	Sequence of steps for achieving a stable condition with respect to power demand: EN 62623:2013 measurement methodology				
(r)	Description of how sleep and/or off mode was selected or programmed: EN 62623:2013 measurement methodology				
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: refer to power management, 30mins automatically reaches sleep mode				
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			10	
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):			NA	
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):			10	
(w)	(w) Information on the energy-saving potential of power management functionality: *refer to user manual*				
(x)	x) User information on how to enable the power management functionality: refer to user manual				
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: 230V, 50GHz, Total Harmonic Distortion <2 %				
Additio	onal Notebook Batter				
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a	
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)			
Internal/built-in Battery					
External/detachable Battery					
Bios Backup Battery					
Other:					
Addition	nal information			•	
)					
)					

./ The battery[ies] in this product cannot be easily replaced by users themselves. Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Τασύαβα θε αστο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w latwy sposób wymienić baterii w tym produkcie.
A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.
Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.