



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com		Lenovo.
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
conforms to the statemen	its given in this declaration.						
Type of product *	Notebook						
Commercial name *	ThinkBook 14s 2 <sup>nd</sup> Gen						
Model number *	20VA						
Issue date *	2020/8/19						
Intended market *	Global Europe Asia, Pacific & Japan Americas Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	20VA Log	jo 📉			
Issue dat	e *	2020/8/19	L	eno	VO,	
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	,	$\boxtimes$		
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachlorid ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximation values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorina yl (PCT) in preparations (see legal reference).	ated			
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon a ontaining at least 48% per mass of chlorine in the SCCP (see legal reference).	atoms in the			
P1.6*	Parts wit (see lega Comme	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μξ al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	-			
P1.7*		Article 33 information about substances in articles is available at (add URL or mail conta	act):	X		
	http://ww	vw.lenovo.com/social_responsibility/us/en/environment.html				
P2	Batterie					
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the d Information on proper disposal is provided in user manual. (See legal reference)	isposal			
P2.2*	referenc		(See legal			
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		$\boxtimes$		
P3		nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal re claration of Conformity can be requested at: <a href="https://www.lenovo.com/us/en/compliance/e">https://www.lenovo.com/us/en/compliance/e</a>				
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).				
	Require	d information is; given in item P15 or added to this document,		$\boxtimes$		
		available at: https://www.lenovo.com/us/en/compliance/eco-d	declaration			
P5	Product	t packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury, ca ent chromium by weight of these together.	idmium and	ı 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of the see legal reference).	e material(s	) 🔀		
P5.3*	The prod (see lega	duct packaging material is free from ozone depleting substances as specified in the Montr al reference). nt: Legal reference has no maximum concentration values.	eal Protoco	I 🔀		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

P6

P6.1\*

Treatment information

Information for recyclers/treatment facilities is available (see legal reference).

Model number *	20VA	Logo	Lanava
Issue date *	2020/8/19		LEI IOVO

Product	tenvironmental attributes - Market requirements (See General NOTE GN below)			
		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	$\boxtimes$		
P7.2*	Plastic materials in covers/housing have no surface coating.		$\boxtimes$	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			$\boxtimes$
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			$\boxtimes$
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		$\boxtimes$	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):)			
	Material type: PC+ABS Material type: Aluminur			
P7.12	Insulation materials of external electrical cables are PVC free.	$\boxtimes$		
P7.13	Insulation materials of internal electrical cables are PVC free.	$\boxtimes$		
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			$\boxtimes$
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing			
	more than 25% post-consumer recycled content.	3		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)	า 🗌		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: DOPD, CAS #: 35948-25-5	$\boxtimes$		
	_ , , _ , _ , _			Ш
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4: NA			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%:  1. Chemical name: , CAS #: <b>25971-63-5</b> (See NOTE B4)	$\boxtimes$		
	2. Chemical name: , CAS #: " (See NOTE B4)			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
	Ant. 2. Offerfical specifications of flattic retardants in plastic parts > 25 g according 100 1045-4.			$\boxtimes$
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		Ħ	$\square$
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):			$\boxtimes$
	If VEC, at least one of the true alternatives helevy shall be accessed.			
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is 2.5%.			
	or			
	b) The weight of recycled material is <b>2.6</b> <i>g</i>			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	20VA	Logo	Lanava
Issue date *	2020/8/19		Lei Iovo.

Product environmental attributes - Market requirements (continued)	Requir	remen	nt met
Item	Yes	No	n.a.

		stance requirements			
P7.21*	Biobased plastic m	aterial content is used	in the product (See	NOTE B7):	
	a) Of total plastic	e of the two alternative c parts' weight > 25 g, y weight) is 0%.		wered; material content (calcula	ated as a percentage of
		the biobased plastic r	material is g.		
P7.22*	Light sources are f	ree from mercury, i.e.	less than 0,1 mg/lam		
		specify: Number of lar	nps: and maxi	mum mercury content pe	er lamp: mg
P8.1*	Batteries	omposition: <i>Lithium I</i>	on/Lithium Mangan	non Diewide	
	*		On/Litinum Mangane	ese Dioxide	
<b>P9</b>		tion (See NOTE B8) e following power level	le or anargy consumr	ations are reported:	
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy
		100 V AC	115 V AC	<b>230</b> V AC	modes and test method *
Peak (On-I	max)	65 W	65 W	<b>65</b> W	Full load
Categor	<u>y 1</u>				
Short Idle Enabled	State - WOL	5.184W	5.556W	5.736W	Use for ENERGY STAR V8.0 registration (P <sub>idle</sub> )
Long Idle Enabled	State - WOL	0.732W	0.744W	0.768W	Use for ENERGY STAR V8.0 registration (P <sub>idle</sub> )
Sleep (S3)	- WOL Enabled	0.732W	0.744W	0.768W	Use for ENERGY STAR V8.0 registration (Psleep)
Off (S5) - V	WOL Enabled	<b>0.216</b> W	0.228W	<b>0.252</b> W	Use for ENERGY STAR V8.0 registration
Off (S5) - V	NOL Disabled	<b>0.216</b> W	0.228W	<b>0.252</b> W	Use for ErP
Categor	<u>y 2</u>				
Short Idle Enabled	State - WOL	7.356W	7.596W	7.884W	Use for ENERGY STAR V8.0 registration (Pidle)
Long Idle Enabled	State - WOL	0.888W	0.648W	0.852W	Use for ENERGY STAR V8.0 registration
Sleep (S3)	- WOL Enabled	0.888W	0.648W	0.852W	Use for ENERGY STAR V8.0 registration
Off (S5) - V	WOL Enabled	<b>0.228</b> W	0.252W	0.252W	Use for ENERGY STAR V8.0 registration
Off (S5) - V	WOL Disabled	0.228W	0.252W	0.252W	Use for ErP
EPS No-loa (External power s wall outlet but dis	ad supply / charger plugged in the connected from the product.)	0.03 W	0.03 W	<b>0.04</b> W	
PTEC *(1) Typical En	ergy Consumption	<b>1.943</b> W	<b>2.615</b> W	2.134W	
PTEC *(2) Typical En	ergy Consumption	<b>2.529</b> W	<b>2.640</b> W	2.819W	
TEC *(1) Typical En	ergy Consumption	0.326kWh/week	0.346kWh/week	0.358kWh/week	
TEC *(2) Typical En	ergy Consumption	0.425kWh/week	0.443kWh/week	0.473kWh/week	

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

ETEC *(1) Annual Ene	ergy Consumption	<b>16.98</b> kWh/year	<b>18.01</b> kWh/year	<b>18.65</b> kWh/year	E <sub>TEC</sub> = (8760/1000) x (I P <sub>sleep</sub> x 0.35 + P <sub>long_Idle</sub> P <sub>short_Idle</sub> x 0.30)		5 +	
ETEC *(2) Annual Ene	ergy Consumption	<b>22.10</b> kWh/year	23.07kWh/year	24.63kWh/year	E <sub>TEC</sub> = (8760/1000) x (1 P <sub>sleep</sub> x 0.35 + P <sub>long_Idle</sub> P <sub>short_Idle</sub> x 0.30)		5 +	
		Poff: Off Mode(S5) - WO	OL Enabled; Psleep: Slee	ep Mode(S3) - WOL Enal	bled; Pidle: Idle State - WOL E	nabled		
External Po	wer Supply Efficie	ency Level (Internationa	I Efficiency Marking P	rotocol) * : VI				
Display reso	olution * : 1920*10	080 megapixels						
Default time	e to enter energy s	ave mode: 10 minutes						
P9.2*	Information abou	t the energy save functi	on is provided with th	e product.		$\boxtimes$		$\overline{\Box}$
P9.3		class (monitors only):		•				
P10	Emissions	, , , , , , , , , , , , , , , , , , ,						
		<ul> <li>Declared according to</li> </ul>	o ISO 9296 (See NOT	E B9)				
P10.1		Mode description	,		mit A-weighted sound powe	er level, <i>l</i>	L <sub>WA,c</sub> (E	3)
	Idle	* Idle mode		* 2.7				
	Operation	* Operating (CPU)		* 2.7				
	Other mode	Declared A-weighted soun	d pressure level (dB) $L_{nl}$	21 (operator posi	tion desktop – idle)			
	Other mode	Declared A-weighted soun	d pressure level (dB) <sub>I</sub>	29 (operator posi	tion desktop – operating)			
				Am Coponado posi-	g/			
	Measured accord	ling to: XISO 7779		=======================================				
		Other	(only if not covered b	by ECMA-74)				
Item						Yes	No	n.a.
	Electromagnetic							
P10.4		•		ectromagnetic fields of	the following voluntary	$\boxtimes$		
P12		R-II(3 pin AC adapter o	nly)					
P12.1*		computing products ts the ergonomic require	aments of ISO 9241-3	07 for visual display to	achnologies			
P12.2*		ut device meets the require			zornologica.		+	$\vdash$
P13			ullernerits of 130 999.	3 and 130 9241-410.			<u>ш</u>	
P13.1*	Product packaging	ng material type(s): cart	ton weight (kg	v: 0 366				
1 10.1		ng material type(s): pap						
	Product packagir	ng material type(s): PE	weight (kg): 0.058					
		ng material type(s): PP						
P13.2*		rimary packaging is free		<u> </u>				
P13.3*	consumer recove	ered fiber content:	%	ify the contained perd	centage of minimum post-			
P13.4*	Electronic,							Ш
P13.5	User and produc	nplete this item if paper t documentation on pap		ree:				
	If Yes, please sp	есіту:				_		
	Totally chlorine-fi					$\bowtie$		
	Elemental chlorin					$\boxtimes$		
	Processed chlori							
P14	Voluntary progr							
P14.1	ine product mee	ts the requirements of t	ne following voluntary	program(s):				
	ENERGY STAR	Oriteria ve	ersion: <b>V8.0</b>	Date: 2020/8/17 P	roduct category: 1&2			
	Eco-label:	Criteria ve	ersion:	Date: P	roduct category:			
	Eco-label:	Criteria ve		Date: P	roduct category:			
P15		mation (See NOTE B1		danadata est tos	dad and dead or the state			
P9		•		•	sted product configuration ess or implied, regarding the in		conto!=	nod in
	this document. All in and supplier shall h	nformation provided by sup	oplier in this document is a such information. The i	provided based on suppli nformation provided here	ier's knowledge available at the is approximate and provided for	time of c	ompleti	
P9	See Energy Star	Qualified Notebooks &	<b>Tablet Computers for</b>	the latest information:				
	http://www.energ	ystar.gov/index.cfm?fus	seaction=find_a_prod	uct.showProductGroup	o&pgw_code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# **Lenovo ErP Lot3 Information Sheet** - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkBook 14s G2 ITL	Logo	
Model Number	20VA		Lonovo
Issue Date	2020/8/19		Lenovo.
Additional information			

d)	year of manufacture:				2020
e) f)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with Etec value (kWh) per ErP Lot 3 Catego	n switchable graphics r	node with UMA driving	the display.	, ,
,	enable				darus (uoix) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	(according to ErP Lot 3)
	Memory over base [GB]	16	(docording to Ell Ect o)	(docording to Eff Ect o)	(decording to En Ect o)
ents sting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
idjustrr ring te	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
caps	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled			72.3	
3)	Idle state power demand (Watts);	1		1	3.32
1)	Sleep mode power demand (Watts);				0.81
)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		0.81
)	Off mode power demand (Watts);				0.33
<b>(</b> )	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.33
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% N/A 20% N/A 50% N/A 100%	N/A Average N/A			
n)	external power supply efficiency (if appli	cable)*:			
	Average active efficiency: 89.5% meet Lo	evel VI			
))	*internal note: show values for all available external p Minimum number of loading cycles that		tand (applies only to n	otebook computers):	300 cycles
p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – in	nternal PSU efficiency:	<u> </u>

(p-2)		dology used to determine information mentioned in program Requirements for Single Voltage Externa Eligibility Criteria (Version 2.0)			
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: ≥70% of Cmin				
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:  IEC 62623				
(q)	Sequence of steps for achieving a stable condition with respect to power demand:  *Power on -> Wait 5 minutes -> Stable condition*				
(r)	r) Description of how sleep and/or off mode was selected or programmed:  **Begin menu -> Power -> Select sleep or off mode**  **Begin menu				
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:				
		NA NA			
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			30min	
(u)	mode that has a lower power demand requirement than sleep mode (in minutes):			NA	
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes): 10min				
(w)	(w) Information on the energy-saving potential of power management functionality:  **Refer to User Guide**				
(x)	) User information on how to enable the power management functionality:  **Refer to User Guide**  **Refer to User Guide**				
(z)	) Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:				
		230V50HZ-2%-Edition 2.0, 2011-01, Section 4	I, IEC62301		
Additio	nal Notebook Batter	v Information:			
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a	
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)	,		
Internal/built-in Battery					
External/detachable Battery					
Bios Backup Battery					
Other:					
Addition	al information				

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.
Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuottéen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissá. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.

The battery[ies] in this product cannot be easily replaced by users themselves.