

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo		and the second			
Contact information *	Lenovo Global Environmental Affairs		Lenovo			
e-mail address	Alvin L Carter		LEI IOVO.			
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html				
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the						
statements given in this decl	statements given in this declaration.					
Type of product *	Personal Computer					
Commercial name *	ThinkCentre M70 Tiny					
Model number *	11DT, 11DU, 11DV, 11DW, 11DX, 11FA, 11FB, 11FC, 11FD					
Issue date *	2020-4-30					
Intended market *	🔀 Global 🔄 🗖 Europe 🔄 Asia, Pacific & Japan 🔄 Americas 💭 Other					
Additional information Energy Star, EPEAT, TCO						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	imber *	11DT, 11DU, 11DV, 11DW, 11DX, 11FA, 11FB, 11FC, 11FD	lon		
Issue dat	e *	2020-4-30	Len		Тн
Produc	t environ	mental attributes - Legal requirements	Require	ment	met
Item			Yes	No	n.a.
P1	Hazardo	us substances and preparations			
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*		do not contain Asbestos (see legal reference). t: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	hydrochl	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), orofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal e). Comment: Legal reference has no maximum concentration values.			
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) ations (see legal reference).	\boxtimes		
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain g at least 48% per mass of chlorine in the SCCP (see legal reference).	\square		
P1.6*	legal refe	h direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see erence). t: Max limit in legal reference when tested according to EN1811:2011-5.	\square		
P1.7*	REACH A	rticle 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure			
P2	Batteries				
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. ion on proper disposal is provided in user manual. (See legal reference)	\boxtimes		
P2.2*	Batteries reference	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal e)	\boxtimes		
P2.3*	Batterie	s and accumulators are readily removable. (See legal reference)		\boxtimes	
P3	Conform	ity verification & Eco design (ErP)			
P3.1*	•	uct is CE-marked to show conformance with applicable legal requirements (see legal reference). aration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc	\boxtimes		
P3.2*	•	uct complies with the Eco design requirements for energy-related products, I reference).	\boxtimes		
	Required	information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/eco-declaration	\boxtimes		
P5	Product	packaging			
P5.1*	Packagin	g and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent n by weight of these together.			
P5.2*	The pack	aging materials are marked with abbreviations and numbers indicating the nature of the material(s) used I reference).	\square		
P5.3*	, e	uct packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see			
	Commen	t: Legal reference has no maximum concentration values.			
P6		nt information			
		on for recyclers/treatment facilities is available (see legal reference).	\mathbf{X}		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		11DT, 11DU, 11DV, 11DW, 11DX, 11FA, 11FB, 11FC, 11FD Logo				
Issue date	2 *	2020-4-30		Lenovo		
Product		mental attributes - Market requirements (See General NOTE GN below)	Re	quire	ment	met
Item		ory to fill in. Additional information regarding each item may be found under P14.	110	Yes	No	n.a.
P7	Design, D	isassembly, recycling				
P7.1*	Parts that	t have to be treated separately are easily separable		\boxtimes		
P7.2*	Plastic ma	aterials in covers/housing have no surface coating.		\boxtimes		
P7.3*	Plastic pa		\square			
P7.4*	Plastic pa	rts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\square		
P7.5	Plastic pa	rts are free from metal inlays or have inlays that can be removed with commonly available tools.		\square		
P7.6*	Labels are		\square			
	Product l	ifetime				
P7.7*	Upgradin	g can be done e.g. with processor, memory, cards or drives		\boxtimes		
P7.8*	Upgradin	g can be done using commonly available tools		\boxtimes		
P7.9	Spare par	ts are available after end of production for: 5 years				
P7.10	Service is	available after end of production for: 5 years				
-	Material	and substance requirements				
P7.11*		over/housing material type (e.g. plastics, metal, aluminum): type: ABS Material type: PC Material type: ABS	S+PC			
P7.12	Insulatior	n materials of external electrical cables are PVC free.			\boxtimes	
P7.13	Insulation	n materials of internal electrical cables are PVC free.			\boxtimes	
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% wei m) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl	ght			
	post-cons	or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more the sumer recycled content.	an 25%			
P7.15		rcuit boards, PCBs (without components) are low halogen: all $$ PCBs > 25 g $$ are low halogen as 1EC 61249-2-21. (See 1NOTE B2)				
P7.16	Marking:	arded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without components):				
	TBBP	A (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:				\boxtimes
	<u>Alt. 2: </u> Cho 1043-4:	emical specifications of flame retardants in printed circuit boards (without components) > 25 g accord	ing ISO			
P7.18		me retarded plastic parts > 25 g contain the following flame retardant substances/preparations in				
		ations above 0,1%: ical name: , CAS #: (See NOTE B4)				\boxtimes
		ical name: , CAS #: "				
D7 10		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned		<u>-</u>	╞	
P7.19			the			X
	following Risk phrases; and Hazard statements:					
	The sourc	5)				
P7.20*	Postconsi	umer recycled plastic material content is used in the product (See Note B6):				\bowtie
	a) Of t	least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a centage of total plastic by weight) is %.				
	b) The	weight of recycled material is g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	11DT, 11DU, 11DV, 11DW, 11DX, 11FA, 11FB, 11FC, 11FD	Logo	
Issue date *	2020-4-30		Lenovo

Product environmental attributes - Market requirements (continued) Item

Yes No n.a.

	Material and substa	nce requirements (co	ntinued)			
P7.21*			n the product (See NOTE	B7):		
P7.22*	0	e from mercury, i.e. le ecify: Number of lam	, 0, 1	mercury content per lamp	D: mg	
P8	Batteries	ceny. Humber of lamp		increary content per lang	5	
P8.1*		nposition: Lithium Ic	on/Lithium Manganes	e Dioxide		
P9	Energy consumption	(See NOTE B8)				
P9.1			els or energy consump	tions are reported:		
Energy mo	de *	Power level at	Power level at	Power level at	Reference/Standard for energy	
		100 V AC	115 V AC	230 V AC	modes and test method *	
Peak (On-r	max)	38.39 W	38.62 W	37.88 W	Full load	
Catego	ry l <u>1</u>					
	State - WOL Enabled	7.74 W	7.73 W	7.75 W	Use for ENERGY STAR V8 registration (Pidle)	
Long Idle S	State - WOL Enabled	6.65 W	6.65 W	6.63 W	Use for ENERGY STAR V8 registration (P _{idle})	
Sleep (S3)	- WOL Enabled	1.9 W	1.9 W	1.9 W	Use for ENERGY STAR V8 registration (P _{sleep})	
Off (S5) - V	VOL Enabled	0.4 W	0.4 W	0.4 W	Use for ENERGY STAR V8 registration (Poff)	
Off (S5) - V	VOL Disabled	0.25 W	0.25 W	0.25 W	Use for ErP	
Catego	rv 2					
	State - WOL Enabled	11.56 W	11.53 W	11.82 W	Use for ENERGY STAR V8 registration	
Long Idle S	State - WOL Enabled	9.69 W	9.66 W	9.73 W	Use for ENERGY STAR V8 registration	
Sleep (S3)	- WOL Enabled	1.6 W	1.6 W	1.6 W	Use for ENERGY STAR V8 registration	
Off (S5) - V	VOL Enabled	0.8 W	0.8 W	0.8 W	Use for ENERGY STAR V8 registration	
Off (S5) - V	VOL Disabled	0.25 W	0.25 W	0.25 W	Use for ErP	
	Id supply / charger plugged in the wall nected from the product.)	W	0.120 W	0.168 W		
PTEC * Typical Ene	ergy Consumption	W	W	W		\boxtimes
ETEC * Annual Energy Consumption		34.18 46.23 kWh/year	34.16 46.12 kWh/year	34.19 46.94 kWh/year	ETEC = (8760/1000) x (Poff x 0.45 + Psleep x 0.05 + Plong_ldle x 0.15 + Pshort_ldle x 0.35)	
					Enabled; P _{idle} : Idle State - WOL Enabled	_
External Po	ower Supply Efficiency L	evel (International Eff	ficiency Marking Protoco	l) * : VI		
Display resolution * : megapixels						\boxtimes
Default tim	ne to enter energy save	mode: 25 minutes				
P9.2*			n is provided with the pr	oduct.		
P9.3	Energy efficiency clas	ss (monitors only):				\square

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

P10	Emissions							
	Noise emission	- Declared according to ISO 9296 (See NOTE B9)						
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound power level, L _{WA,c} (B)					
	Idle	* HDD:Idle	* 3.2					
	Operation	* HDD: Operating	* 3.6					
	Other mode	Declared A-weighted sound pressure level (dB) $L_{\rm pAm}$	24.5 (operator position desktop – idle - HDD)					
	Other mode	Declared A-weighted sound pressure level (dB) $L_{\rm pAm}$	27 (operator position desktop – operating - HDD)					
	Idle	* SSD: Idle	* 2.5					
	Operation	* SSD: Operating	* 3.3					
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p{\rm Am}}$	16.5 (operator position desktop – idle - SSD)					
	Other mode	Declared A-weighted sound pressure level (dB) $L_{\rm pAm}$	24.5 (operator position desktop – operating – SSD)					
	Measured acco	Measured according to: 🔀 ISO 7779 📃 ECMA-74						
		Other (only if not covered by ECMA-74)						

Model number *		11DT, 11DU, 11D	/, 11DW, 11DX, 11FA, 11FB, 11F	C, 11FD		Logo				
Issue date	*	2020-4-30					Leno	Lenovo		
Product	t environ	mental attribute	s - Market requirements	(continued)			Require	ment	met	
Item							Yes	No	n.a.	
		nagnetic emissions								
P10.4	Comput program		requirement for low frequency	electromagnetic fields of	the following	voluntary			\square	
P12	Ergonor	nics for computing p	roducts							
P12.1*	The disp	lay meets the ergon	omic requirements of ISO 9241-	307 for visual display tecl	hnologies.		\square			
P12.2*	The phy	sical input device me	ets the requirements of ISO 999	95 and ISO 9241-410.			\boxtimes			
P13	Packagi	ng and documentati	on							
P13.1*	Product	Product packaging material type(s): Corrugated Fiberboard weight (kg): 0.345 Product packaging material type(s): EPE weight (kg): 0.083 Product packaging material type(s): LDPE weight (kg): 0.01								
P13.2*	Product	plastic primary pack	aging is free from PVC.				\square			
P13.3*		luct primary corruga ed fiber content: 70	ted fiberboard packaging, specif % %	y the contained percenta	age of minimu	m post-consume	er			
P13.4*	<u> </u>		roduct documentation (tick box Other):						
P13.5	User and	, ,	em if paper documentation used ation on paper media is chlorine	,						
		hlorine-free al chlorine-free								
	Processe	ed chlorine-free					H H			
P14	Volunta	ry programs								
P14.1	The pro	duct meets the requ	rements of the following volunt	ary program(s):						
	ENERGY Eco-labe Eco-labe	l: TCO	Criteria version: 8.0 Criteria version: 8.0 Criteria version:	Date: 2020/3 Date: 2020/5 Date:		ategory: Deskt e ategory: Deskt e ategory:				
P15	Addition	nal information (See	NOTE B10)							
P9	11-G590 12-19-10	00T/32GB/M.2&2.5 900T/32GB/M.2&2		· · ·	oduct configui	ration:				
			/index.cfm?fuseaction=find_a		Group&pgw_	code=CO				

Annex B1 of ECMA-370 5th edition (Lenovo) 2015-04-08

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkCentre M70 Tiny	Logo
Model Number	11DT, 11DU, 11DV, 11DW, 11DX, 11FA, 11FB, 11FC, 11FD	
Issue Date	2020-4-30	Lenovo
Additional information	Energy Star, EPEAT, TCO,	

(d)	year of manufacture:				2020
(e) (f)	Etec value (kWh) per ErP Lot 3 Category a system is tested with switchable graphics Etec value (kWh) per ErP Lot 3 Category a	mode with UMA driving t	he display.		
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]		64		64
ents ting	Additional internal storage	(Yes / No)	Yes (Yes / No)	(Yes / No)	Yes (Yes / No)
adjustm rring tes	Discrete television tuner	(Yes / No)	Yes (Yes / No)	(Yes / No)	Yes (Yes / No)
capability adjustments applied during testing	Discrete Audio Card	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)
	Discrete graphics Card(s) [number / #]	#: (Yes / No)	No #: (Yes / No)	#: (Yes / No)	No #: (Yes / No)
	Category of discrete graphics Card(s)		No		No
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)		26.97		29.88
Test r	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
(g)	Idle state power demand (Watts);				6.43 7.22
(h)	Sleep mode power demand (Watts);				1.77 1.98
(i)	Sleep mode with WOL enabled power de	mand (Watts) (where enal	bled);		1.77 1.98
(j)	Off mode power demand (Watts);				0.76 0.77
(k)	Off mode with WOL enabled power dema	and (Watts) (where enable	ed);		0.22 0.23
(I)	Internal power supply efficiency at 10 %, 10% 20% 50% 1	20 %, 50 % and 100 % of r 00% Average	ated output power (if a	pplicable):	0.20

(m)	External power supply efficiency (if applicable)*: Average active efficiency: ADP-65ME, 91.94% A19-065N2A, 88.7% ADP-90ME, 89.93%									
	PA-1900 A19-090 ADP-135	-74FS, 88.61 P3A, 89.87% JB, 90.5% -72, 90.11%	%							
		CB, 91.39%								
(0)			Il available external pow ding cycles that th		hstand (applies only to notel	book compute	rs):	N/A		
(p-1)	Measuren	nent methodol	ogy used to deterr	mine information m	nentioned in points (I) – inte I	rnal PSU efficie	ency:			
(p-2)	Measuren	nent methodol	ogy used to deterr	mine information m Erp L	nentioned in points (m) – ext ot7	ernal PSU effi	ciency:			
(p-3)	Measuren	nent methodol	ogy used to deterr	mine information m	nentioned in points (o) – load	ding cycles bat	teries:			
(p-4)			ogy used to deterr he Product IT Eco		nentioned in maximum, idle,	sleep, off mod	de power as			
				IEC 62623 Ed.	1.0, 2012-10					
(q)	Sequence	of steps for ac	hieving a stable co	ondition with respec	ct to power demand:					
	Bas	ed on Energ	y Star Compute	er V8I/Power on->	>Wait 5 minutes->Stable	condition(S	hort idle)			
(r)	Descriptio	n of how sleep	and/or off mode	was selected or pro	ogrammed:					
				Based on us	er manual					
(s)	Sequence	of events requ	ired to reach the r	mode where the eq	uipment automatically chan	ges to sleep a	nd/or off mode:			
				Based on us						
(t)					atically reaches sleep mode for sleep mode (in minutes)		ondition which	25		
(u)	-	-		ivity in which the c eep mode (in minut	computer automatically read	ches a power i	mode that has a	N/A		
(v)	Length of	time before th	ne display sleep m	ode is set to activa	te after user inactivity (in mi	inutes):		10		
(w)	Informatio	on on the ener	gy-saving potentia	l of power manage	ment functionality:					
				N/A	l					
(x)	User infor	mation on hov	v to enable the pov	wer management f	unctionality:					
				Refer to Us	er Guide					
(z)		supply system		•	requency in Hz, — total harn on the instrumentation, set-					
				230V/5	OHz					
	Instr.	Instrument	Instrument	Range Used	Make and Model **	Calibra	tion Date			
	Code	I.D.	Туре	Or ***		Last	Due			
		A09	AC Power Source	1~280VAC;1~55 0HZ;1000VA.	NF;EC1000S; SN:9152124	2019-08-29	2020-08-28			
		B64	Digital Watch	Full range	CASIO; HS-70W; SN:107Q03R	2019-09-09	2020-09-08			
		B100	power Meter	0~600V;0~20A	YOKOGAWA;WT310;SN: C2RD07008V		2020-08-28			
		C18	Ambient Monitor	-10~60℃ /0~100%RH	Testo;622;SN:39504298/ 305	2019-09-11	2020-09-10			
Addition	al Notebool	k Battery Info	ormation:							

	Battery[ies] <u>not</u> user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾	Battery[ies] user replaceable	n/a
Internal/built-in Battery			\square
External/detachable Battery			\square
Bios Backup Battery			\square
Other:			\square
Additional information			

1) The battery[ies] in this product cannot be easily replaced by users themselves.

Akywynarophara[uris] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterii v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt. Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Κανταί μαι el saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non puó/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

šio gaminio baterijos [baterijuļ] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.

In batterial producernal roam in product ma ustax/jistgnux tig/jigd sostitivita/iminutenti stess. Batteriat [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batteriaj(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Užytkownik nie može sam w latwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înșiși. Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înșiși.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.