

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

## Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs		
e-mail address	Alvin L Carter		Lenovo.
	alcarter@lenovo.com		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

	pased on product specification or test results based obtained from sample testing), that the product nts given in this declaration.
Type of product *	Personal Computer
Commercial name *	ThinkCentre M75 Nano Fanless
Model number *	11BW, 11BX, 11GW, 11GX, 11C0, 11GB, 11GV, 11GY, 11G8, 11G9
Issue date *	2020/5/4
Intended market *	🛛 Global 🔲 🗖 Europe 📃 Asia, Pacific & Japan 🔛 Americas 📃 Other
Additional information	Energy Star, EPEAT, TCO

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	11BW, 11BX, 11GW, 11GX, 11C0, 11GB, 11GV, 11G	Y, 11G8, 11G9	Logo			
Issue da	nte *	2020/5/4		-	Len	ovc	Этм
Produc	t environ	mental attributes - Legal requirements			Require		t met
Item					Yes	No	n.a.
P1		us substances and preparations					
P1.1*	Products	do comply with current European RoHS Directive. (See	e legal reference and NOT	E B1)	$\bowtie$		
P1.2*	Comme	do not contain Asbestos (see legal reference). t: Legal reference has no maximum concentration value			$\square$		
P1.3*	* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.						
P1.4*	terpheny	do not contain more than; 0,005% polychlorinated biph I (PCT) in preparations (see legal reference).					
P1.5*	chain co	do not contain more than 0,1% short chain chloroparafintaining at least 48% per mass of chlorine in the SCCP	(see legal reference).				
P1.6*	(see leg	h direct and prolonged skin contact do not release nicke al reference). it: Max limit in legal reference when tested according to		0,5 μg/cm <sup>2</sup> /we	ek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is ava ww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	ailable at (add URL or mai	l contact):			
P2	Batterie	6					
P2.1*		duct contains a battery or an accumulator, the battery/a nformation on proper disposal is provided in user manu		the disposal	$\square$		
P2.2*	Batteries reference	or accumulators do not contain more than 0,0005% of	mercury or 0,002% of cad	mium. (See le	gal 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal ref	ference)		$\boxtimes$		
P3	Conform	nity verification & Eco design (ErP)					
P3.1*	The pro	uct is CE-marked to show conformance with applicable laration of Conformity can be requested at: https://www.	legal requirements (see le l	egal reference ance/eu-doc	).		
P3.2*		uct complies with the Eco design requirements for ener al reference).	gy-related products,		$\square$		
	Require	I information is; given in item P15 or added to available at: <a href="https://www.leno">https://www.leno</a>	,	leco-declaratio			
P5	Product	packaging	vo.com/us/on/compilance		///		
P5.1*		g and packaging components do not contain more than	0.01% lead mercury ca	dmium and			
		nt chromium by weight of these together.	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
P5.2*	The pac	aging materials are marked with abbreviations and nurr e legal reference).	nbers indicating the nature	e of the materia	al(s) 🔀		
P5.3*	The pro	uct packaging material is free from ozone depleting sub (see legal reference). t: Legal reference has no maximum concentration value		e Montreal	$\square$		
P6		nt information					
	ricatine						

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

		11BW, 11BX, 11GW, 11GX, 11C0, 11GB, 11GV, 11GY, 11G8, 11G9			
Issue dat	te *	2020/5/4	Len	ovo	<b>D</b>
Product	environ	mental attributes - Market requirements (See General NOTE GN below)			
	- Enviro	nmental conscious design	Require	ment	met
ltem		ory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7		Disassembly, recycling			
P7.1*		t have to be treated separately are easily separable			
P7.2*		aterials in covers/housing have no surface coating.			
P7.3*		arts > 100 g consist of one material or of easily separable materials.			$\square$
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$		
P7.5	Plastic p	$\square$			
P7.6*	Labels a	$\square$			
	Product	lifetime			
P7.7*	Upgradir	g can be done e.g. with processor, memory, cards or drives	$\boxtimes$		
P7.8*	Upgradir	g can be done using commonly available tools	$\square$		
P7.9	Spare pa			Ē	
P7.10	Service i			Ħ	
		and substance requirements			
P7.11*	Product	cover/housing material type (e.g. plastics, metal, aluminum):			
		type: PC+ABS Material type: PC/ABS+PC Material type: PC			
P7.12		n materials of external electrical cables are PVC free.		$\square$	
P7.13		n materials of internal electrical cables are PVC free.			
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% 000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts g more than 25% post-consumer recycled content.			
P7.15	Printed c	ircuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low as defined in IEC 61249-2-21. (See 1NOTE B2)			$\boxtimes$
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	$\square$		
P7.17		emical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBF	A (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:			$\square$
	according	nemical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4:			$\square$
P7.18	concentr 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in ations above 0,1%: cal name: BPADP, CAS #: 181028-79-5 (See NOTE B4) cal name: , CAS #: " cal name: , CAS #: "			
	<u>Alt. 2: </u> Cł	emical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			$\boxtimes$
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		Ħ	
	The sour	the following Risk phrases; and Hazard statements: ce(s) for these classifications is/are found at (add URL(s)): <i>European Council Diective</i>			_
	67/548/E				
P7.20*	lfYES;a a) Oft ape or	sumer recycled plastic material content is used in the product (See Note B6): t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as ercentage of total plastic by weight) is %.			
Model nui	,	weight of recycled material is g.			
	inner	11BW;11BX;11GW;11GX;11C0;11GB; 11GV;11GY;11G8;11G9, Logo	Len		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Product environmental attributes - Market requirements (continued)	Requi	Requirement met			
Item	Yes	No	n.a.		

	Material and sub	stance requirements	(continued)		
P7.21*			I in the product (See No		
P7.22*	Light sources are	free from mercury, i.e.	less than 0,1 mg/lamp.		
-		specify: Number of lan	nps: and maxim	um mercury content pe	r lamp: mg
P8.1*	Batteries	omposition: Lithium-n	notal		
-	•	•	netai		
<b>P9</b> P9.1		tion (See NOTE B8)	o or operative consumptive	ana ara ranartadi	
Energy mo		Power level at	s or energy consumption	Power level at	Reference/Standard for energy
Lifergy mo	ue	100 V AC	115 V AC	230 V AC	modes and test method *
Peak (On-	max)	35.44 W	35.36 W	35.78 W	Full load
Catego					
	State - WOL	5.44 W	5.29 W	5.43 W	Use for ENERGY STAR V8
Enabled					registration (Pidle)
Long Idle Enabled	State - WOL	4.83 W	5.01 W	<b>4.993</b> W	Use for ENERGY STAR V8 registration (P <sub>idle</sub> )
Sleep (S3)	- WOL Enabled	0.81 W	0.81 W	0.8604 W	Use for ENERGY STAR V8 registration (P <sub>sleep</sub> )
Off (S5) - I	NOL Enabled	0.67 W	0.68 W	0.732 W	Use for ENERGY STAR V8 registration ( $P_{off}$ )
Off (S5) - I	NOL Disabled	0.23 W	0.23 W	0.23 W	Use for ErP
	in Client				
	State - WOL	4.8720 W	<b>4.80</b> W	4.96 W	Use for ENERGY STAR V8 registration
Long Idle Enabled	State - WOL	4.6356 W	4.65 W	4.75 W	Use for ENERGY STAR V8 registration
Sleep (S3)	- WOL Enabled	0.81 W	0.81 W	0.872 W	Use for ENERGY STAR V8 registration
Off (S5) - I	NOL Enabled	0.67 W	0.68 W	0.732 W	Use for ENERGY STAR V8 registration
	NOL Disabled	0.23 W	0.23 W	0.23 W	Use for ErP
EPS No-loa		0.0516 W	0.0549 W	0.1008 W	
(External power s wall outlet but dis	supply / charger plugged in the connected from the product.)				
PTEC *		W	W	W	$\square$
	ergy Consumption				
ETEC * Annual Ene	ergy Consumption	<i>I1: 22.56</i> kWh/year <i>TC: 24.02</i> kWh/year	11: 22.38 kWh/year TC: 23.82 kWh/year	11: 23.01 kWh/year TC: 24.73 kWh/year	ETEC = (8760/1000) x (Poff x 0.45 + Psieep x 0.05 + Plong_idle x 0.15+ Pshort idle x 0.35)
		Poff: Off Mode(S	5) - WOL Enabled; Psiege	: Sleep Mode(S3) - WOL	Enabled; P <sub>idle</sub> : Idle State - WOL Enabled
External Po	ower Supply Efficier	cy Level (International	Efficiency Marking Pro	otocol) * : VI	
Display res	solution * : m	egapixels			
		ive mode: 10 minutes			
P9.2*			on is provided with the	product	
P9.2		class (monitors only):			
		ass (monitors only):			
P10	Emissions	Declared according to	ISO 9296 (See NOTE	B0)	
P10.1		Node description	130 3230 (See NOTE		t A-weighted sound power level, <i>L<sub>WA,c</sub></i> (B)
	Idle *	HDD:Idle		* 2.5	
	Operation *	HDD: Operating		* 2.5	
	•		d pressure level (dB) $L_{pAm}$		ion desktop – idle)
			d pressure level (dB) $L_{pAm}$		ion desktop – operating)
	Measured according	ng to: 🔀 ISO 7779 🔀	ECMA-74 (only if not covered by	ECMA-74)	

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nu	umber *	11BW, 11BX, 11	<del>GW, 11GX, 11C</del>	), 11GB, 11GV, 1	1GY, 11G8, 11G9		Logo			
Issue dat	te *	2020/5/4		· · · ·				Len	ovo	тм
	environ	mental attributes	s - Market requ	uirements (cor	ntinued)			Requi		t me
Item								Yes	No	n.a
		magnetic emissio								
P10.4	program	(s): EN55032+EN5	5024	r low frequency e	lectromagnetic fields	s of the follo	wing volu	ntary 🔀		
P12		mics for computin								
P12.1*		• •			307 for visual displa		ies.			$\boxtimes$
P12.2*	The phy	sical input device n	neets the require	ments of ISO 999	95 and ISO 9241-410	).		$\square$		
P13		ing and document								
P13.1*	Product Product Product	packaging materia packaging materia packaging materia packaging materia	type(s): <i>Paper</i> type(s): <i>LDPE</i> type(s): <i>EPE</i>	weight (kg weight (kg weight (kg	g): <b>0.246</b> g): <b>0.0055</b>					
P13.2*	Product	plastic primary pac	kaging is free fro	om PVC.				$\square$		
P13.3*	consum	er recovered fiber of	ontent: 80% %		/ the contained perce	entage of m	ninimum po	ost-		
P13.4*		media for user and ronic, 🔀 Paper, 🗌	product docume Other	ntation (tick box)	:					
P13.5	Úser an	only complete this d product documen lease specify:								
	-	chlorine-free al chlorine-free								
	Process	ed chlorine-free						Ē		
P14	Volunta	ry programs								
P14.1		duct meets the requ	irements of the f	following voluntar	y program(s):					
	Eco-labe Eco-labe	el: EPEAT	2018		Date: 2019/10 Date: 2018/12/12 Date: 2018	Product c Product c Product c	ategory: N		ent,	
P15		nal information (S								
P9					description of the					
	informat knowled	ion contained in thi ge available at the here is approxima	s document. All i time of completion	nformation provid	irances or warranties led by supplier in this shall have no obligati purposes only. See a	s document on to upda	t is provide te such inf	ed based on su ormation. The	pplier's informat	tion
P9	See Ene http://wv	ergy Star Qualified	Notebooks & Tab ndex.cfm?fusead	olet Computers fo ction=find_a_proc	r the latest information duct.showProductGreen	on: oup&pgw_c	ode=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkCentre M75 Nano Fanless	Logo
Model Number	11BW, 11BX, 11GW, 11GX, 11C0, 11GB, 11GV, 11GY, 11G8,	
	11G9	Lenovo
Issue Date	2020/5/4	
Additional information	Energy Star, EPEAT, TCO	

	Product environmental attributes				
d)	year of manufacture:				2020
e)	Etec value (kWh) per ErP Lot 3 Categor disabled and if the system is tested with				cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Categor enable	ry and capability adjust	ments applied when <b>a</b>	II discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]		4		
ents ting	Additional internal storage	(Yes / No)	Yes (Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	(Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
cap app	Discrete graphics Card(s) [number / #]	#: (Yes / No)	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)		No		
sults	Etec Value (kWh) - dGfx disabled al discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)		25.34		
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
g)	Idle state power demand (Watts);				6.3
<u>h)</u>	Sleep mode power demand (Watts);				0.75
i) i)	Sleep mode with WOL enabled power de Off mode power demand (Watts);	emand (Watts) (where	enabled);		<u> </u>
) <)	Off mode with WOL enabled power dem	and (Watts) (where en	apled).		0.63
l)	Internal power supply efficiency at 10 %, 10% 20% 50%		% of rated output powe	er (if applicable):	0.00
(m)	External power supply efficiency (if appli Average active efficiency: <i>ADP-65ME</i> , 91.94% <i>ADP-65JE</i> , 89% <i>A19-065N2A</i> , 88.7% <i>PA-1650-72</i> , 89.93%	,			
(0)	*internal note: show values for all available external p Minimum number of loading cycles that t		tand (applies only to n	otebook computers):	N/A
p-1)	Measurement methodology used to dete	ermine information mer	itioned in points (I) – ir	nternal PSU efficiency	

(p-2)	Measurer		ology used to deter for to EN50563:20		•	• • •		SU efficiency:		
(p-3)	Measurer		plogy used to dete		n mentioned in p			cles batteries:		
(p-4)	power as	defined in Po	blogy used to detend bint P9.1 in the Pr <b>:2013-Desktop a</b>	roduct IT Eco Deo	claration:					
(q)			achieving a stabl				n energy co	nsumption		
(9)	Coquonot		ot into the Windo				activities			
(r)	Descriptio		ep and/or off mod							
(-)	0	Choose sleep icon for sleep mode, choose shutdown icon for off mode								
(s)		Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:								
			wer managemer	nt, 10mins auton	natically reache	s Moderi	n Standby m	ode		
(t)	condition	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):         25								
(u)	mode tha	at has a lowe	a period of user er power demand	I requirement that	n sleep mode (in	minutes)	:		10	
(v)			e the display sle				ivity (in minu	tes):	10	
(w)	informatio	on on the ene	rgy-saving poten	tial of power man <b>Refer to Us</b>	0	nality:				
(x)	User infor	mation on ho	ow to enable the p		ent functionality:					
	used for e	electrical test		230V/5						
	Instr.	Instrument	Instrument	Range Used	Make and Mode	**	Calibra	tion Date		
	Code	I.D.	Туре	Or ***			Last	Due		
		A09	AC Power Source	1~280VAC;1~55 0HZ;1000VA.	NF;EC1000S; SN:9152124		2019-08-29	2020-08-28		
		B64	Digital Watch	Full range	CASIO; HS-70W SN:107Q03R	V;	2019-09-09	2020-09-08		
		B100	power Meter	0~600V;0~20A	YOKOGAWA;W C2RD07008V	T310;SN:	2019-08-29	2020-08-28		
		C18	Ambient Monitor	-10~60℃ /0~100%RH	Testo;622;SN:39 305	9504298/	2019-09-11	2020-09-10		
Additic	onal Notebo		Information:			D "	F' 3		,	
			Battery[ies]	not user re	placeable			ser	n/a	
			The battery[ies] ir replaced by users		not be easily	repla	ceable			
Interna	l/built-in Batt									
External/detachable Battery						H				
	ackup Batter					HH				
	Leniap Buildi	,				HH				
Bios Ba										
Bios Ba Other:	nal informati	on								
Bios Ba Other:	nal information	on								
Bios Ba Other:	nal informati	on								

The battery[ies] in this product cannot be easily replaced by users themselves. Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami užívatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.

Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.