



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs		Lenovo
e-mail address	Alvin L Carter		LCIIOVO
	alcarter@lenovo.com		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product
conforms to the statemen	nts given in this declaration.
Type of product *	All-in-One
Commercial name *	ThinkCentre M90 All-in-One
Model number *	11CD, 11CE, 11CF, 11DY, 11E0, 11JX
Issue date *	2020.04.14
Intended market *	Global Europe Asia, Pacific & Japan Americas Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	11CD, 11CE, 11CF, 1	1DY, 11E0, 11JX			Logo	Long		
Issue dat	e *	2020.04.14					Lend	DVC) _{TM}
Product	environ	mental attributes - l	Legal requirement	S			Require	menf	met
Item							Yes	No	n.a.
P1		ous substances and p							
P1.1*	Products	do comply with curren	t European RoHS Dire	ective. (See legal reference	ce and NOTE	E B1)	\boxtimes		
P1.2*		s do not contain Asbest nt: Legal reference has							
P1.3*	hydrobro trichloroe	mofluorocarbons (HBF	C), hydrochlorofluorca	s: Chlorofluorocarbons (C arbons (HCFC), Halons, c . Comment: Legal refere	carbontetrach				
P1.4*		do not contain more the (PCT) in preparations		inated biphenyl (PCB), 0,	,005% polych	lorinated	\boxtimes		
P1.5*				chloroparaffins (SCCP) w the SCCP (see legal refe		bon atoms in th	e 🔀		
P1.6*	(see lega	al reference).		lease nickel in concentrate cording to EN1811:2011),5 μg/cm²/weel	(
P1.7*				ticles is available at (add isclosure-Lenovo-REACH					
P2	Batterie								
P2.1*				e battery/accumulator is user manual. (See legal		the disposal			
P2.2*	Batteries reference		t contain more than 0	,0005% of mercury or 0,0	002% of cadn	nium. (See lega	I 🔀		
P2.3*	Batteries	and accumulators are	readily removable. (S	ee legal reference)			\boxtimes		
P3	Conforn	nity verification & Eco	design (ErP)						
P3.1*				applicable legal requirenttps://www.lenovo.com/us			\boxtimes		
P3.2*		duct complies with the E al reference).	co design requiremer	nts for energy-related pro-	ducts,				
	Required	d information is;	~	or added to this document	-	and declaration			
P5	Droduct	packaging	avaliable at. Titips	//www.ieiiovo.com/us/en/	Compliance	eco-deciaration			
P5.1*	Packagii			tain more than 0,01% I	ead, mercur	y, cadmium an	d 🔀		
P5.2*	The pack			ns and numbers indicatin	g the nature	of the material(s	s)		
P5.3*	The prod		·	oleting substances as spe	ecified in the N	Montreal Protoc	ol 🔀		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

P6

P6.1*

Treatment information

Information for recyclers/treatment facilities is available (see legal reference).

Model number *	11CD, 11CE, 11CF, 11DY, 11E0, 11JX	Logo	Lenovo	
Issue date *	2020.04.14		LEI IOVO"	

Product	environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			Ц_
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: plastic Material type: SGCC Material type: AL1060			
P7.12	Insulation materials of external electrical cables are PVC free.	<u></u> _	X	Щ_
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	<u>Ц</u>
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:		X	
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other:, CAS #: 26265-08-7	\boxtimes		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4)			
	2. Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		\boxtimes	
	assigned the following Risk phrases; and Hazard statements:			
D7.00*	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	\bowtie		Ш
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 60.91%. or b) The weight of recycled material is 1033.305 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	11CD, 11CE, 11CF, 11DY, 11E0, 11JX	Logo	Lonovo
Issue date *	2020.04.14		Lei Iovo.

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

	Material and subs	stance requirements	(continued)		
P7.21*	Biobased plastic m	naterial content is used	d in the product (See N	NOTE B7):	
P7.22*		free from mercury, i.e. specify: Number of la	less than 0,1 mg/lampmps: and maxir	p. mum mercury content p	er lamp: mg
P8	Batteries				
P8.1*		composition: Lithium I	Manganese Dioxide		
P9		tion (See NOTE B8)			
P9.1			ls or energy consumpt		_
Energy mo		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *
Peak (On-		147.08 W	147.08 W	147.08 W	Full load
Categor					
Short Idle Enabled	State - WOL	24.4 W	24.4 W	24.4 W	Use for ENERGY STAR V8 registration (Pidle)
Long Idle Enabled	State - WOL	10.3 W	10.3 W	10.3 W	Use for ENERGY STAR V8 registration (P _{idle})
Sleep (S3)	- WOL Enabled	0.9 W	0.9 W	0.9 W	Use for ENERGY STAR V8 registration (P _{sleep})
Off (S5) - I	WOL Enabled	0.7 W	0.7 W	0.7 W	Use for ENERGY STAR V8 registration (Poff)
Off (S5) - I	WOL Disabled	W	W	0.573 W	Use for ErP
Categor	y <u>2</u>				
Short Idle Enabled	State - WOL	21.3 W	21.3 W	21.3 W	Use for ENERGY STAR V8 registration (P _{idle})
Long Idle Enabled	State - WOL	9.8 W	9.8 W	9.8 W	Use for ENERGY STAR V8 registration (P _{idle})
Sleep (S3)	- WOL Enabled	1 W	1 W	1 W	Use for ENERGY STAR V8 registration (P _{sleep})
Off (S5) - I	WOL Enabled	0.7 W	0.7 W	0.7 W	Use for ENERGY STAR V8 registration (Poff)
Off (S5) - I	WOL Disabled	W	W	0.568 W	Use for ErP
EPS No-loa (External power s wall outlet but dis	ad supply / charger plugged in the connected from the product.)	W	0.16 W	0.19 W	
PTEC * Typical En	ergy Consumption	W	W	W	
ETEC * Annual Ene	ergy Consumption	1: 77.6 kWh/year 2: 74.2 kWh/year	1: 77.6 kWh/year 2: 74.2 kWh/year	1: 77.6 kWh/year 2: 74.2 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.45)$ + $P_{sleep} \times 0.05 + P_{long_ldle} \times 0.15 + P_{short_ldle} \times 0.35)$
F. daniel B	C	P _{off} : Off Mode(s	S5) - WOL Enabled; Psle	ep: Sleep Mode(S3) - WO	L Enabled; P _{idle} : Idle State - WOL Enabled
		<u> </u>	I Efficiency Marking P	rotocol) * : VI	
. ,	solution * : 2.07 meg	•			
	e to enter energy sa	ive mode: 25 minutes			
P9.2*	Information about	the energy save funct	ion is provided with the	e product.	
P9.3	Energy efficiency	class (monitors only):			
P10	Emissions				
	Noise emission -	Declared according to	o ISO 9296 (See NOT	E B9)	
P10.1		Mode description			nit A-weighted sound power level, L _{WA,c} (B)
1	Idle *	HDD:Idle		* 3 1	

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$

	Operation * HDD:			Operating		* 3.2						
	Other mo		eclared A	A-weighted sound pressure	e level (dB) L _{n^m}		tor position	n desktop – id	lle)			<u> </u>
	Other mo	ode De	eclared A	A-weighted sound pressure	e level (dB) I		tor position	desktop – o	perating)			
	Measure			ISO 7779 ECMA-	•	. (-)			37			
	ivicasure	u accordin	ig io. Z		not covered by	ECMA-74)						
				<u> </u>								
Madalass								1	_			
Model nur		•		CF, 11DY, 11E0, 11JX				Logo	П	eno	VO	
Issue date) *	2020.04.	14									fee
Product	environn	nental at	tribute	es - Market requiren	nents (contir	nued)			R	equire	ment	me
Item										Yes	No	n.a
P10.4		nagnetic e			fra av a pay alaat	trom om otio fic	lda of the f	fallowing val	.nton.			
P10.4	program		neets ti	ne requirement for low	requericy elect	iromagnetic lie	ias or the i	ollowing voil	untary			
P12	Ergonor	nics for c		ng products								
P12.1*				onomic requirements o				ologies.			\boxtimes	
P12.2*				meets the requirements	s of ISO 9995 a	and ISO 9241-4	410 .				\boxtimes	
P13		ng and do				4.04						
P13.1*				al type(s): Carton al type(s): LDPE	weight (kg): 1 weight (kg): 1							
				al type(s): <i>EPE</i>	weight (kg):							
P13.2*				ckaging is free from PV								\boxtimes
P13.3*				igated fiberboard pack content: 90 %	caging, specify	the contained	percenta	ge of minim	um post-			
P13.4*	Specify r		ıser and	d product documentation Other	on (tick box):							
P13.5				item if paper documer	ntation used)							
		d product of ease spec		ntation on paper media	is chlorine-free	e:						
	Totally c	hlorine-fre	е									
		al chlorine										
		ed chlorine										
P14 P14.1		<mark>ry progra</mark> r		guirements of the follow	ing voluntary n	rogram(e):						
F 14.1	The proc	iuci meeis	ille lec	quirements of the follow	ing voluntary p	rogram(s).						
		Y STAR®		Criteria version: ES8		Date: 2020/3/		oduct catego				
	Eco-labe Eco-labe			Criteria version: GB2 Criteria version: 2Pf (Date: 2020/2 / Date:		oduct catego oduct catego	•			
	LCO-labo	i. LDL		Criteria version: Eye		Date.	110	oddol calego	i y. 10/2			
	Eco-labe	l: Eye cor	nfort	Criteria version: TCC	08.0	Date:	Pro	oduct catego	ry: N/A			
	Eco-labe	I. TCO				Date:	Pro	oduct catego	rv: N/A			
		Y STAR®		Criteria version: ES8	. .o	Date: 2020/3/		oduct catego oduct catego	,			
	Eco-labe			Criteria version: GB2	28380-2012	Date: 2020/2	/ 24 Pro	oduct catego	ry: B, D			
P15				See NOTE B10)			4 4 4		. 6 1 41			
гЭ		•		specific configuration						ı.		
	Project	Cert. item	Cate.	CPU	Memory	HDD	SSD	Graphics	Adapter			
	M90a		1	G6400/2C/4GHz	16GB*2	2ТВ	1TB	DIS	Delta 170 ADP-170C			
	SIT	ES8.0	2	I5-10600/6C/3.3GHz	16GB*2	2ТВ	1TB	DIS	Delta 170			
		L Supplier ma	akes no	representations, quara	ntees, assurar	nces or warrant	ties whethe	er express o			a the	
	$N(t) \mapsto S(t)$				uoouiai			5. OAPI 000 U	piiou, i	- Mar all I	4 010	
				nis document. All inform	nation provided	by supplier in	this docum	nent is provid	ded based	on supp	olier's	
	informati knowled	on contain ge availabl	ed in the	e time of completion, ar	nd supplier shal	ll have no oblig	ation to up	odate such ir	nformation	. The in	format	ion
	informati knowled	on contain ge availabl here is ap	ed in the		nd supplier shal	ll have no oblig	ation to up	odate such ir	nformation	. The in	format	ion

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkCentre M90a	Logo
Model Number	11CD, 11CE, 11CF, 11DY, 11E0, 11JX	Longva
Issue Date	2020.04.14	Lenovo.
Additional information	CEL, ES, TCO, TCO edge, LBL, Eye comfort, VOC	

d)	year of manufacture:				2020
e)	Etec value (kWh) per ErP Lot 3 disabled and if the system is te				cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 enable	Category and capability	adjustments applied when	all discrete graphics	cards (dGfx) are
		Category /		Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3
	Memory over base [GB]		62		60
ents	Additional internal storage	(Yes / No)	Yes (Yes / No)	(Yes / No)	Yes (Yes / No)
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)
ability a	Discrete Audio Card	(Yes / No)	No (Yes / No)	(Yes / No)	No (Yes / No)
cap	Discrete graphics Card(s) [numbe	r / #] #: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)
	Category of discrete graphics Car	d(s)	G3		G3
sults	Etec Value (kWh) - dGfx disa all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	abled	33.85		28.50
Test results	Etec Value (kWh) - dGfx ena all discrete graphics cards (dGfx) are enabled	bled	34.90		36.61
(g)	Idle state power demand (Watts);			B: 7.878 D: 8.299
h)	Sleep mode power demand (Wa	atts);			B: 1.388 D:1.373
i)	Sleep mode with WOL enabled	power demand (Watts) (where enabled);		B: 1.39 D:1.402
j)	Off mode power demand (Watts	;);			B: 0.573 D: 0.568
k)	Off mode with WOL enabled po	wer demand (Watts) (wh	ere enabled);		B: 0.572 D: 0.569
1)	Internal power supply efficiency	at 10 %, 20 %, 50 % and	d 100 % of rated output pow	ver (if applicable):	
	10% 20% 50%	% 100%	Average		
(m)	External power supply efficiency	/ (if applicable)*:			
	Average active efficiency: 92.5	7%			
	*internal note: show values for all available				
(o)	Minimum number of loading cyc	les that the batteries car	withstand (applies only to r	notebook computers):	N/A
(p-1)	Measurement methodology use Generalized Test Protocol for		gy Efficiency of Internal A		

(p-2) Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: N/A				
(p-3) Measurement method	 Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: N/A 			
(p-4) Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: IEC 62623 Edition 1.0 2012-10 - Desktop and notebook computers - Measurement of energy consumption/ IEC EN50564:2011 measurement methodology				
q) Sequence of steps for achieving a stable condition with respect to power demand: **Based on user manual/Power on->Wait 5 minutes->Stable condition**				
(r) Description of how sleep and/or off mode was selected or programmed: **Based on user manual/Begin menu -> Power -> Select sleep or off mode** **Based on user manual/Begin menu -> Power -> Select sleep or off mode** **Based on user manual/Begin menu -> Power -> Select sleep or off mode** **Based on user manual/Begin menu -> Power -> Select sleep or off mode** **Based on user manual/Begin menu -> Power -> Select sleep or off mode** **Based on user manual/Begin menu -> Power -> Select sleep or off mode** **Based on user manual/Begin menu -> Power -> Select sleep or off mode** **Based on user manual/Begin menu -> Power -> Select sleep or off mode** **Based on user manual/Begin menu -> Power -> Select sleep or off mode** **Based on user manual/Begin menu -> Power -> Select sleep or off mode** **Based on user manual/Begin menu -> Power -> Select sleep or off mode** **Based on user manual/Begin menu -> Power -> Select sleep or off mode** **Based on user manual/Begin menu -> Power -> Select sleep or off mode** **Based on user manual/Begin menu -> Power -> Select sleep or off mode** **Based on user manual/Begin menu -> Power -> Select sleep or off mode** **Based on user manual/Begin menu -> Power -> Select sleep or off mode** **Based on user manual/Begin menu -> Power -> Select sleep or off mode** **Based on user manual/Begin menu -> Power -> Select sleep or off mode** **Based on user manual/Begin menu -> Power -> Select sleep or off mode** **Based on user manual/Begin menu -> Power -> Select sleep or off mode** **Based on user manual/Begin menu -> Power -> Select sleep or off mode** **Based on user manual/Begin menu -> Power -> Select sleep or off mode** **Based on user manual/Begin menu -> Power -> Select sleep or off mode** **Based on user manual/Begin menu -> Power -> Select sleep or off mode** **Based on user manual/Begin menu -> Power -> Select sleep or off mode** **Based on user manual/Begin menu -> Power -> Select sleep or off mode** **Based on user manual/Begin menu -> Power -> Se				
s) Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:				
Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan				
* /	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			
Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):			25	
Length of time before the display sleep mode is set to activate after user inactivity (in minutes):			10	
(w) Information on the energy-saving potential of power management functionality: Based on user manual				
(x) User information on how to enable the power management functionality: Based on user manual				
(z) Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: 230V, 50Hz, Total Harmonic Distortion <2 %				
Additional Notebook Battery	/ Information:			
	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a	
	The battery[ies] in this product cannot be easily replaced by users themselves. 1)	71 7		
Internal/built-in Battery				
External/detachable Battery				
Bios Backup Battery				
Other:				
Additional information			•	
)				

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.