

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo					
Company name *	Lenovo						
Contact information *	Lenovo Global Environmental Affairs	Lenovo					
e-mail address	Alvin L Carter	LEIIOVO					
	alcarter@lenovo.com						
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html						
Additional information							

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.							
Type of product *	e of product * Monitor						
Commercial name *	inkCentre Tiny-in-One 24 4th Gen						
Model number *	11GD, 11GE						
Issue date *	020/04/23						
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model n	umber *	11GD, 11GE	Logo				
Issue date *		2020/04/23		Lend	Lenovo		
Produc	t environ	mental attributes - Legal requirements		Require	ment	t met	
Item				Yes	No	n.a.	
P1		ous substances and preparations					
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\bowtie			
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes			
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachle ethane, methyl bromide (see legal reference). Comment: Legal reference has no ma ration values.		-			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlo /l (PCT) in preparations (see legal reference).	orinated	\boxtimes			
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbo Intaining at least 48% per mass of chlorine in the SCCP (see legal reference).	on atoms ir	n the 🔀			
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0, al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	5 μg/cm²/w	eek 🔀			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): Image: https://static.lenovo.com/ww/docs/sustainability/ww-disclosure-Lenovo-REACH-SVHC-Disclosure.pdf						
P2	Batterie						
P2.1*	symbol.	oduct contains a battery or an accumulator, the battery/accumulator is labeled with th Information on proper disposal is provided in user manual. (See legal reference)				\square	
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal						
P2.3*	Batteries and accumulators are readily removable. (See legal reference)						
P3	Confor	nity verification & Eco design (ErP)					
P3.1*	The pro	duct is CE-marked to show conformance with applicable legal requirements (see legal claration of Conformity can be requested at: <u>https://www.lenovo.com/us/en/compliance</u>		e). 🔀			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes			
	Required information is; given in item P15 or added to this document,						
	•	available at: https://www.lenovo.com/us/en/compliance/ec	o-declarati		_		
P5	Produc	t packaging		-			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and X hexavalent chromium by weight of these together.						
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) is used (see legal reference).						
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal 🛛 🗌 🔤 Protocol (see legal reference).						
P5.3"							
P5.3"	Comme	nt: Legal reference has no maximum concentration values.					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		11GD, 11GE	Logo			
Issue date *		2020/04/23	-	Len	ovo	Тм
Product		mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require		
Item	*=mandat	tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
F1		mbly, recycling				
P7.1*		t have to be treated separately are easily separable		\square		
P7.2*	Plastic m	aterials in covers/housing have no surface coating.				
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.			Ē	
P7.4*	Plastic pa	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			Ē	
P7.5	Plastic pa	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.		Π	
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			Π	
	Product	lifetime				
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives				\times
P7.8*	Upgradir	ig can be done using commonly available tools				\boxtimes
P7.9	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: <i>ABS</i> Material type: <i>PC</i> Materia	al type:			
P7.12	Insulatio	n materials of external electrical cables are PVC free.			\boxtimes	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.				
P7.14	weight (´ polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) og more than 25% post-consumer recycled content.	e retardants, a	nd 🗖		
P7.15	Printed of		25 g 🗌 are lo	w	\square	
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				\square
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c PA (additive), XBBPA (reactive) (See NOTE B3), Other:, CAS #:	omponents):	\boxtimes		
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			\square
P7.18	concentr 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations	in		
	<u>Alt. 2: </u> Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:			\square
P7.19	•	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements:	have been			\square
	-	5 1 2	See note B5)			
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):	/	\boxtimes		
	a) Of t a pe or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is 78% . <i>(EPEAT calculation) / 85% (TCO calc</i> e weight of recycled material is 960.2 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * 11GD, 11		11GE			Logo		Lenovo.		
Issue date * 2020/04/			23				Len	ovo	Отн
Product environmental attributes - Market requirements (continued)							Requir	remer	nt met
Item				•			Yes	No	n.a.
	Material and substance requirements (continued)								
P7.21*	P7.21* Biobased plastic material content is used in the product (See NOTE B7):								
	If YES; at least one of the two alternatives below shall be answered;								
	a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage								
	of to or	tal plastic	by weight) is <mark>0</mark> %.						
	b) The weight of the biobased plastic material is <i>0</i> g.								
P7.22*	Light sou	rces are f	ree from mercury, i.e	. less than 0,1 mg/lamp).		\boxtimes		
			specify: Number of la	mps: and maxir	num mercury content pe	er lamp: mg			
P8	Batteries		amposition						
P8.1*			omposition:						
P9 P9.1			tion (See NOTE B8)	els or energy consumpt	ions are reported:				
Energy mo			Power level at	Power level at	Power level at	Reference/Stand	ard for e	nerav	
			100 V AC	115 V AC	230 V AC	modes and test r			
ENERGY S	STAR® On	Mode*	12.78	12.75	12.69	ENERGY STAR	0		
(System Id	le)					Requirements for Monitors: Ver. 8.0			
ENERGY S		N Dowor	0.37	0.38	0.42	ENERGY STAR			
Sleep Mode		W FOWEI	0.57	0.50	0.42	Requirements for			
	-					Monitors: Ver. 8.			
ENERGY S	STAR® Off	1	0.23	0.24	0.28	ENERGY STAR® Requirements for			
Apparent C	Off Mode*					Monitors: Ver. 8.			
PTEC *			41.29 W	41.26 W	41.3 W				
Typical Ene	ergy Consi	umption							
ETEC *			35.12 kWh/year	35.1 kWh/year	35.19 kWh/year	$E_{TEC} = (8760/100)$	<i>,</i> ,	0.6 +	
Annual Ene			and an al (late a stice)			Psleep x 0.1 + Pidle	, x 0.3)		
External Po	ower Supp	ly Efficien	cy Level (Internationa	al Efficiency Marking P			Deserver		\square
Display res	solution* ·	1920*108	0 megapixels			ENERGY STAR® Requirements for			
2.001.00			megaphiele			Monitors: Ver. 8.			
				-		ENERGY STAR			
Default time	e to enter e	energy sa	ve mode: 15 second	s		Requirements for Monitors: Ver. 8.0			
P9.2*	Informatio	on about i	the energy save funct	tion is provided with the	e product.	WOITHOIS. Ver. 6.	, 		
P9.3*								╶┝┤╴	<u> </u>
1 0.0	P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 8.0 Product category: Display.								
P10	Emissio								
.				to ISO 9296 (See NOT					(2)
P10.1	P10.1 Mode Mode description Statistical upper limit A-weighter				it A-weighted sound	power leve	H, <i>LW</i> A,c		
					*				
	Operation		HDD: Operating	nd pressure level (dB) L_{pA}	/ / -	aitian daalatan 19			\square
	Other mo					sition desktop – idle			
Other mode Declared A-weighted sound pressure level (dB) L _{pAm}				m (operator po	sition desktop – ope	rating)			
	Measure	d accordir	ng to: 🔛 ISO 7779	ECMA-74					
			Other	(only if not covered b	v ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	ımber *	11GD, 11GE					Logo			
Issue date *		2020/04/23			Leno	VO,	н			
Product	environ	nental attributes	s - Market requiren	nents (con	tinued)			Require	ment	met
Item								Yes	No	n.a.
		magnetic emissior								
P10.4		er display meets the (s): TCO8.0	e requirement for low t	frequency ele	ectromagnetic fields	s of the foll	owing volun	tary 🔀		
P12		mics for computin								
P12.1*	The disp	lay meets the ergo	nomic requirements o	f ISO 9241-3	07 for visual displa	y technolo	gies.	\square		
P12.2*	The phy	sical input device m	neets the requirements	s of ISO 999	5 and ISO 9241-41	0.				\boxtimes
P13	Packag	ing and document	ation							
P13.1*	Product packaging material type(s): Carton Box weight (kg): 1.08 Product packaging material type(s): Cusion weight (kg): 0.39 Product packaging material type(s): Bag weight (kg): 0.03 Product packaging material type(s): weight (kg): 0.03 Product packaging material type(s): weight (kg):									
P13.2*	Product	plastic primary pac	kaging is free from PV	/C.				\square		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: 90%									
P13.4*	Specify media for user and product documentation (tick box):									
P13.5	Ùser an		item if paper documer tation on paper media							
	Element	hlorine-free al chlorine-free ed chlorine-free								
P14		ry programs								
P14.1	The pro	duct meets the requ Y STAR® el:	irements of the follow Criteria version: 8.0 Criteria version: Criteria version:		v program(s): Date: 2020/04/23 Date: Date:	Product o Product o Product o	0,	D Monitor		
P15	Additio	nal information (Se	ee NOTE B10)							
P9			pecific configuration	n may vary;	description of the	tested pro	oduct config	guration:		
P9	NOTE: S informat knowled provided informat	Supplier makes no r ion contained in this ge available at the I here is approximation.	epresentations, guara s document. All inform time of completion, ar te and provided for inf Monitors & Displays fo	antees, assumation providend supplier short formational p	ances or warranties ed by supplier in thi nall have no obligat urposes only. See a	s whether s documer ion to upda	express or in nt is provided ate such info	nplied, regardin based on supp rmation. The inf	olier's format	ion
19			/products/office_equip							

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1