



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com		Lenovo.
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

	based on product specification or test results based obtained from sample testing), that the product of the given in this declaration.
Type of product *	Notebook
Commercial name *	ThinkPad L13/L13 Yoga 2nd Gen, ThinkPad S2/S2 Yoga 6th Gen
Model number *	20VK, 20VL/20VH, 20VJ
Issue date *	2020/9/1
Intended market *	Global Europe Asia, Pacific & Japan Americas Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	ımber *	20VK, 20VL/20VH, 20VJ	Logo	Long		
Issue dat	te *	2020/9/1		Lend		<b>J</b> <sub>TM</sub>
Product	environ	mental attributes - Legal requirements		Require	men	met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	$\boxtimes$		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		$\boxtimes$		
1 1.5	hydrobro trichloro	omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no metation values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychl l (PCT) in preparations (see legal reference).	lorinated			
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	e 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/weel	k 🔀		
P1.7*		Article 33 information about substances in articles is available at (add URL or mail of	contact).		$\overline{}$	
' ''		ww.lenovo.com/us/en/about/sustainability	somaot).		ш	ш
P2	Batterie	•				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t	he disposal		$\overline{}$	
1 2.1		Information on proper disposal is provided in user manual. (See legal reference)	ne disposai		ш	ш
P2.2*		or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	ium. (See lega	ıl 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		$\boxtimes$		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The prod	duct is CE-marked to show conformance with applicable legal requirements (see legal requirements) duration of Conformity can be requested at: https://www.lenovo.com/us/en/complian		$\boxtimes$		
P3.2*		duct complies with the Eco design requirements for energy-related products,	CC/CU-UCC		$\overline{}$	
1 0.2		al reference).			ш	ш
	-	d information is; given in item P15 or added to this document,				
_		available at: https://www.lenovo.com/us/en/compliance/e	co-declaration			
P5		packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.			Ш	
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).	`	,		
P5.3*		luct packaging material is free from ozone depleting substances as specified in the N	Iontreal Protoc	ol 🔀		
		al reference).			_	_
DC		nt: Legal reference has no maximum concentration values.				
P6		nt information			_	
P6.1*	ıntormatı	on for recyclers/treatment facilities is available (see legal reference).		$\square$		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Information for recyclers/treatment facilities is available (see legal reference).

Model number *	20VK, 20VL/20VH, 20VJ	Logo	Lanava
Issue date *	2020/9/1		LEI IOVO"

Product	environmental attributes - Market requirements (See General NOTE GN below)			
1 Toduct	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	$\boxtimes$		
P7.2*	Plastic materials in covers/housing have no surface coating.		$\boxtimes$	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			$\boxtimes$
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\boxtimes$		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	$\boxtimes$		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\boxtimes$		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\boxtimes$		
P7.8*	Upgrading can be done using commonly available tools	$\boxtimes$		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
D7.40	Material type: ABS+PC Material type: PC Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.			<u> </u>
P7.13	Insulation materials of internal electrical cables are PVC free.		Щ.	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an	d		
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	g		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloge as defined in IEC 61249-2-21. (See 1NOTE B2)	n 🔀		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: 168G2, CAS #: 99208-50-1	$\boxtimes$		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations			
1 7.10	concentrations above 0,1%:	¨ п		$\square$
	1. Chemical name: , CAS #: (See NOTE B4)			
	2. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		$\overline{\Box}$	$\overline{\mathbb{X}}$
	assigned the following Risk phrases; and Hazard statements:	_	_	
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	$\boxtimes$		
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
1	a percentage of total plastic by weight) is <b>2.9%</b> .			
1	or			
	b) The weight of recycled material is 14.6 g.			

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

Model number *	20VK, 20VL/20VH, 20VJ	Logo	Lanava
Issue date *	2020/9/1		LEI IOVO.

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

	Material and subs	stance requirements	s (continued)		
P7.21*	Biobased plastic m	naterial content is use	ed in the product (See I	NOTE B7):	
P7.22*		free from mercury, i.e specify: Number of la	e. less than 0,1 mg/lampamps: and maxir	p. num mercury content p	er lamp: mg
P8	Batteries	opeony: .tam.zer er ie	and maxim	nam moreary content p	
P8.1*		omposition: Lithium	Ion/Lithium Mangane	se Dioxide	
P9	*	tion (See NOTE B8)			
P9.1			els or energy consump	tions are reported:	
Energy mod		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *
Peak (On-r	nax)	65 W	65 W	<b>65</b> W	Full load
Category	<u>v 1</u>				
Short Idle : Enabled	State - WOL	4.52 W	4.58 W	4.80 W	Use for ENERGY STAR V8 registration (Pidle)
Long Idle S Enabled	State - WOL	0.56 W	0.58 W	0.60 W	Use for ENERGY STAR V8 registration (P <sub>idle</sub> )
Sleep (S3)	- WOL Enabled	0.56 W	0.58 W	0.60 W	Use for ENERGY STAR V8 registration (P <sub>sleep</sub> )
Off (S5) - V	VOL Enabled	0.28 W	0.29 W	0.32 W	Use for ENERGY STAR V8 registration (Poff)
Off (S5) - V	VOL Disabled	0.28 W	0.29 W	0.32 W	Use for ErP
Category	<u>/ 2</u>				
Short Idle : Enabled	State - WOL	5.63 W	5.70 W	5.86 W	Use for ENERGY STAR V8 registration (Pidle)
Long Idle S Enabled	State - WOL	0.70 W	0.71 W	0.80 W	Use for ENERGY STAR V8 registration (Pidle)
Sleep (S3)	- WOL Enabled	0.70 W	0.71 W	0.80 W	Use for ENERGY STAR V8 registration (P <sub>sleep</sub> )
Off (S5) - V	VOL Enabled	0.28 W	0.28 W	0.34 W	Use for ENERGY STAR V8 registration (P <sub>off</sub> )
Off (S5) - V	VOL Disabled	0.28 W	0.28 W	0.34 W	Use for ErP
EPS No-loa (External power si	ad upply / charger plugged in the connected from the product.)	0.08 W	0.09 W	0.08 W	
PTEC *(1) Typical Ene	ergy Consumption	1.67 W	1.72 W	1.78 W	
	ergy Consumption	2.08 W	2.08 W	2.2 W	
TEC *(1) Typical Ene	ergy Consumption	0.28 kWh/week	0.29 kWh/week	0.30 kWh/week	
TEC *(2) Typical Ene	ergy Consumption	0.35 kWh/week	0.35 kWh/week	0.37 kWh/week	
ETEC *(1) Annual Ene	ergy Consumption	<b>14.75</b> Wh/year	<b>14.95</b> kWh/year	<b>15.69</b> kWh/year	E <sub>TEC</sub> = (8760/1000) x (P <sub>off</sub> x 0.25 + P <sub>sleep</sub> x 0.35 + P <sub>long_idle</sub> x 0.10+ P <sub>short_idle</sub> x 0.30)

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

ETEC *(2)		18.14 kWh/year	18.37 kWh/year	19.29 kWh/year	$E_{TEC} = (8760/1000) \times (P_{of})$		i +	
Annual Ene	ergy Consumption				P <sub>sleep</sub> x 0.35 + P <sub>long_Idle</sub> x	).10+		
				<u> </u>	P <sub>short_Idle</sub> x 0.30)			
Futamed Da	C Efficie				ed; P <sub>idle</sub> : Idle State - WOL Ena	bled	L	_
		ncy Level (International	Eπiciency Marking Pr	otocoi) " : VI				Щ
	olution * : <b>1.05</b> me	· .						
		ave mode: 10 minutes						
P9.2*	Information about	the energy save function	on is provided with the	product.		] [		
P9.3	Energy efficiency	class (monitors only):						$\boxtimes$
P10	Emissions							
		<ul> <li>Declared according to</li> </ul>	ISO 9296 (See NOTE					
P10.1		Mode description			t A-weighted sound power I	evel, L	<i>w</i> A,с (В	)
		* Idle mode		* 2.5			<u></u>	
	Operation	* Operating (CPU)		* 3.9				
		Declared A-weighted sound			n desktop – idle)			
	Other mode	Declared A-weighted sound	d pressure level (dB) $L_{pAI}$	m 28 (operator position	n desktop – operating)			
	Measured accord	ing to: X ISO 7779	ECMA-74	-				
		Other	(only if not covered by	y ECMA-74)				
Droduot (	onvironmental s	ettributes Market r		,	Por	quiren	oont i	mot
Item	environinentai a	attributes - Market r	equirements (cont	inueu)	Kei	Yes	No	n.a.
item	Electromagnetic	omissions				163	110	II.a.
P10.4		meets the requirement	t for low frequency ele	ctromagnetic fields of th	ne following voluntary	$\square$		$\overline{}$
1 10.1	program(s): MPR	-II(3 pin AC adapter o	nly)	on orriagrious noise or a	io ionowing voluntary			
P12		computing products						
P12.1*		s the ergonomic require			hnologies.			
P12.2*	The physical inpu	it device meets the requ	uirements of ISO 9995	and ISO 9241-410.				
P13	Packaging and o							
P13.1*		g material type(s): cart						
		ig material type(s): <b>pap</b> ing material type(s): <b>LDP</b>						
P13.2*		imary packaging is free				$\boxtimes$		
P13.3*	For product prim	ary corrugated fiberbo	ard packaging, speci	fy the contained perce	entage of minimum post-			Ī
D40.4*		red fiber content: 65 %						
P13.4*	Electronic,	user and product docu Paper, Other	mentation (tick box):					
P13.5		plete this item if paper	documentation used)					
	User and product	documentation on pap		ee:		$\boxtimes$		
	If Yes, please spe	ecify:						
	Totally chlorine-fr	ee				$\boxtimes$		
	Elemental chlorin	e-free				$\boxtimes$		
	Processed chloring	ne-free						
P14	Voluntary progra							
P14.1	The product mee	ts the requirements of the	he following voluntary	program(s):				
	ENERGY STAR®	Criteria version:	· V8	Date: 2020/9/14 Pro	oduct category: 1 & 2			
	Eco-label: <b>EPEA</b>		IEEE 1680.1-2018		oduct category: Notebook			
	Eco-label: PCGL	Criteria version:	13.0		oduct category: Notebook			
B45	Eco-label: TCO	Criteria version:		Date: 2020/10/01 Pr	oduct category: Notebook			
<b>P15</b>		mation (See NOTE B10		lanavintian of the toote	al mus diret samfinirmatism.			
F9					ed product configuration: ether express or implied, reg	aardina	tho	
					cument is provided based or			
					update such information. T			on
		approximate and provid	ed for informational pu	irposes only. See a Ler	novo Account Representativ	e for m	ore	
P9	information.	Qualified Notebooks &	Tablet Computers for	the latest information:				
ו־ט		ystar.gov/index.cfm?fus			pgw code=CO			
					· - <u>-</u>			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# **Lenovo ErP Lot3 Information Sheet** - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad L13 Yoga Gen 2; ThinkPad L13 Gen 2;	Logo		
Model Number	20VK, 20VL/20VH, 20VJ		Lanava	
Issue Date	2020/9/1		Lenovo.	
Additional information				

d)	year of manufacture:				0000
					2020
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Categor enable	ry and capability adjust	ments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	16			
capability adjustments applied during testing	Additional internal storage	Yes (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	NA			
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	31.8			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled	N/A			
g)	Idle state power demand (Watts);	•	1	•	0.80
h)	Sleep mode power demand (Watts);				0.80
i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.80
j)	Off mode power demand (Watts);				0.34
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.34
(I)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% N/A 20% N/A 50% N/A 100%	N/A Average N/A			
(m)	external power supply efficiency (if applie	cable)*:			
	Average active efficiency: 65W: 89,41%	<b>%,88,62%,88,96%</b>			
	*internal note: show values for all available external po				
(o)	Minimum number of loading cycles that t	the batteries can withst	tand (applies only to n	otebook computers):	300 cycles
(p-1)	Measurement methodology used to dete	ermine information men	ntioned in points (I) – in	nternal PSU efficiency	:
(p-2)	Measurement methodology used to dete	ermine information men 63:2011 measuremen		external PSU efficiend	cy:

(p-3) Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  EN 61960 measurement methodology					
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:  EN 62623:2013 measurement methodology				
(q)	Sequence of steps for achieving a stable condition with respect to power demand:  EN 62623:2013 measurement methodology				
(r)	Description of how sleep and/or off mode was selected or programmed:  **Based on user manual**  **Based on user manual**				
(s) Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:  **Based on user manual**					
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):				
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):  N/A			N/A	
(v)		re the display sleep mode is set to activate after		10 mins	
(w) Information on the energy-saving potential of power management functionality:  Based on user manual					
(x) user information on how to enable the power management functionality:  **Based on user manual**					
(z)	(z) test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:  230V, 50GHz, Total Harmonic Distortion <2 %				
Additional Notebook Battery Information:					
		Battery[ies] <u>not</u> user replaceable  The battery[ies] in this product cannot be easily replaced by users themselves. 1)	Battery[ies] user replaceable	n/a	
Internal/built-in Battery					
External/detachable Battery					
Bios Backup Battery					
Other:					
Additional information					
)					

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami užívatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Τασυία μα στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w latwy sposób wymienić baterii w tym produkcie.
A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.
Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.