



Ecma/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	Links for the same of the same
Contact information *	Lenovo Global Environmental Affairs	Lenovo
e-mail address	Alvin L Carter	LEI IOVO
	alcarter@lenovo.com	
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html
Additional information The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Notebook					
Commercial name *	ThinkPad L14 Gen 2 Intel					
Model number *	20X1, 20X2					
Issue date *	2020/11/23					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	20X1, 20X2	Logo	Lane		
Issue date	e *	2020/11/23		Lend	אכ)_
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m				
		ration values.	iaximam			
P1.4*	Products	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych d (PCT) in preparations (see legal reference).	lorinated			
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in t	he 🔀		
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/wee	ek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	referenc	1	nium. (See leg			
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)				
P3	Conform	nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg- laration of Conformity can be requested at: https://www.lenovo.com/us/en/compliar				
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).				
	Required	d information is;	eco-declaration	n		
P5	Product	packaging				
P5.1*	Packagii	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	y, cadmium a	ınd 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).	of the material	(s) 🔀		
P5.3*	(see lega	duct packaging material is free from ozone depleting substances as specified in the N al reference). nt: Legal reference has no maximum concentration values.	/lontreal Proto	col 🔀		
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				
	ioimuu	5 (55) 5.5.5.1 55.11 One Identition to distinction (555 1594) 151510100).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	20X1, 20X2	Logo	Lanova
Issue date *	2020/11/23		Lei IOVO.

Product	environmental attributes - Market requirements (See General NOTE GN below)			
		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	$\overline{\boxtimes}$	\Box	
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\overline{\boxtimes}$	Ħ	Ħ
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		$\overline{\Box}$	Ħ
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		\Box	Ħ
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
D7.40	Material type: PC+ABS Material type: Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		<u> </u>	<u>Н</u>
P7.13	Insulation materials of internal electrical cables are PVC free.		Ц.	Щ.
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an			Ш
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containin			
	more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloge as defined in IEC 61249-2-21. (See 1NOTE B2)	n 🖂		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: <i>FR(40)</i>			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	□TBBPA (additive), □TBBPA (reactive) (See NOTE B3), ☑Other: DOPO , CAS #: 35948-25-5			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			_
	according ISO 1043-4:			\boxtimes
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations i			
	concentrations above 0,1%:	$\overline{}$		
	 Chemical name: halogen-free organic phosphorus compound, CAS #: confidential (See NOTE B4 Chemical name: , CAS #: ")		
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			\square
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		Ħ	
	assigned the following Risk phrases; confidential and Hazard statements: confidential (TORAY_C3452S) (TEIJIN_GXV-3540UI)			
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):			
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 2.6%.			
	or b) The weight of recycled material is 15.5 q.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	20X1, 20X2	Logo	Lanova
Issue date *	2020/11/23		Lei IOAO

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

	Material and subs	tance requirements	(continued)		
P7.21*	Biobased plastic m	naterial content is use	d in the product (See N	NOTE B7):	
P7.22*		ree from mercury, i.e. specify: Number of la	less than 0,1 mg/lamp	o. num mercury content p	er lamp: mg
P8	Batteries	opeony. Humber of lai	mps. and maxin	nam mereary content p	or tamp.
P8.1*	Battery chemical c	omposition: Li-ion			
P9		tion (See NOTE B8)			
P9.1			ls or energy consumpt	ions are reported:	
Energy mod		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *
Peak (On-r	max)	65 W	65 W	65 W	Full load
Category	<u>y -1-</u>				
Short Idle Enabled	State - WOL	6.29 W	6.24 W	6.59 W	Use for ENERGY STAR V8.0 registration (P _{idle})
Long Idle S Enabled	State - WOL	1.45 W	1.44 W	1.51 W	Use for ENERGY STAR V8.0 registration (P _{idle})
Sleep (S3)	- WOL Enabled	1.45 W	1.44 W	1.51 W	Use for ENERGY STAR V8.0 registration (P _{sleep})
Off (\$5) - V	VOL Enabled	0.42 W	0.42 W	0.47 W	Use for ENERGY STAR V8.0 registration (P _{off})
Off (S5) - V	VOL Disabled	0.46 W	0.46 W	0.46 W	Use for ErP
Category	<u>y -2-</u>				
Short Idle Enabled	State - WOL	6.55 W	6.63 W	6.66W	Use for ENERGY STAR V8.0 registration (P _{idle})
Long Idle S Enabled	State - WOL	2.04 W	2.04 W	2.15 W	Use for ENERGY STAR V8.0 registration (P _{idle})
Sleep (S3)	- WOL Enabled	2.04 W	2.04 W	2.15 W	Use for ENERGY STAR V8.0 registration (P _{sleep})
Off (S5) - V	VOL Enabled	0.40 W	0.40 W	0.45 W	Use for ENERGY STAR V8.0 registration (P _{off})
Off (S5) - V	VOL Disabled	0.46 W	0.46 W	0.46 W	Reference
EPS No-loa (External power si wall outlet but disc	upply / charger plugged in the connected from the product.)	0.095 W	0.096 W	0.117 W	
PTEC *	ergy Consumption	2.98W	3.00 W	3.08 W	
ETEC *	ergy Consumption	26.13 kWh/year	26.32 kWh/year	26.98 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.45 + P _{long_idle} x 0.05+ P _{short idle} x 0.25)
					led; P _{idle} : Idle State - WOL Enabled
			l Efficiency Marking Pr	rotocol) * : VI	
Display res	olution * : 2.07 meg	apixels			1920*1080
Default time	e to enter energy sa	ve mode: 10 minutes			
P9.2*	Information about t	the energy save funct	ion is provided with the	product.	
P9.3	Energy efficiency of	class (monitors only):			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

P10	Emissions					
	Noise emission	n – Declared according to ISO 9296 (See NOTE I	B9)			
P10.1	Mode	Mode description		ower leve	$l, L_{WA,0}$	_c (B)
	Idle	* HDD idle	* 2.8			
	Operation	* Operating (HDD)	* 3.6			
		* Operating (CPU)				
	Other mode		17 (operator position desktop – idle)			
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p m Am}$				
	Measured acco	ording to: X ISO 7779 ECMA-74				
			ECMA-74)			
Droduo	t anvironments			Dogui	romoi	nt
	t environment	ii attributes - market requirements (contin	ueu)	Kequi	reme	111
				Voc	No	
Item	Electromogno	tio emissions		165	INU	II.a.
D10 /			romagnetic fields of the following voluntary		_	$\overline{}$
	program(s): M	PR-II(3 pin AC adapter only)	Tomagnetic fields of the following voluntary			
			familian displants about a sign		_	
	. ,	<u> </u>	. , , ,			Щ
P12.2*	The physical ir	put device meets the requirements of ISO 9995 a	nd ISO 9241-410.	\boxtimes		
P13						
P13.1*	Product packa	ging material type(s): <i>nonwoven</i> weight (kg): <i>0</i>	1.033			
P13.2*	Product plastic	primary packaging is free from PVC.		\square		
P13.3*	For product pr	imary corrugated fiberboard packaging, specify the	he contained percentage of minimum post-			
P13.4*						П
	Electronic,	Paper, Other				
P13.5	(Please only c	omplete this item if paper documentation used)				
	User and prod	uct documentation on paper media is chlorine-free	:	\boxtimes		
	If Yes, please	specify:				
	Totally chloring	e-free		\boxtimes		
	•			Ħ		
D1/						
Noise emission - Declared according to ISO 9296 (See NOTE B9)						
Product met litem P10.4 P12 P12.1* P12.2* P13.1* P13.3* P13.4* P13.5 P14 P14.1	The product in	coto the requirements of the following voluntary pr	ogram(o).			
	ENERGY STA	R® Criteria version: 8.0 Date	e: 2020/11/19 Product category: 1;2	Requirement Yes No n.a. The provided based on supplier's uch information unt Representative for more Telegraph (CPU) The provided based on supplier's uch information unt Representative for more		
				ook		
	Eco-label: PC	Criteria version: V13	Date: 2020/12/15 Product category: Note	book		
P15	Additional inf	ormation (See NOTE B10)				
P9	Energy consu	imption of specific configuration may vary; des	scription of the tested product configura	tion:		
	NOTE: Supplie information co- knowledge ava provided here	er makes no representations, guarantees, assuran ntained in this document. All information provided allable at the time of completion, and supplier shall	ces or warranties whether express or implie by supplier in this document is provided bas have no obligation to update such informat	ed, regard sed on su ion. The	ipplier' inform	s ation
P9		ar Qualified Notebooks & Tablet Computers for the	e latest information:			
_						
	•		. 10 =			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad L14 Gen 2 Intel	Logo
Model Number	20X1, 20X2	Lenovo
Issue Date	2020/11/23	Lenovo.
Additional information		

d)	year of manufacture:				2020	
)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are	
)	Etec value (kWh) per ErP Lot 3 Categorenable	ry and capability adjust	tments applied when a	all discrete graphics of	cards (dGfx) are	
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)	
	Memory over base [GB]	60				
ents ting	Additional internal storage	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
ıdjustm ring tes	Discrete television tuner	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
capability adjustments applied during testing	Discrete Audio Card	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
cap	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	
	Category of discrete graphics Card(s)	NA				
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)					
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled	20.39				
1)	Idle state power demand (Watts);				5.88	
)	Sleep mode power demand (Watts);				2.81	
	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		2.82	
	Off mode power demand (Watts);				0.46	
.)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.47	
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):		
	10% 20% 50%	100% Avera	age			
n)	external power supply efficiency (if appli	cable)*:				
	Average active efficiency: 65W: 89.41%	%,88.62%,88.96%				
	*internal note: show values for all available external p					
o)	Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): 500 cycles					
p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: NA					
)-2)	Measurement methodology used to dete	ermine information mer	ntioned in points (m) –	external PSU efficiend	CV:	

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 61960 measurement methodology			
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: EN 62623:2013 measurement methodology			
(q)	Sequence of steps for achieving a stable condition with respect to power demand: EN 62623:2013 measurement methodology			
(r)	Description of how sleep and/or off mode was selected or programmed: By selecting sleep and/or off mode thru Windows operating system			
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: Automatically changes to sleep after 30 minutes			
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			10
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):			NA
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):			10
(w) Information on the energy-saving potential of power management functionality: **User information described in User Guide and Power Manager under ThinkVantage menu in all programs**				
(x) user information on how to enable the power management functionality: **User information described in User Guide and Power Manager under ThinkVantage menu in all programs**				
(z) test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: 230V/50HZ; Total Harmonic Distortion <2 %				
Addition Notebook Battery Information:				
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)		
Internal/built-in Battery				
External/detachable Battery				
Bios Backup Battery				
Other:				
Additional information				
Ļ				

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.
Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.
Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.
La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.
Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.

Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.