

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com		Lenovo
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information	The latest version of this document can be found at: http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook				
Commercial name *	ThinkPad P1/X1 Extreme 3rd Gen				
Model number *	20TH, 20TJ, 20TK, 20TL				
Issue date *	2020/6/19				
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials P9.1 TEC and Print speed P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	umber *	20TH, 20TJ, 20TK,	, 20TL			Logo				
Issue date *		2020/6/19					Leng	Lenovo		
Product	t environ	mental attributes	- Legal requirem	ients			Require		met	
Item							Yes	No	n.a.	
P1		ous substances and								
P1.1*	Products	s do comply with cur	rent European RoHS	S Directive. (See legal ref	erence and NOTE	E B1)	\square			
P1.2*	Comme	s do not contain Asb nt: Legal reference h	as no maximum con	centration value.			\square			
P1.3*	hydrobro trichloro	omofluorocarbons (H	IBFC), hydrochlorofl	nces: Chlorofluorocarbor uorcarbons (HCFC), Halo nce). Comment: Legal re	ons, carbontetrach					
P1.4*	terpheny	yl (PCT) in preparatio	ons (see legal refere		,		\boxtimes			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).						the 🔀			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.						ek 🔀			
P1.7*	REACH	Article 33 informatio	n about substances	in articles is available at	(add URL or mail	contact):				
P2	Batterie	S								
P2.1*				or, the battery/accumulat ed in user manual. (See l		the disposal	\boxtimes			
P2.2*	Batteries		not contain more th	an 0,0005% of mercury of	or 0,002% of cadn	nium. (See le	egal 🔀			
P2.3*	Batteries	s and accumulators a	are readily removabl	e. (See legal reference)			\square			
P3	Confor	nity verification & E	co design (ErP)							
P3.1*	The pro	duct is CE-marked to	show conformance	with applicable legal req at: https://www.lenovo.co			e). 🔀			
P3.2*	The pro			ements for energy-related			\boxtimes			
	-	d information is;		P15 or added to this docu https://www.lenovo.com/u		lana daglarati				
P5	Droduct	tnackaging		ups.//www.ienovo.com/u	sren/compliance/					
P5.1*		t packaging	componente do pot	contain more than 0,0	1% lead moreur	y cadmium	and 🔽			
-	hexaval	ent chromium by wei	ght of these togethe	r.		-				
P5.2*	used (se	ee legal reference).		riations and numbers indi	0					
P5.3*		duct packaging mate al reference).	rial is free from ozon	e depleting substances a	s specified in the I	Montreal Prot	iocol 🔀			
	Comme	nt: Legal reference h	as no maximum con	centration values.						
P6			as no maximum con	centration values.						

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		20TH, 20TJ, 20TK, 20TL	Logo				
Issue dat	te *	2020/6/19		Lend	OVO	тм	
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)				
		onmental conscious design		Require	ment	met	
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.	
P7		Disassembly, recycling					
P7.1*		thave to be treated separately are easily separable				<u> </u>	
P7.2*		naterials in covers/housing have no surface coating.					
P7.3*	-	arts > 100 g consist of one material or of easily separable materials.				\square	
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\square			
P7.5	Plastic p	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.					
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).						
	Product	lifetime					
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		\boxtimes			
P7.8*	Upgrading can be done using commonly available tools						
P7.9	Spare pa	arts are available after end of production for: 5 years					
P7.10	Service i	s available after end of production for: 5 years					
		and substance requirements					
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):					
			al type: <mark>PC</mark>				
P7.12		n materials of external electrical cables are PVC free.			\square		
P7.13		n materials of internal electrical cables are PVC free.		\boxtimes			
P7.14	weight (' polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i in 25% post-consumer recycled content.	e retardants, a	and			
P7.15	Printed c	ircuit boards, PCBs (without components) are low halogen: all ☐ PCBs > 25 g ⊠ ed in IEC 61249-2-21. (See 1NOTE B2)	are low halo	gen 🔀			
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		\square			
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c PA (additive), TBBPA (reactive) (See NOTE B3), Other: 168G2 , CAS #: 992 0		\boxtimes			
	accordin	nemical specifications of flame retardants in printed circuit boards (without compon g ISO 1043-4: Brominated Epoxy Resin See P15	, C			\square	
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparation	s in			
	<u>Alt. 2: </u> Cł	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4: FR(40)	\square			
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements:	n have been				
	The sour	rce(s) for these classifications is/are found at (add URL(s)):	See note B5)				
P7.20*	lfYES; a a) Oft a pe or	sumer recycled plastic material content is used in the product (See Note B6): it least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conter ercentage of total plastic by weight) is 2.3% .	it (calculated a	as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	20TH, 20TJ, 20TK, 20TL	Logo	Lanova	
Issue date *	2020/6/19		Lenovo	тм

Product environmental attributes - Market requirements (continued) Item Requirement met Yes No n.a.

P7.21* Biobased p P7.22* Light source If mercury P8 P8.1* Batteries P9 Energy co	emical composition: Lithium	ed in the product (See Ne. less than 0,1 mg/lamp).						
If mercury P8 Batteries P8.1* Battery che P9 Energy co P9.1 For the pro Energy mode * Peak (On-max) Category 2 Short Idle State - WOL Enabled Long Idle State - WOL Enabled Sleep (S3) - WOL Enable Off (S5) - WOL Enable Off (S5) - WOL Disabl EPS No-load (External power supply / charger plu wall outle to disconnected from the PTEC * Typical Energy Consur TEC *	is used specify: Number of I emical composition: <i>Lithium</i>								
P8 Batteries P8.1* Battery che P9 Energy co P9.1 For the pro- Energy mode * Peak (On-max) Category 2 Short Idle State - WOL Short Idle State - WOL Enabled Long Idle State - WOL Enabled Sleep (S3) - WOL Enabled Sleep (S3) - WOL Enabled Off (S5) - WOL Disable EPS No-load (External power supply / charger pluwall outlet ub disconnected from the PTEC * Typical Energy Consur TEC * TEC *	emical composition: Lithium	amps: and maxir							
P8.1* Battery che P9 Energy co P9.1 For the pro- Energy mode * Peak (On-max) Category 2 Short Idle State - WOL Short Idle State - WOL Enabled Long Idle State - WOL Enabled Sleep (S3) - WOL Enabled Sleep (S3) - WOL Enabled Off (S5) - WOL Enabled Off (S5) - WOL Disabled PS No-load (External power supply / charger pluw wall outle tub disconnected from the PTEC * Typical Energy Consur TEC *			num mercury content p	er lamp: mg					
P9 Energy co P9.1 For the pro- Energy mode * Peak (On-max) Category 2 Short Idle State - WOI Short Idle State - WOI Enabled Long Idle State - WOI Enabled Sleep (S3) - WOL Enabled Sleep (S3) - WOL Enabled Off (S5) - WOL Enabled Off (S5) - WOL Disable PFEC * Typical Energy Consur TEC * TEC *									
P9.1 For the pro- Energy mode * Peak (On-max) Category 2 Short Idle State - WOL Enabled Long Idle State - WOL Enabled Sleep (S3) - WOL Enabled Off (S5) - WOL Enabled Off (S5) - WOL Enabled EPS No-load (External power supply / charger pluy wall outle tot disconnected from the PTEC * Typical Energy Consur TEC *	Energy consumption (See NOTE B8)								
Energy mode * Peak (On-max) Category 2 Short Idle State - WOL Enabled Long Idle State - WOL Enabled Sleep (S3) - WOL Enable Off (S5) - WOL Enable Off (S5) - WOL Disabl EPS No-load (External power supply / charger pluy wall outle but disconnected from the PTEC * Typical Energy Consur TEC *	Insumption (See NOTE B8)	· · · ·						
Peak (On-max) Category 2 Short Idle State - WOL Enabled Long Idle State - WOL Enabled Sleep (S3) - WOL Enabled Off (S5) - WOL Enabled Off (S5) - WOL Disabl EPS No-load (External power supply / charger pluy wall outle but disconnected from the PTEC * Typical Energy Consur TEC *	duct the following power level at			Deference/Standard for energy					
Category 2 Short Idle State - WOL Enabled Long Idle State - WOL Enabled Sleep (S3) - WOL Enable Off (S5) - WOL Enable Off (S5) - WOL Disabl EPS No-load (External power supply / charger pluy wall outlet but disconnected from the PTEC * Typical Energy Consur TEC *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *					
Short Idle State - WOI Enabled Long Idle State - WOI Enabled Sleep (S3) - WOL Enabled Off (S5) - WOL Enable Off (S5) - WOL Disabl EPS No-load (External power supply / charger plu wall outlet but disconnected from the PTEC * Typical Energy Consur TEC *	170 W	170 W	170W	Full load					
Enabled Long Idle State - WOL Enabled Sleep (S3) - WOL Enabled Off (S5) - WOL Enable Off (S5) - WOL Disabl EPS No-load (External power supply / charger plu wall outle but disconnected from the PTEC * Typical Energy Consur TEC *									
Enabled Sleep (S3) - WOL Enable Off (S5) - WOL Enable Off (S5) - WOL Disabl EPS No-load (External power supply / charger plu wall outlet but disconnected from the PTEC * Typical Energy Consur TEC *	8.80 W	9.84W	9.94W	Use for ENERGY STAR V8 registration (P _{idle})					
Off (S5) - WOL Enable Off (S5) - WOL Disabl EPS No-load (External power supply / charger pluy wall outlet but disconnected from the PTEC * Typical Energy Consur TEC *	. 0.85 W	0.84W	0.96W	Use for ENERGY STAR V8 registration (P _{idle})					
Off (S5) - WOL Disabl EPS No-load (External power supply / charger pluy wall outlet but disconnected from the PTEC * Typical Energy Consur TEC *	bled 0.85W	0.84W	0.96W	Use for ENERGY STAR V8 registration (P _{sleep})					
EPS No-load (External power supply / charger pluy wall outlet but disconnected from the PTEC * Typical Energy Consur TEC *	ed 0.28W	0.34W	0.36W	Use for ENERGY STAR V8 registration (P _{off})					
(External power supply / charger pluy wall outlet but disconnected from the PTEC * Typical Energy Consur TEC *	ed 0.28W	0.34W	0.36 W	Use for ErP					
PTEC * Typical Energy Consur TEC *	0.08 W	0.09 W	0.08 W						
	3.09 W	3.45W	3.51W						
	nption	0.58 kWh/week	0.59kWh/week						
ETEC * Annual Energy Consur	nption 27.08kWh/year	29.91kWh/year	30.68kWh/year	ETEC = (8760/1000) x (Poff x 0.25 + Psleep x 0.35 + Plong_Idle x 0.10+ Pshort_Idle x 0.30)					
				led; Pidle: Idle State - WOL Enabled					
External Power Supply	Efficiency Level (Internation	nal Efficiency Marking P	rotocol) * : VI						
Display resolution * : 8	.29 megapixels								
Default time to enter er	ergy save mode: 10 minute	s							
	about the energy save fund		e product.						
	ciency class (monitors only)								
P10 Emissions		• •							
	ssion – Declared according	to ISO 9296 (See NOT	E B9)						
P10.1 Mode	Mode description			it A-weighted sound power level, <i>L_{WA,c}</i> (B)					
Idle	* Idle mode		* 3.0						
Operation	* Operating (CPU)		* 3.6	——————————————————————————————————————					
Other mod	e Declared A-weighted so	und pressure level (dB) L_{pA}	m 21 (operator position	on desktop – idle)					
Other mod	e Declared A-weighted so	und pressure level (dB) L_{pA}	m 28 (operator position	on desktop – operating)					
Measured	according to: 🔀 ISO 7779		I						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu		20TH, 20TJ, 20	/IR, 201L			Logo	Leno	VO		
Issue dat	:e *	2020/6/19					Leno	V U		
Product	environr	nental attribut	tes - Market requir	ements (continue	ed)		Require			
ltem								Yes	No	n.a
		nagnetic emiss								
P10.4	program	(s): MPR-II(3 pir	the requirement for lo AC adapter only)	w frequency electro	magnetic fields of the	following volunt	ary			
P12		mics for compu								
P12.1*	The disp	lay meets the er	gonomic requirements	s of ISO 9241-307 fo	r visual display techr	nologies.		\boxtimes		
P12.2*	The phy	sical input device	e meets the requireme	nts of ISO 9995 and	I ISO 9241-410.			\boxtimes		
P13	Packagi	ng and docume	entation							
P13.1*	Product	Product packaging material type(s): carton weight (kg): 0.394 Product packaging material type(s): paper weight (kg): 0.458 Product packaging material type(s): LDPE weight (kg): 0.0233								
P13.2*	Product	Product plastic primary packaging is free from PVC.								
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer									
P13.4*	Elect	ronic, 🔀Paper,		· · ·						
P13.5	User and		is item if paper docum entation on paper me					\boxtimes		
		hlorine-free al chlorine-free								
								A		
		ed chlorine-free								
P14 P14.1		ry programs	and a second		······································					
P14.1	The proc	auct meets the re	equirements of the foll	owing voluntary prog	gram(s):					
		Y STAR® el: EPEAT	Criteria version:	V8 IEEE 1680.1-2018	Date: 2020/6/19 Date: 2020/6/19	Product catego Product catego				
		el: PCGL	Criteria version:		Date: 2020/6/19	Product catego				
	Eco-labe		Criteria version:		Date: 2020/6/19	Product catego				
P15			(See NOTE B10)							
P9			f specific configurati							
	containe the time	d in this docume of completion, a	o representations, guant. All information pro nd supplier shall have tional purposes only.	vided by supplier in no obligation to upc	this document is prov late such information	vided based on s . The information	upplier's knowle provided here	dge a	vailab	le at
P9	See Ene	rgy Star Qualifie	d Notebooks & Tablet v/index.cfm?fuseactic	Computers for the I	atest information:					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad P1/X1 Extreme 3rd Gen	Logo
Model Number	20TH, 20TJ, 20TK, 20TL	
Issue Date	2020/6/19	Lenovo
Additional information		

P7.1.1	Product environmental attributes						
(d)	year of manufacture:				2020		
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are		
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when a	II discrete graphics o	cards (dGfx) are		
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
	Memory over base [GB]	4		60			
lents sting	Additional internal storage	Yes (Yes / No)	(Yes / No)	Yes (Yes / No)	(Yes / No)		
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)		
ability a	Discrete Audio Card	<mark>No</mark> (Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)		
cap app	Discrete graphics Card(s) [number / #]	<mark>No #:</mark> (Yes / No)	# <i>:</i> (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)		
	Category of discrete graphics Card(s)						
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	7.29		N/A			
Test r	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled	N/A		7.43			
(g)	Idle state power demand (Watts);	·	•	•	1.55		
(h)	Sleep mode power demand (Watts);				1.55		
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		1.55		
(j)	Off mode power demand (Watts);				0.40		
(k)	Off mode with WOL enabled power dema	and (Watts) (where en	abled);		0.40		
(I)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 9	% of rated output power	er (if applicable):			
	10% N/A 20% N/A 50% N/A 100%	N/A Average N/A					
(m)	external power supply efficiency (if applic	,					
	Average active efficiency: 135W: 89,889	%,91,35%;170W: 90,	80%,92,60%				
(0)	*internal note: show values for all available external po Minimum number of loading cycles that t		and (applies only to p	otobook computors):			
(o)					300 cycles		
(p-1)	Measurement methodology used to dete	rmine information men NA	tioned in points (I) – ir	nternal PSU efficiency:			
(p-2)) Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: <i>EN 50563:2011 measurement methodology</i>						

(p-3)	Measurement metho	dology used to determine information mentioned in p EN 61960 measurement methodolog		
		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration: EN 62623:2013 measurement methodo		
(q) S	Sequence of steps fo	or achieving a stable condition with respect to power EN 62623:2013 measurement methodo		
(r) [Description of how sl	eep and/or off mode was selected or programmed: Based on user manual		
	Sequence of events off mode:	required to reach the mode where the equipment au Based on user manual	tomatically changes to sleep and/or	
C	condition which does	te condition before the computer automatically re- not exceed the applicable power demand requirement	ents for sleep mode (in minutes):	10 mins
		r a period of user inactivity in which the compute ver power demand requirement than sleep mode (in		N/A
(v) I	_ength of time befo	re the display sleep mode is set to activate after	user inactivity (in minutes):	10 mins
(w) I	nformation on the er	nergy-saving potential of power management function Based on user manual	nality:	
(x) ı	user information on h	now to enable the power management functionality: Based on user manual		
e	est parameters for n electricity supply sys for electrical testing:	neasurements: — test voltage in V and frequency in tem, — information and documentation on the instruction 230V , 50GHz , Total Harmonic Distortion	mentation, set-up and circuits used	
Additional	Notebook Batter	y Information:		
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a
		The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾		
Internal/bui	It-in Battery	\boxtimes		
External/de	tachable Battery			
Bios Backu	p Battery			
Other:				
Additional in	nformation			
kymynarophara[μ as baterias de es ýměnu bateria/ba rugeren kan ikke er Akku/die Akku asutajad ei saa "Irarapía[-ες] or alse batterie(s pi orisnik ne može l a batteria/le batter etotāji paši neva io gaminio bateri termék akkumul batterija/batteriji atteriet [ene] i de e batterij(en) in d żytkownik nie mo ou as baterias d ateria (bateriile) d	ите) батерия[и] в този п ite producto no pueden s aterií v tomto výrobku by uden videre udskifte bat is dieses Produkts kann/i elle toote akut/akusid ise no mpoïóv auró δεν µmop résente(s) dans ce produ lako zamijeniti Bateriju sz rie in questo prodotto no r nomainīt šā ražojuma a jos [bateriju] pats vartotoj átorát/akkumulátorait a fé fdan il-prodott ma tistax/ tte produktet kan ikke let lit product is (zijn) door d ože sam w latwy sposób · seste produto não podem	ούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες it ne peuvent être facilement remplacée(s) par les utilisateurs eu am u ovom proizvodu. n può/possono essere facilmente sostituita/e dall'utente. kumulatoru(-us). las negali lengvai pakeisti. elhasználó nem tudja egyedül egyszerűen kicserélni. jistgňux tiĝi/jiĝu sostitwita/i mill-utenti stess. t erstattes av brukerne selv. e gebruiker niet gemakkelijk vervangbaar. wymienić baterii w tym produkcie. ser facilmente substituídas pelos próprios utilizadores. e (pot) fi uşor înlocuită (înlocuite) de utilizatorii înșiși.	rerden.	

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.