

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo.				
Internet site *	https://www.lenovo.com/us/en/about/sustainability					
Additional information	The latest version of this document can be found at: http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Notebook					
Commercial name *	ThinkPad T14 Gen 2, ThinkPad P14s Gen 2					
Model number *	20W0,20W1,20VX,20VY,20XK,20XL,21A0,21A1					
Issue date *	2020/12/21, Revised 2021/05/18					
Intended market *	🛛 Global 🔲 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	20W0,20W1,20VX,20VY,20XK,20XL,21A0,21A1 Logo	Lon		
Issue date *		2020/12/21, Revised 2021/05/18	Len	Lenovo.	
	t environ	mental attributes - Legal requirements	Require		
Item			Yes	No	n.a.
P1		bus substances and preparations			
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)			
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1 ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.	_		
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated /I (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms ir intaining at least 48% per mass of chlorine in the SCCP (see legal reference).	n the 🔀		
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/w al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	reek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure			
P2	Batterie				
P2.1*	symbol.	oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See le	egal 🔀		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Conform	nity verification & Eco design (ErP)			
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal reference claration of Conformity can be requested at: <i>https://www.lenovo.com/us/en/compliance/eu-d</i>			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).	\square		
	Require	d information is; in item P15 or added to this document, available at:	\boxtimes		
	https://	www.lenovo.com/us/en/compliance/eco-declaration			
P5		t packaging			
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium ent chromium by weight of these together.	and 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of the mater se legal reference).	ial(s) 🔀		
P5.3*	The proc (see leg	duct packaging material is free from ozone depleting substances as specified in the Montreal Pro al reference). nt: Legal reference has no maximum concentration values.	tocol 🔀		
P6		Int information			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	20W0,20W1,20VX,20VY,20XK,20XL,21A0,21A1 Logo	Lon	0			
Issue date *		2020/12/21, Revised 2021/05/18	Lenovo.				
Product	environ	mental attributes - Market requirements (See General NOTE GN below)					
i iouuoi		onmental conscious design	Require	ement	met		
Item	*=manda	tory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.		
P7		Disassembly, recycling					
P7.1*	Parts that	at have to be treated separately are easily separable	\boxtimes				
P7.2*	Plastic m	naterials in covers/housing have no surface coating.		\boxtimes			
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.	\square				
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Ē	Π		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ē	Ē		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).						
	Product						
P7.7*		ng can be done e.g. with processor, memory, cards or drives					
P7.8*		ng can be done using commonly available tools		H	Ħ		
P7.9	10	arts are available after end of production for: 5 years			H		
P7.10		s available after end of production for: 5 years			╞		
17.10		and substance requirements					
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):					
		type: PPS+50%GF Material type: PC+ABS Material type: PA+50%	GF				
P7.12	Insulatio	n materials of external electrical cables are PVC free.		\boxtimes			
P7.13	Insulatio	n materials of internal electrical cables are PVC free.		Ē	Ē		
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and					
	polyvinyl	chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containin in 25% post-consumer recycled content.					
P7.15	Printed of	ircuit boards, PCBs (without components) are low halogen: all ⊠PCBs > 25 g are low haloge ad in IEC 61249-2-21. (See 1NOTE B2)	n 🖂				
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	\boxtimes				
P7.17	<u>Alt. 1: C</u>	nemical specifications of flame retardants in printed circuit boards > 25 g (without components):					
		PA (additive), TBBPA (reactive) (See NOTE B3), Other: <i>Phosphorus Modified Epoxy</i> CAS #: <i>Confidential</i>					
		nemical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4:					
P7.18	<u>Alt. 1: </u> FI	ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations i ations above 0.1%:	in 🖂				
	2. Chem	ical name: Phosphorus compounds, CAS #: Confidential (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "					
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:					
P7.19		parts > 25 g, flame retardant substances/preparations above $0,1\%$ are used which have been		-	⊢⊢		
17.13	assigned	the following Risk phrases; R36, R38 and Hazard statements: H319, H315					
P7.20*		rce(s) for these classifications is/are found at (add URL(s)): , (See note B5) sumer recycled plastic material content is used in the product (See Note B6):					
1.20	FUSICON	שנוחבי דבטיטובע אומטוני וחמובוזמו נטוונבות וש עשבע ווז נווע אוטעענו (שנע ואטוע בט).	K				
	a) Oft ape	It least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as ercentage of total plastic by weight) is 2.4% .					
	or b) The	e weight of recycled material is 14.1 g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	20W0,20W1,20VX,20VY,20XK,20XL,21A0,21A1	Logo	Lenovo			
Issue date *	2020/12/21, Revised 2021/05/18		LEIIOVO			
Product environmental attributes - Market requirements (continued) Requirement met						

Item

Requirement metYesNon.a.

		stance requirements						
P7.21*			d in the product (See No	DTE B7):				
			es below shall be answe the biobased plastic m		ated as a percentage of			
	total plastic b				aled do a percentage of			
		f the biobased plastic	material is g.					
P7.22*		free from mercury, i.e. specify: Number of la	less than 0,1 mg/lamp. mps: and maxim	um mercury content p	er lamp: mg			
P8	Batteries							
P8.1*	Battery chemical c	composition: <i>Li-ion</i>						
P9		Energy consumption (See NOTE B8)						
P9.1			els or energy consumption					
Energy mo		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *			
Peak (On-	· ·	65 W	65 W	65 W	Full load			
<u>Categor</u>	<u>y 2</u>							
Short Idle Enabled	State - WOL	5.87 W	5.99 W	6.09 W	Use for ENERGY STAR V8 registration (P _{idle})			
Long Idle Enabled	State - WOL	1.81 W	1.86 W	2.11 W	Use for ENERGY STAR V8 registration (P _{idle})			
Sleep (S3)	- WOL Enabled	1.81 W	1.86 W	2.11 W	Use for ENERGY STAR V8 registration (P _{sleep})			
Sleep (S3)	- WOL Disabled	1.63 W	1.77 W	1.77 W	Reference			
Off (S5) - I	WOL Enabled	0.28 W	0.28 W	0.39 W	Use for ENERGY STAR V8 registration, Use for ErP (P _{off})			
EPS No-loa (External power s	supply / charger plugged in the	0.10 W	0.10 W	0.12 W				
PTEC *	connected from the product.) ergy Consumption	W	W	W				
ETEC *	ergy Consumption	21.37 kWh/year	21.88 kWh/year	23.44 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$ + $P_{sleep} \times 0.35 + P_{long_ldle} \times 0.10 + P_{short_ldle} \times 0.30)$			
		Poff: Off Mode(S5) - W	OL Enabled; P _{sleep} : Sleep	Mode(S3) - WOL Enabl	ed; Pidle: Idle State - WOL Enabled			
		•	al Efficiency Marking Pro	tocol) * : VI				
Display res	olution * : <mark>8.29</mark> meg	japixels						
Default tim	e to enter energy sa	ave mode: 10 minutes						
P9.2*			ion is provided with the	product.				
P9.3	Energy efficiency	class (monitors only):						
P10	Emissions							
		Declared according t	o ISO 9296 (See NOTE	B9)				
P10.1		lode description			it A-weighted sound power level, <i>L_{WA,c}</i> (B)			
	Idle *	HDD idle		* 2.7				
	Operation *	Operating (HDD) Operating (CPU)		* 3.5 * 3.5				
			nd pressure level (dB) L _p Am	24 (operator position	on desktop – idle)			
	Other mode [Declared A-weighted sour	nd pressure level (dB) L _p Am		on desktop – operating HDD) on desktop – operating CPU)			
L	Measured accordi	ng to: 🔀 ISO 7779 🛛 🗌 Other	ECMA-74 (only if not covered by	ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

Model nu	umber *	20W0,20W1,20	VX,20VY,20XK,20XL,21A0,21A1		Logo			
Issue dat	te *	2020/12/21, Revised 2021/05/18			Len	IOVO	m	
	t environ	mental attribute	es - Market requirements (co	ntinued)			iremen	
Item						Ye	es No	n.a.
		magnetic emissi						
P10.4	program	n(s): MPR-II(3 pin	he requirement for low frequency e AC adapter only)	electromagnetic fields	s of the following vol	untary 📐		
P12		mics for comput						
P12.1*			onomic requirements of ISO 9241					
P12.2*	The phy	sical input device	meets the requirements of ISO 99	95 and ISO 9241-41	0.	\triangleright		
P13	Packag	ing and docume	ntation					
P13.1*	Product Product Product	packaging materi packaging materi packaging materi	al type(s): <i>LDPE Bag</i> weight (k	g): 0.071	g): 0.32			
P13.2*			ckaging is free from PVC.			\geq		
P13.3*	consum	er recovered fiber			percentage of minim	ium post-		
P13.4*		media for user an tronic, 🔀Paper, [d product documentation (tick box) Other	:				
P13.5	Ùser an		s item if paper documentation used intation on paper media is chlorine					
	Totally of	chlorine-free				\triangleright	3	
	Elemen	tal chlorine-free					วื่	
	Process	ed chlorine-free				Ē	1	
P14	Volunta	ry programs						
P14.1			quirements of the following volunta	ry program(s):				
	Eco-lab Eco-lab	Y STAR® el: <i>EPEAT</i> el: <i>PCGL</i> el: <i>TCO</i>	Criteria version: V8 Criteria version: 1680.1-2018 Criteria version: Ver.13 Criteria version: Gen 8	Date: 2020/12/21 Date: 2021/2/26 Date: 2021/2/26 Date: 2021/3	Product category: Product category: Product category: Product category:	Notebook Notebook		
P15		nal information (
P9			specific configuration may vary,					
	NOTE: information knowled provided information	Supplier makes no tion contained in the lge available at the d here is approximition.	o representations, guarantees, assi nis document. All information provide time of completion, and supplier ate and provided for informational	urances or warrantie ded by supplier in thi shall have no obligat purposes only. See	s whether express o s document is provid ion to update such in a Lenovo Account R	r implied, regai ded based on s nformation. The	upplier's informa	
P9			I Notebooks & Tablet Computers for //index.cfm?fuseaction=find_a_pro					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad T14 Gen 2, ThinkPad P14s Gen 2	Logo
Model Number	20W0,20W1,20VX,20VY,20XK,20XL,21A0,21A1	Lonovo
Issue Date	2020/12/21, Revised 2021/05/18	Lenovo
Additional information		

(d)	Year of manufacture:				2021		
e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.						
f)	Etec value (kWh) per ErP Lot 3 Categor enable	ry and capability adjust	tments applied when a	II discrete graphics	cards (dGfx) are		
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
	Memory over base [GB]	44		44			
ents sting	Additional internal storage	No (Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)		
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)		
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)		
capa appl	Discrete graphics Card(s) [number / #]	No #: 0 (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)	# <u>:</u> (Yes / No)		
	Category of discrete graphics Card(s)	NA		G4			
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	7.46			Ī		
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled			6.55			
(g)	Idle state power demand (Watts);				A:1.53, C:1.24		
h)	Sleep mode power demand (Watts);				A:1.53, C:1.24		
i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		A:1.53, C:1.24		
j)	Off mode power demand (Watts);				A:0.35, C:0.40		
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		A:0.40, C:0.42		
1)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):			
	10% 20% 50%	100% Avera	age				
m)	External power supply efficiency (if appli	cable)*:					
	Average active efficiency: 45w:87,98%,	88,63%,88,83%;65W:	89,41%,88,62%,88,96	5%			
	*internal note: show values for all available external p						
(0)	Minimum number of loading cycles that t	the batteries can withs	tand (applies only to n	otebook computers):	500 cycles		
(p-1)	Measurement methodology used to dete	ermine information mer NA	ntioned in points (I) – ii	nternal PSU efficiency	:		
(p-2)	Measurement methodology used to dete	ermine information mer 63:2011 measuremen		external PSU efficience	cy:		

(p-3)	Measurement metho	dology used to determine information mentioned in p IEC 61960 measurement methodolo					
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode				
		EN 62623:2013 measurement methodo	blogy				
(q)	Sequence of steps for achieving a stable condition with respect to power demand::						
		EN 62623:2013 measurement methodo	blogy				
(r)	Description of how s	leep and/or off mode was selected or programmed:					
		EN 62623:2013 measurement methodo	blogy				
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or				
	refe	er to power management, 10mins automatically re	eaches sleep mode				
(t)		te condition before the computer automatically re- s not exceed the applicable power demand requirement		10			
(u)	Length of time after	r a period of user inactivity in which the compute wer power demand requirement than sleep mode (in	r automatically reaches a power	NA			
(v)	Length of time befo	ore the display sleep mode is set to activate after	user inactivity (in minutes):	10			
(w)		nergy-saving potential of power management function					
		refer to user manual					
(x)	User information on	how to enable the power management functionality:					
		refer to user manual					
(Z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in- sting:					
		230V/50HZ, Total Harmonic Distortion	<2%				
Addition	nal Notebook Batter						
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a			
		The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾					
Internal/	built-in Battery						
External	/detachable Battery						
Bios Bao	ckup Battery						
Other:							
Addition	al information						
		asily replaced by users themselves.					
as baterías d	e este producto no pueden s	родукт не може да се замени[ят] лесно от самите потребител er sustituidas fácilmente por los propios usuarios.	и.				
		neměli provádět sami uživatelé. teriet/batterierne i dette produkt.					
	Akkus dieses Produkts kann/ aa selle toote akut/akusid ise	können nicht ohne weiteres vom Benutzer selbst ausgetauscht w e hõlpsasti asendada.	verden.				
		ούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες it ne peuvent être facilement remplacée(s) par les utilisateurs eu	x-mêmes.				
orisnik ne mo	ože lako zamijeniti Bateriju sa						
etotāji paši n	evar nomainīt šā ražojuma a	kumulatoru(-us).					
termék akku		elhasználó nem tudja egyedül egyszerűen kicserélni.					
	eriji f'dan il-prodott ma tistax i dette produktet kan ikke let	'jistgħux tiģi/jiģu sostitwita/i mill-utenti stess. t erstattes av brukerne selv.					
e batterij(en)	in dit product is (zijn) door d	e gebruiker niet gemakkelijk vervangbaar. wymienić baterii w tym produkcie.					
ou as bateria	as deste produto não podem	ser facilmente substituídas pelos próprios utilizadores.					
atériu(-ie) v te	omto výrobku nemôže vymie						
ämän tuottee	n akku [akut] ei[vät] ole help	ni ne morejo zlahka zamenjati. osti käyttäjän vaihdettavissa.					
	elt för kunden att siälv hvta i						

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.