



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| Brand *                | Lenovo  | Logo   |  |  |  |
|------------------------|---|--|--|--|--|
| Company name * Lenovo  |   | The second secon |  |  |  |
| Contact information *  | Lenovo Global Environmental Affairs                           | Lenovo   |  |  |  |
| e-mail address         | Alvin L Carter  | LEI IOVO.  |  |  |  |
|                        | alcarter@lenovo.com   | 7-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1  |  |  |  |
| Internet site *        | http://www.lenovo.com/social_responsibility/us/en/environment | t.html   |  |  |  |
| Additional information | The latest version of this document can be found at:          |  |  |  |  |
|                        | http://www.lenovo.com/ecodeclaration                          |  |  |  |  |

| The company declares (based on product specification or test results based obtained from sample testing), that the product |  |  |  |  |  |
|--|--|--|--|--|--|
| conforms to the statemen   | nts given in this declaration.                               |  |  |  |  |
| Type of product *  | Notebook   |  |  |  |  |
| Commercial name *  | ThinkPad T14s Gen 2  |  |  |  |  |
| Model number *   | 20WM,20WN  |  |  |  |  |
| Issue date *   | 2021/01/12   |  |  |  |  |
| Intended market *  | ☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other |  |  |  |  |
| Additional information   |  |  |  |  |  |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

| Model number *     |   | 20WM;20WN  | Logo             | Lend        | 21/6 |        |  |
|--------------------|---|--|------------------|-------------|------|--------|--|
| Issue date *       |   | 2021/01/12   |                  | Len         | JVC  | ,      |  |
| Product env        | vironr  | mental attributes - Legal requirements   |                  | Require     | ment | met    |  |
| Item               |   |  |                  | Yes         | No   | n.a.   |  |
|                    |   | us substances and preparations   |                  |             |      |        |  |
| P1.1* Pro          | Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)  |  |                  |             |      |        |  |
|                    |   | do not contain Asbestos (see legal reference).<br>t: Legal reference has no maximum concentration value.   |                  |             |      |        |  |
| hyd<br>tric<br>cor | drobro<br>chloroe<br>ncentra  | do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachthane, methyl bromide (see legal reference). Comment: Legal reference has no mation values. | naximum          |             |      |        |  |
|                    |   | do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychl (PCT) in preparations (see legal reference).   | lorinated        |             |      |        |  |
| P1.5* Pro          | oducts  | do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).   | oon atoms in th  | ne 🔀        |      |        |  |
| (se                | ee lega   | n direct and prolonged skin contact do not release nickel in concentrations above 0<br>il reference).<br>t: Max limit in legal reference when tested according to EN1811:2011-5.   | ),5 μg/cm²/wee   | k 🛚         |      |        |  |
|                    |   | Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure   | contact):        |             |      |        |  |
|                    | tteries   |  |                  |             |      |        |  |
|                    |   | duct contains a battery or an accumulator, the battery/accumulator is labeled with<br>nformation on proper disposal is provided in user manual. (See legal reference)  | the disposal     |             |      |        |  |
| P2.2* Ba           |   | or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn  | nium. (See lega  | al 🔀        |      |        |  |
|                    |   | and accumulators are readily removable. (See legal reference)  |                  | $\square$   |      | $\Box$ |  |
|                    |   | ity verification & Eco design (ErP)  |                  |             |      |        |  |
| P3.1* The          | e prod<br>e Decl  | uct is CE-marked to show conformance with applicable legal requirements (see legaration of Conformity can be requested at (add link or e-mail address):  www.lenovo.com/us/en/compliance/eu-doc  | gal reference).  |             |      |        |  |
|                    |   | uct complies with the Eco design requirements for energy-related products, il reference).  |                  | $\boxtimes$ |      |        |  |
|                    | Required information is; Significantly given in item P15 or added to this document, available at (add URL):   |  |                  |             |      |        |  |
| htt                | tos://w   | ww.lenovo.com/us/en/compliance/eco-declaration   |                  |             |      |        |  |
|                    |   | packaging  |                  |             |      | _      |  |
| P5.1* Pa           | ckagin  | g and packaging components do not contain more than 0,01% lead, mercury nt chromium by weight of these together.   | y, cadmium ar    | nd 🔀        |      |        |  |
| P5.2* The          | e pack  | aging materials are marked with abbreviations and numbers indicating the nature elegal reference).   | of the material( | (s)         |      |        |  |
| P5.3* The (se      | used (see legal reference).  The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values. |  |                  |             |      |        |  |
|                    |   | nt information   |                  |             |      |        |  |
|                    |   | on for recyclers/treatment facilities is available (see legal reference).  |                  |             |      |        |  |

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

| Model number * |  | 20WM;20WN   | Logo            | Len         | 21/0        |      |  |  |
|----------------|--|---|-----------------|-------------|-------------|------|--|--|
| Issue dat      | te *   | 2021/01/12  |                 | Len         | JVC         | -    |  |  |
| Product        |  | mental attributes - Market requirements (See General NOTE GN onmental conscious design  | below)          | Require     | ment i      | net  |  |  |
| Item           | *=manda  | tory to fill in. Additional information regarding each item may be found under P14.   |                 | Yes         | No          | n.a. |  |  |
| P7             | Design, Disassembly, recycling  Parts that have to be treated separately are easily separable  |   |                 |             |             |      |  |  |
| P7.1*          |  | $\boxtimes$   |                 |             |             |      |  |  |
| P7.2*          | Plastic m  |   | $\boxtimes$     |             |             |      |  |  |
| P7.3*          | Plastic parts > 100 g consist of one material or of easily separable materials.  |   |                 |             |             |      |  |  |
| P7.4*          | Plastic p  | arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.  |                 | $\boxtimes$ |             |      |  |  |
| P7.5           |  | arts are free from metal inlays or have inlays that can be removed with commonly a  | vailable tools. | $\boxtimes$ |             |      |  |  |
| P7.6*          |  | re easily separable. (This requirement does not apply to safety/regulatory labels).   |                 | $\boxtimes$ |             |      |  |  |
| D7 7*          | Product  |   |                 |             |             |      |  |  |
| P7.7*          |  | g can be done e.g. with processor, memory, cards or drives  |                 |             | Ц_          |      |  |  |
| P7.8*          |  | g can be done using commonly available tools  |                 | $\boxtimes$ |             |      |  |  |
| P7.9           |  | rts are available after end of production for: 5 years  |                 |             |             |      |  |  |
| P7.10          |  | s available after end of production for: 5 years  |                 |             |             |      |  |  |
|                |  | and substance requirements  |                 |             |             |      |  |  |
| P7.11*         | Material<br>Material   | type: MgAI Material type: AI  | al type: PC+AE  | BS          |             |      |  |  |
| P7.12          | Insulation   | n materials of external electrical cables are PVC free.   |                 |             | $\boxtimes$ |      |  |  |
| P7.13          | Insulatio  | n materials of internal electrical cables are PVC free.   |                 | $\boxtimes$ |             |      |  |  |
| P7.14          | External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content. |   |                 |             |             |      |  |  |
| P7.15          | as define  | ircuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g ⊠<br>ed in IEC 61249-2-21.  (See 1NOTE B2)  | are low halog   | jen 🔀       |             |      |  |  |
| P7.16          | Marking:   |   |                 |             |             |      |  |  |
| P7.17          | TBBF   | nemical specifications of flame retardants in printed circuit boards > 25 g (without co<br>PA (additive),   |                 | in, 🛚       |             |      |  |  |
|                |  | nemical specifications of flame retardants in printed circuit boards (without compone<br>g ISO 1043-4:  | ents) > 25 g    |             |             |      |  |  |
| P7.18          | concentr<br>1. Chem<br>2. Chem   | ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: <i>Phosphorus compounds</i> , CAS #: <i>confidential</i> (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "  | s/preparations  | in 🖂        |             |      |  |  |
|                |  | nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043   |                 |             |             |      |  |  |
| P7.19          |  | parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements:  | have been       |             |             |      |  |  |
|                | The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)  |   |                 |             |             |      |  |  |
| P7.20*         | If YES; a<br>a) Of t   | sumer recycled plastic material content is used in the product (See Note B6):  It least one of the two alternatives below shall be answered;  otal plastic parts' weight > 25 g, the postconsumer recycled plastic material contenter of total plastic by weight) is 5.49%. | t (calculated a | s           |             |      |  |  |
|                |  | weight of recycled material is 19.3 g.  |                 |             |             |      |  |  |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

| Model number *  | 20WM;20WN   | Logo | Lenovo          |
|-----------------|---|------|-----------------|
| Issue date *    | 2021/01/12  |      | Lei IOVO.       |
| Product environ | mental attributes - Market requirements (continued) |      | Requirement met |
| Item            |   |      | Yes No n.a.     |

| D7 01*   |  | ostance requirements                           |  | OTE DZI:                   |  |              |
|--|--|--|--|----------------------------|--|--------------|
| P7.21*   | Biobased plastic   | material content is use                        | d in the product (See NO                             | ) I E B                    |  | Ш            |
|  | a) Of total plas   | tic parts' weight > 25 g                       | es below shall be answe<br>, the biobased plastic ma |                            | ted as a percentage of   |              |
|  | •  | by weight) is %.                               |  |                            |  |              |
|  | or<br>b) The weight  | of the biobased plastic                        | material is a.                                       |                            |  |              |
| P7.22*   |  |  | less than 0,1 mg/lamp.                               |                            | X N  |              |
|  |  | d specify: Number of la                        | mps: and maximi                                      | um mercury content pe      |  |              |
| P8.1*  | Batteries  | composition: Li ion                            |  |                            |  |              |
| P9   |  | composition: <i>Li-ion</i> ption (See NOTE B8) |  |                            |  |              |
| P9.1   |  |  | els or energy consumption                            | ons are reported:          |  |              |
| Energy mo  |  | Power level at<br>100 V AC                     | Power level at<br>115 V AC                           | Power level at<br>230 V AC | Reference/Standard for energy modes and test method *  |              |
| Peak (On-  | max)   | 65 W   | <b>65</b> W  | 65 W                       | Full load  |              |
| Categor  | y <u>2</u>   |  |  |                            |  |              |
| Short Idle S   | tate - WOL Enabled   | 4.46 W   | 4.24 W   | 4.54 W                     | Use for ENERGY STAR V8 registration (P <sub>idle</sub> )   |              |
| Long Idle S  | tate - WOL Enabled   | 1.74 W   | 1.63 W   | 1.72 W                     | Use for ENERGY STAR V8 registration (P <sub>idle</sub> )   |              |
| Sleep (S3) -<br>Disabled   | WOL Enabled /  | 1.74 W   | 1.63 W   | 1.72 W                     | Use for ENERGY STAR V8 registration (P <sub>sleep</sub> )  |              |
| Off (S5) - W<br>Disabled   | OL Enabled /   | 0.25 W   | 0.25 W   | 0.30 W                     | Use for ENERGY STAR V8 registration, Use of ErP (Poff)   |              |
| plugged in th  | d<br>wer supply / charger<br>ne wall outlet but<br>d from the product.)  | 0.094 W  | 0.096 W  | 0.114 W                    |  |              |
| PTEC *   | gy Consumption   | 2.05 W   | 1.94 W   | 2.07 W                     |  |              |
| ETEC *<br>Annual Ener  | gy Consumption   | <b>17.94</b> kWh/year                          | 16.97 kWh/year                                       | <b>18.11</b> kWh/year      | E <sub>TEC</sub> = (8760/1000) x (P <sub>off</sub> x 0.25 + P <sub>sleep</sub> x 0.35 + P <sub>long_idle</sub> x 0.10+ P <sub>short_idle</sub> x 0.30) |              |
|  |  |  | ·  |                            | ed; Pidle: Idle State - WOL Enabled  |              |
| External P   | ower Supply Efficie  | ency Level (Internationa                       | al Efficiency Marking Pro                            | tocol) * : VI              |  |              |
| Display res  | solution * : <b>8.29(38</b>  | 40*2160) megapixels                            |  |                            |  |              |
| Default tim  | e to enter energy s  | save mode: 10 minutes                          |  |                            |  |              |
| P9.2*  | Information abou   | t the energy save funct                        | ion is provided with the                             | product.                   |  |              |
| P9.3   | Energy efficiency  | class (monitors only):                         |  |                            |  |              |
| P10  | Emissions  |  |  |                            |  |              |
| D.10.1   |  |  | to ISO 9296 (See NOTE                                |                            |  | <b>(D)</b>   |
| P10.1  | Mode<br>Idle   |  |  | * 2.5                      | t A-weighted sound power level, $L_{WA,c}$   | (R)          |
|  | -  |  |  | * 3.6                      |  | <del> </del> |
|  | Operation  | * Operating (CPU) * Operating (SSD)            |  | * 2.8                      |  | Ш            |
| Other mode Declared A-weighted sound pressure level (dB) $L_{pAm}$ 17 (operator position deskt |  |  |  | <u> </u>                   |  |              |
|  | Other mode   | Declared A-weighted soul                       | nd pressure level (dB) $L_{p  m Am}$                 |                            | n desktop – operating CPU)<br>desktop – operating SSD)   |              |
|  | Measured accord  | ling to: X ISO 7779                            | ECMA-74  | 1                          |  |              |
|  |  | Other  | (only if not covered by                              | ECMA-74)                   |  |              |
|  | - Canal Cana |  |  |                            |  |              |

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

| Model number *                          | 20WM;20WN   |  |   | Logo   | -                       |                   |      |
|---|---|--|---|--|-------------------------|-------------------|------|
| Issue date *                            | 2021/01/12  |  |   |  | .eno                    | VO                |      |
| Product environ                         | mental attributes   | - Market requirements (cor   | ntinued)  |  | Require                 | ment              | met  |
| Item                                    |   | •  | •   |  | Yes                     | No                | n.a. |
| Electro                                 | magnetic emissions  | S  |   |  |                         |                   |      |
| progran                                 | n(s): MPŔ-II(3 pin A  |  | lectromagnetic fields   | s of the following voluntary   |                         |                   |      |
|   | mics for computing  |  |   |  |                         |                   |      |
|   |   | omic requirements of ISO 9241-   |   | •  |                         |                   |      |
| P12.2* The phy                          | The physical input device meets the requirements of ISO 9995 and ISO 9241-410.      |  |   |  |                         |                   |      |
|   | ing and documenta   |  |   |  |                         |                   |      |
| Produc<br>Produc<br>Produc              | packaging material  | type(s): <i>acc box</i> weight (kg<br>type(s): <i>system LDPE bag</i><br>type(s): <i>EPE cushion</i> weight (kg                              | g): <b>0.07</b><br>weight (kg): <b>0.025</b>                            |  |                         |                   |      |
| P13.2* Produc                           | t plastic primary pack  | aging is free from PVC.  |   |  | $\boxtimes$             |                   |      |
| consum                                  | er recovered fiber co   |  |   | percentage of minimum post   | 3                       |                   |      |
|   |   | product documentation (tick box):<br>Other   | :   |  |                         |                   |      |
| Ùser ar                                 |   | em if paper documentation used<br>ation on paper media is chlorine-  |   |  |                         |                   |      |
| ,                                       | chlorine-free<br>tal chlorine-free  |  |   |  | $\boxtimes$             |                   |      |
| Process                                 | sed chlorine-free   |  |   |  | $\overline{\boxtimes}$  |                   |      |
| P14 Volunt                              | ary programs  |  |   |  |                         |                   |      |
| P14.1 The pro                           | duct meets the requi  | rements of the following voluntar  | y program(s):   |  |                         |                   |      |
|   | SY STAR®<br>el: <b>EPEAT Gold</b>   | Criteria version: 8.0<br>Criteria version: 1680.1-2018   | Date: 2020/12/28<br>Date: 2021/3/12                                     | Product category: 2 Product category: Noteboo  | k                       |                   |      |
|   | el: <b>PCGL</b><br>el: <b>TCO</b>   | Criteria version: <i>Ver.13</i> Criteria version: <i>Gen8.0</i>  | Date: <b>2021/3/12</b><br>Date: <b>2021/3/25</b>                        | Product category: <i>Noteboo</i> Product category: <i>Noteboo</i>                          |                         |                   |      |
|   | nal information (Se   |  |   |  |                         |                   |      |
|   |   | ecific configuration may vary;   |   |  |                         |                   |      |
| informa<br>knowle<br>provide<br>informa | tion contained in this<br>dge available at the ti<br>d here is approximate<br>tion. | epresentations, guarantees, assu<br>document. All information provid<br>me of completion, and supplier s<br>e and provided for informational | led by supplier in thi<br>shall have no obligat<br>purposes only. See a | s document is provided base<br>ion to update such informatio<br>a Lenovo Account Represent | d on supp<br>n. The inf | olier's<br>ormati | ion  |
|   |   | otebooks & Tablet Computers for dex.cfm?fuseaction=find_a_production   |   |  |                         |                   |      |
|   |   |  |   |  |                         |                   |      |
|   |   |  |   |  |                         |                   |      |

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

| Reference   | Declaration item       |
|---|------------------------|
| Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.  | P1.1                   |
| Regulation (EC) 1907/2006(REACH, Annex XVII   | P1.2, P1.4, P1.6, P1.7 |
| Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)   | P1.3, P5.3             |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002  | P1.5                   |
| Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.              | P2.1, P2.2, P2,3, P8.1 |
| Directive 2006/95/EC (Low Voltage Directive)  | P3.1                   |
| Directive 2004/108/EC (EMC Directive)   | P3.1                   |
| Directive 1999/5/EC (R&TTE Directive)   | P3.1                   |
| Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions | P3.1, P3.2             |
| Regulation (EC) No 1272/2008 (CLP Regulation)   | P7.19                  |
| Directive 2004/12/EC ( Packaging Directive)   | P5.1                   |
| Decision 97/129/EC (Secondary packaging legislation)  | P5.2                   |
| Directive 2012/19/EU (WEEE directive)   | P6.1                   |

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

| Commercial name        | ThinkPad T14s Gen 2 | Logo    |
|------------------------|---------------------|---------|
| Model Number           | 20WM;20WN           | Lenovo  |
| Issue Date             | 2020/2/25           | Lenovo. |
| Additional information |                     |         |

| d)   | Year of manufacture:   |                                     |                                     |                                     | 2020                                |
|--|--|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| e)   | Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with  |                                     |                                     |                                     | cards (dGfx) are                    |
| <sup>(1)</sup>                                   | Etec value (kWh) per ErP Lot 3 Categorenable   | III discrete graphics o             | cards (dGfx) are                    |                                     |                                     |
|  |  | Category A (according to ErP Lot 3) | Category B (according to ErP Lot 3) | Category C (according to ErP Lot 3) | Category D (according to ErP Lot 3) |
|  | Memory over base [GB]  | 28                                  |                                     |                                     |                                     |
| ents<br>ting                                     | Additional internal storage  | No<br>(Yes / No)                    | (Yes / No)                          | (Yes / No)                          | (Yes / No)                          |
| capability adjustments<br>applied during testing | Discrete television tuner  | No<br>(Yes / No)                    | (Yes / No)                          | (Yes / No)                          | (Yes / No)                          |
| ability a<br>lied du                             | Discrete Audio Card  | No<br>(Yes / No)                    | (Yes / No)                          | (Yes / No)                          | (Yes / No)                          |
| caps   | Discrete graphics Card(s) [number / #]   | No #:<br>(Yes / No)                 | #:<br>(Yes / No)                    | #:<br>(Yes / No)                    | #:<br>(Yes / No)                    |
|  | Category of discrete graphics Card(s)  | NA                                  |                                     |                                     |                                     |
| sults  | Etec Value (kWh) - dGfx disabled<br>all discrete graphics cards (dGfx) are disabled/<br>UMA is active for switchable graphics/<br>product has no graphics cards (dGfx) | 7.68                                |                                     |                                     |                                     |
| Test results                                     | Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled   |                                     |                                     |                                     |                                     |
| g)   | Idle state power demand (Watts);   |                                     |                                     |                                     | 1.76                                |
| 1)   | Sleep mode power demand (Watts);   |                                     |                                     |                                     | 1.75                                |
| )  | Sleep mode with WOL enabled power de   | emand (Watts) (where                | enabled);                           |                                     | 1.75                                |
| )  | Off mode power demand (Watts);   |                                     |                                     |                                     | 0.29                                |
| ()   | Off mode with WOL enabled power dem  | and (Watts) (where en               | abled);                             |                                     | 0.29                                |
| )  | Internal power supply efficiency at 10 %,  | , 20 %, 50 % and 100 °              | % of rated output pow               | er (if applicable):                 |                                     |
|  | 10% 20% 50%  | 100% Avera                          | ige                                 |                                     |                                     |
| n)   | External power supply efficiency (if appli   | cable)*:                            |                                     |                                     |                                     |
|  | Average active efficiency: 65W:89,41%  | ,88,62%,88,96%                      |                                     |                                     |                                     |
|  | *internal note: show values for all available external p   |                                     |                                     |                                     |                                     |
| 0)   | Minimum number of loading cycles that  | the batteries can withst            | tand (applies only to n             | otebook computers):                 | 300                                 |
| p-1)   | Measurement methodology used to dete   | ermine information mer<br><b>NA</b> | tioned in points (I) – in           | nternal PSU efficiency:             |                                     |
| 0-2)   | Measurement methodology used to dete   | ermine information mer              | tioned in points (m) –              | external PSU efficiend              | cy:                                 |

| (p-3)                       | 3) Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:  EN 62623:2013 measurement methodology |   |                                     |     |  |  |
|-----------------------------|---|---|-------------------------------------|-----|--|--|
| (p-4)                       |   | dology used to determine information mentioned in r<br>Point P9.1 in the Product IT Eco Declaration:<br>IEC 62623 / IEC EN50564:2011 measurement re | •                                   |     |  |  |
| (q)                         | Sequence of steps for achieving a stable condition with respect to power demand:  IEC 62623 / IEC EN50564:2011 measurement methodology              |   |                                     |     |  |  |
| (r)                         | Description of how sl   | eep and/or off mode was selected or programmed:   |                                     |     |  |  |
|                             | refer to power man  | agement, sleep mode: ACPI system level G1/S3 (<br>ACPI system level G2/S5 ('soft off') s  |                                     |     |  |  |
| (s)                         | Sequence of events off mode:  | required to reach the mode where the equipment au   | tomatically changes to sleep and/or |     |  |  |
|                             | refe  | er to power management, 30mins automatically re   | eaches sleep mode                   |     |  |  |
| (t)                         |   | te condition before the computer automatically rendered the applicable power demand requirement   |                                     | 10  |  |  |
| (u)                         | Length of time after  | a period of user inactivity in which the compute<br>ver power demand requirement than sleep mode (in  | r automatically reaches a power     | NA  |  |  |
| (v)                         |   | re the display sleep mode is set to activate after  |                                     | 10  |  |  |
| (w)                         |   | nergy-saving potential of power management function   |                                     | 10  |  |  |
|                             |   | refer to user manual  |                                     |     |  |  |
| (x)                         | User information on I   | now to enable the power management functionality:   |                                     |     |  |  |
|                             |   | refer to user manual  |                                     |     |  |  |
| (z)                         |   | measurements: — test voltage in V and frequency in<br>system, — information and documentation on the institution.                                   |                                     |     |  |  |
|                             |   | 230V/50HZ, Total Harmonic Distortion  | <2%                                 |     |  |  |
| Addition                    | al Notebook Batter  | y Information:  |                                     |     |  |  |
|                             |   | Battery[ies] not user replaceable   | Battery[ies] user replaceable       | n/a |  |  |
|                             |   | The battery[ies] in this product cannot be easily replaced by users themselves. 1)  |                                     |     |  |  |
| Internal/b                  | ouilt-in Battery  |   |                                     |     |  |  |
| External/detachable Battery |   |   |                                     |     |  |  |
| Bios Backup Battery         |   |   |                                     |     |  |  |
| Other:                      |   |   |                                     |     |  |  |
| Additional information      |   |   |                                     |     |  |  |
|                             |   |   |                                     |     |  |  |
|                             |   |   |                                     |     |  |  |
| 1                           |   |   |                                     |     |  |  |

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.
Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.