



Annex B2 - Product environmental attributes Servers/Data Storage Products

The declaration may be published only when all rows and/or fields marked with * are filled-in (N/A for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		_
Contact information *	Lenovo Global Environmental Affairs		Lenovo
e-mail address	Alvin L Carter		LCI IOVO,
	alcarter@lenovo.com		
Internet site *	https://www.lenovo.com/us/en/about/sustainability		
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Type of product * SERVER					
Commercial name *	ThinkServer TS150					
Model number *	70LU,70LV, 70LW, 70LX, 70UA, 70UB, 70UC, 70UD					
Issue date *	2020-01-31					
Intended market *	Global Europe Asia, Pacific & Japan Americas Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number * 70	0LU, 70LV, 70LW, 70LX, 70UA, 70UB, 70UC, 70UD	Logo	Lonovo
Issue date * 20	020-1-31		LEI IOVO.

Product	environmental attributes - Legal requirements	Require	men	t met
Item		Yes	No	N/A
P1	Hazardous substances and preparations			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	X		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).			
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/weel (see legal reference).	(<u> </u>		
P1.7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5. REACH Article 33 information about substances in articles is available at (add URL or mail contact):		_	
	https://www.lenovo.com/us/en/sustainability-resources		Ш	Ш
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega reference)	I		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes		
P2.4*	Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference)			
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference)			
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc	\boxtimes		
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).			
	Required information is;			
	available at: https://www.lenovo.com/us/en/compliance/eco-declaration			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(used (see legal reference).	s) 🔀		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protoc (see legal reference).	ol 🔀		
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
	Information for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	70LU, 70LV, 70LW, 70LX, 70UA, 70UB, 70UC, 70UD	Logo	Lenovo
Issue date *	2020-1-31		LEI IOVO"

Product	environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	N/A
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		Н-	<u> </u>
P7.2*	Plastic materials in covers/housing have no surface coating.		 	<u> </u>
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		Щ.	Щ.
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		<u>Ц</u>	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Щ.	Щ.
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		<u>Ш</u>	
D7 7*	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		<u> </u>	<u> </u>
P7.8*	Upgrading can be done using commonly available tools			
P7.9	Spare parts are available after end of production for: years			
P7.10	Service is available after end of production for: years			
D7 44*	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: PC+ABS Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		\square	
P7.13	Insulation materials of internal electrical cables are PVC free.			Ħ
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%	%	+	Ħ
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an		ш	ш
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing	g		
P7.15	more than 25% post-consumer recycled content.		_	
1 7.13	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloge as defined in IEC 61249-2-21. (See ⁵ NOTE B2)	n 🔲	ш	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		$\overline{\Box}$	
	Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: chemical name: , CAS #:		Ш	
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4:		Ш	
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations is	n		
	concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4)			
	1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			П
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		Ħ	Ħ
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):		\boxtimes	
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is %.			
	or			
	b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	70LU, 70LV, 70LW, 70LX, 70UA, 70UB, 70UC, 70UD	Logo	Lonovo
Issue date *	2020-1-31		LEI IOVO,

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	N/A

	Material and sub	stance requirements	(continued)					
P7.21*			in the product (See NC)TE B7):			\boxtimes	
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of the biobased plastic material is great and the plants of the biobased plastic material is great and the plants of the biobased plastic material is great and the plants of the biobased plastic material is great and the plants of the biobased plastic material is great and the plants of							
		, , , , , , , , , , , , , , , , , , , ,						
P7.22*		Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg						
P7.23*		l specify: Number of lan	e total mercury content i	im mercury content pe in the integrated displa	r lamp: mg ıy: mg		$\overline{}$	\square
P8	Batteries	o arr integral display, the	o total merodry content	in the integrated disple	ry. mg		<u> —</u>	
P8.1*	Battery chemical	composition:						$\overline{}$
P9		otion (See NOTE B8)						
P9.1			s or energy consumptio	ns are renorted:				
Energy mo	de *	Power level at	Power level at	Power level at	Reference/Standard for	r ene	rav	X
		100 V AC	115 V AC	230 V AC	modes and test method		.9)	
Peak (On-	max)	W	W	W	Full load			
Categor	<u>y</u>							
EPS No-loa		W	W	W				
	ower supply /							
	igged in the wall							
the product	lisconnected from							
PTEC *	ι.)	W	W	W				\square
_	ergy Consumption	**		**				
ETEC *	37	kWh/year	kWh/year	kWh/year				X
	ergy Consumption							
External Po	ower Supply Efficie	ncy Level (International	Efficiency Marking Prof	tocol) * :				\boxtimes
Display res	solution * : n	negapixels						\boxtimes
Default tim	e to enter energy s	ave mode: minut	tes					\boxtimes
P9.2*	Information about	the energy save function	on is provided with the p	product.		\boxtimes		
P9.3	Energy efficiency	class (monitors only):						$\overline{\boxtimes}$
P10	Emissions	Dealers I	100 0000 (0 · · NOTE	DO	1			
P10.1		<u>– Declared according to</u> Mode description	ISO 9296 (See NOTE		t A-weighted sound power	r lovol	1	/B)
F 10.1	Idle	* HDD idle		* 3.7	. A-weighted Sound power	ievei,	∟ WA,c	(B)
		* HDD Operating		* 4.0				∺
			d pressure level (dB) $L_{p{\sf Am}}$		sition desktop – idle)			
	Other mode $\frac{Declared A-weighted sound pressure level (dB)}{Declared A$							
	Measured according to: ☐ ISO 7779 ☐ ECMA-74							
	Other (only if not covered by ECMA-74)							
	Electromagnetic emissions							
P10.4		meets the requirement	for low frequency elect	romagnetic fields of th	e following voluntary			\boxtimes
	program(s):							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$

Model number *	70LU, 70LV, 70LW, 70LX, 70UA, 70UB, 70UC, 70UD	Logo	Lanava
Issue date *	2020-1-31		LEI IOVO"

Product	environmental attributes - Market requirements (continued)	Require	ment	met
Item	·	Yes	No	N/A
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			\boxtimes
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			\boxtimes
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Carton weight (kg): 1.385			
	Product packaging material type(s): <i>EPE</i> weight (kg): 0.51			
P13.2*	Product packaging material type(s): wood weight (kg): 0.937 Product plastic primary packaging is free from PVC.	N/1	$\overline{}$	$\overline{}$
	1 1 11 00			Щ.
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content:			
P13.4*	Specify media for user and product documentation (tick box):			П
	⊠Electronic, ⊠Paper, □Other			
P13.5	(Please only complete this item if paper documentation used)			
	User and product documentation on paper media is chlorine-free:			
	If Yes, please specify:			
	Totally chlorine-free			
	Elemental chlorine-free	\sqcap		
	Processed chlorine-free	Ħ		
P14	Voluntary programs			
P14.1	The product meets the requirements of the following voluntary program(s):			
	ENERGY STAR® Criteria version: Date: Product category:			
	Eco-label: Criteria version: Date: Product category:			
P15	Additional information (See NOTE B10)			
P9	Energy consumption of computer products; description of the tested product configuration:			
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or in the information contained in this document. All information provided by supplier in this document is provided by supplier in this document is provided by supplier in this document.			
	supplier's knowledge available at the time of completion, and supplier shall have no obligation to upda		Dasec	1 011
	information. The information provided here is approximate and provided for informational purposes on		a Len	ovo
	Account Representative for more information.	.,,		
P9	See Energy Star Qualified Enterprise Servers for the latest information:			
	https://www.energystar.gov/products/data_center_equipment/enterprise_servers			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5, P3.1, P3.2, P7.23, P9.1
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	

Lenovo ErP Lot9 Information Sheet - Servers & Storage Products-

As required by COMMISSION REGULATION (EU) 2019/424 of 15 March 2019 laying down ecodesign requirements for servers and data storage products pursuant to Directive 2009/125/EC of the European Parliament and of the Council and amending Commission Regulation (EU) No 617/2013. (ErP Lot9)

Products scope of this sheet: Servers & storage products

This document is only valid in connection with the IT Eco Declaration of the specific Product.

SERVERS

\sim		4.5
General	Intor	matian

Commercial name (3.1 (b))	ThinkServer TS150	Logo	
Contact Address (3.1 (b))	7001 Development Dr. Building 7, Morrisville, NC 27560, United		
	States		Lonovo
Model Number (3.1 (c))	70LU, 70LV, 70LW, 70LX, 70UA, 70UB, 70UC, 70UD		Lenovo
Issue Date	2020-01-31		
Additional information			

Product (environmental attributes (EU) 2019/424 – Annex II points 3.1 and 3.3							
	In scope cut of scope, products out of scope us.							
1.b (3.1 (a))	Server type Rack Server High Performance Computing (HPC)							
(0(4))	Tower Server Multi Node Server							
	Blade Server Data Storage product (Please go to "DATA STORAGE PRODUCTS" section							
1.c (3.1 (d))	Year of manufacture: 2020							
1.d	Product model part of a server product family? No Yes							
(3.1 (p))	List of all model configurations that are represented by the model:							
	http://psref.lenovo.com/Product/ThinkServer/ThinkServer_TS150							
1.e (3.1 (n))	Information on the secure data deletion functionality							
(3.1 (11))	(a) instructions on how to use the functionality:							
	hdparmuser -master usecurity-set-pass user123 /dev/sdb							
	(b) techniques used:							
	encryption algorithm, decryption algorithm, security writing tech, DES, RSA							
	(c) supported secure data deletion standard (if any): N/A							
	OR - Reference to other information:							
4.5	https://manpages.debian.org/testing/hdparm/hdparm.8.en.html							
1.f (3.1 (o))	Blade servers? No Yes							
	list of recommended combinations with compatible chassis:							
Recycling								
2.a (3.3 (a))								
(0.0 (4))	2 1655 than og							
	between 5 g and 25 g							
	☐ above 25 g above 25 g							
2.b	Instructions on the disassembly operations							
(3.3 (b))	(a) the type of operation; <i>Manual</i>							
	 (b) the type and number of fastening technique(s) to be unlocked; 2, threaded fastening and plastic pin fastening (c) the tool(s) required. Phillips #2 screwdriver, T20 torx screwdriver, 5, 7, 11, 16 mm wrench 							
	(c) the tool(s) required. Finings #2 screwariver, 120 torx screwariver, 3, 1, 11, 10 min wrench							
	OR - Reference to other information:							
2.c	Firmware							
	Reference to information on last available firmware:							
	https://datacentersupport.lenovo.com/cn/en/products/servers/thinkserver/ts150?linkTrack=Homepage%3ABody_Search							
A Julius	%20Products&searchType=3&keyWordSearch=Tower%20Server%20-%20TS150%20(ThinkServer)							
Additional	intermation							
-								

Server family specific information Family 1

Family n	io. / name								
	umber(s) / Description	Standard or low-end							
(3.1 (c))		Processor(Minimum	result of	core count * frequency in far	mily): In	tel G3900T, Storage: 1TB HDD * 2,			
				y in family) * 2, PSU: 250W * '	1				
		High-end performand							
					mily): Ir	ntel E3-1225V6, Storage: 480GB			
		SSD * 2, Memory: 16	GB * 2, F	PSU: 250W * 1					
	nal information								
Produc	t environmental attril	outes (EU) 2019/424 -	- Annex II	points 3.1 and 3.3					
F1.a				d 100 % of rated output power					
(3.1 (e))	(expressed in % and	rounded to the first dec	cimal plac	e): 🔀 Multi-output 🔲 Single	e-output				
	Standard or low-end performance configuration(s): 10% 88.13% 20% 90.64% 50% 92.51% 100% 90.19% Average 91.11%								
	High-end performand	ce configuration(s):							
	10% 88.13% 20%	90.64% 50% 92.51%	100% 9	0.19% Average 91.11%					
F1.b		of the rated load level		standard or low-end performar		high-end performance			
(3.1 (f))	(rounded to three dec			configuration: 0.990		configuration: 0.990			
F1.c (3.1 (g))	PSU rated power out (in Watts rounded to								
	internal note: If a product model is part of a server product family, all PSUs offered in a server product family shall be reported with the information specified in (e) and (f)								
F1.d	idle state power			standard or low-end performar		high-end performance			
(3.1 (h))		d to the first decimal pla		configuration: 19.5		configuration: 14.6			
F1.e	List of all component	ts for additional idle pow	wer allowa	inces					
(3.1 (i))		eta	andard or	low-end performance	high-o	nd performance			
			nfiguratio			uration:			
	CPU Performance		7			Socket			
	or or enominated		7	` '					
w			2 Socket (7 × PerfCPU W)		2 Socket				
ent	Additional PSU		O(Yes / No) #	,		O(Yes / No) #: 0			
j.	HDD		S(Yes / No)			/ No) #: 0			
gins	SDD		O(Yes / No) #			s / No) #: 2			
s ac ng	Additional memory		, ,			S(Yes / No) #: 28GB			
idle power allowances adjustments during testing	Additional buffered DDF			‡: 0	No(Yes	/ No) #: 0			
van ng t	Additional I/O devices		none	no no		e			
la j			< 1 Gb/s: N	No Allowance		Gb/s: No Allowance			
e e			= 1 Gb/s: 2	2,0 W/Active Port		Gb/s: 2,0 W/Active Port			
) O	□ 1 GU/s.		=	nd < 10 Gb/s: 4,0 W/Active Port	_	Gb/s and < 10 Gb/s: 4,0 W/Active Port			
ер			7						
.0			=	and < 25Gb/s: 15,0 W/Active Port) Gb/s and < 25Gb/s: 15,0 W/Active Port			
			≥ 25 Gb/s a	and < 50Gb/s: 20,0 W/Active Port	≥ 25	5 Gb/s and < 50Gb/s: 20,0 W/Active Port			
			≥ 50 Gb/s 2	26,0 W/Active Port	≥ 50) Gb/s 26,0 W/Active Port			
F1.f	maximum power			standard or low-end performar		high-end performance			
(3.1 (j)) (in Watts and rounded to the first decimal place) con			configuration: 33.8		configuration: 69.5				
F1.g	F1.g operating condition class			standard or low-end performance high-end performance					
(3.1 (k))	(as defined in Table 6 or ErP lot 9)		configuration: configuration:						
				A1		A1			
				Exception comments		Exception comments			
F1.h	idle state power at th	e higher boundary temp	perature	standard or low-end performar	nce	high-end performance			
(3.1 (I))	of the declared operating condition class (in Watts)			configuration: 28 configuration: 45					
F1.i	the active state efficiency and the performance in standard or low-end performance high-end performance								
(3.1 (m))	active state of the server;			configuration: 14.4		configuration: 34.5			