

ecma

Annex B2 - Product environmental attributes Servers/Data Storage Products

The declaration may be published only when all rows and/or fields marked with * are filled-in (N/A for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs		Lenovo			
e-mail address	Alvin L Carter					
	alcarter@lenovo.com					
Internet site *	https://www.lenovo.com/us/en/about/sustainability					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

• •	The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the stateme	ents given in this declaration.					
Type of product *	Server					
Commercial name *	Lenovo ThinkSystem SR850					
Model number *	7X18, 7X19					
Issue date *	Jan 31, 2020					
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	7X18, 7X19	Logo			
Issue date *		Jan 31, 2020		Len		Эт
Produc	t environ	mental attributes - Legal requirements		Require	men	t met
ltem				Yes	No	N/A
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	E B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*	Products hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no n ration values.	, , ,			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /l (PCT) in preparations (see legal reference).	llorinated	\boxtimes		
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in t	he 🔀		
P1.6*	Parts wi (see leg	th direct and prolonged skin contact do not release nickel in concentrations above (al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/we	ek		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail ww.lenovo.com/us/en/sustainability-resources	contact):	\boxtimes		
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal	\boxtimes		
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn	nium. (See leg	jal 🔀		
P2.3*		and accumulators are readily removable. (See legal reference)		\times		
P2.4*	Docume	ntation includes the number of cycles the (secondary) battery can withstand. (See I	egal reference		Ħ	
P2.5*	When in	ternal batteries of a notebook computer cannot be "accessed and replaced by a no e related text is present and legible on the external packaging (see legal reference)	nprofessional			
P3		nity verification & Eco design (ErP)	/			
P3.1*	The pro	duct is CE-marked to show conformance with applicable legal requirements (see legal article legal requirements) (see legal article lega				
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	Require	d information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/e	eco-declaratio			
P5	Product	packaging				
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together.	y, cadmium a	and 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).	of the materia	l(s) 🔀		
P5.3*	The prod (see leg	Juct packaging material is free from ozone depleting substances as specified in the M al reference). nt: Legal reference has no maximum concentration values.	Montreal Proto	icol 🔀		
P6	Treatme	nt information				
P6.1*	Informat	on for recyclers/treatment facilities is available (see legal reference).		\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		7X18, 7X19 Logo			
Issue date *		Jan 31, 2020	Len	OVO	D
Product		mental attributes - Market requirements (See General NOTE GN below)			
		nmental conscious design	Require		
Item P7		tory to fill in. Additional information regarding each item may be found under P14.	Yes	No	N/A
P7.1*		Disassembly, recycling t have to be treated separately are easily separable			
P7.2*		aterials in covers/housing have no surface coating.		╞	
P7.3*		arts > 100 g consist of one material or of easily separable materials.		╶╞╡	
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		-	╶┝┤
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available too		-	
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		╞	╶╞┤╴
	Product				
P7.7*		g can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgradin	g can be done using commonly available tools		Ē	
P7.9		Ints are available after end of production for: years			Ħ
P7.10	Service i	s available after end of production for: years			Ħ
		and substance requirements			
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: <u>Steel</u> Material type: <u>PC+ABS</u> Material type:			
P7.12		n materials of external electrical cables are PVC free.		\square	
P7.13		n materials of internal electrical cables are PVC free.	<u> </u>		
P7.14		plastic casing/cover parts > 25 g contain no more than $0,1\%$ weight (1000 ppm) bromine and			
	polyvinyl	1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts conta n 25% post-consumer recycled content.			
P7.15		ircuit boards, PCBs (without components) are low halogen: all \square PCBs > 25 g \square are low hat in IEC 61249-2-21. (See ⁵ NOTE B2)	logen 🔀		
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			
P7.17	<u>Alt. 1: </u> Ch	nemical specifications of flame retardants in printed circuit boards > 25 g (without components)	:		
	TBBPA (additive) 📃, TBBPA (reactive) 🗌 (See NOTE B3), Other: chemical name:, CAS #:			
		nemical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4:			
P7.18		~ ame retarded plastic parts > 25 g contain the following flame retardant substances/preparatic			
17.10		ations above 0,1%:			
		ical name: , CAS #: (See NOTE B4)			
		ical name: , CAS #: " ical name: , CAS #: "			
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:	_		_
D7 10		parts > 25 g according 100 10404.	<u> </u>	─\	<u> </u>
P7.19	•	the following Risk phrases; and Hazard statements:			
	0	ce(s) for these classifications is/are found at (add URL(s)): , (See note B5)	`		
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):		\square	
	a) Of t a pe or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated ercentage of total plastic by weight) is %.	l as		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	7X18, 7X19	Logo	
Issue date *	Jan 31, 2020		LEIIOVO

Product environmental attributes - Market requirements (continued)

Item

Requirement metYesNoN/A

P7.21*		bstance requirements (material content is used		DTE B7):					
	a) Of total plas	ne of the two alternative stic parts' weight > 25 g, by weight) is %.		,	ted as a percentage of				
	or	<i>y i i i i i i i</i>							
		of the biobased plastic n							
P7.22*		e free from mercury, i.e. I d specify: Number of lam		um mercury content pe	r lamp: mg				
P7.23*		es an integral display, the							
P8	Batteries								
P8.1*	Battery chemical	composition: Lithium M	langanese Dioxide						
P9	Energy consum	ption (See NOTE B8)							
P9.1	For the product t	he following power levels							
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *				
Peak (On-r	nax)	W	W	W	Full load				
Categor	v								
EPS No-loa		W	W	W					
	ower supply /								
	gged in the wall								
	isconnected from								
the product PTEC *)	W	W	W					
	ergy Consumption		vv	vv					
ETEC *		kWh/year	kWh/year	kWh/year					
	ergy Consumption		•	•					
External Po	ower Supply Efficie	ency Level (International	Efficiency Marking Pro	tocol) * :					
Display res	olution * : I	megapixels							
Default time	e to enter energy	save mode: 25 minutes							
P9.2*	Information about	it the energy save function	on is provided with the	product.					
P9.3	Energy efficiency	/ class (monitors only):							
P10	Emissions								
		 Declared according to 	ISO 9296 (See NOTE						
P10.1	Mode	Mode description			t A-weighted sound power level, <i>L_{WA,c}</i> (B)				
	Idle	* idle mode		* 5.8	<u>L</u>				
	Operation	* CPU stress 50%		* 6.2					
	Other mode $Declared A$ -weighted sound pressure level (dB) L_{pAm}		(operator position desktop – idle)						
	Other mode Declared A-weighted sound pressure level (dB) L_{pAm}			(operator position desktop – operating)					
	Measured accord	ding to: 🔀 ISO 7779 🗌 Other	ECMA-74 (only if not covered by						
	Electromagneti		toniy il not covered by						
P10.4		y meets the requirement	for low frequency elec	tromagnetic fields of th	e following voluntary				
	program(s):	,							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

Model nu	mber *	7X18, 7X19			Logo			
Issue dat	:e *	Jan 31, 2020				Leno	VO	тн
Product	environn	nental attribut	es - Market requiremen	ts (continued)		Require	ment	met
Item						Yes	No	N/A
P12	Ergonor	nics for compu	ting products					
P12.1*	The disp	lay meets the er	gonomic requirements of ISC	0 9241-307 for visual	display technologies.			
P12.2*	The phys	sical input device	meets the requirements of	ISO 9995 and ISO 924	41-410.	\square		
P13	Packagi	ng and docume	ntation					
P13.1*	Product	packaging mater	ial type(s): Corrugated boa ial type(s): EPE we ial type(s): Plastic LDPE we	eight (kg): 1.114	756			
P13.2*			ackaging is free from PVC.			\square		
P13.3*		luct primary con		ng, specify the contai	ned percentage of minimur			
P13.4*		nedia for user ar ronic, ⊠Paper,	nd product documentation (ti	ck box):				
P13.5	User and		is item if paper documentation entation on paper media is c					
		hlorine-free al chlorine-free						
	Process	ed chlorine-free				H		
P14	Volunta	ry programs						
P14.1			quirements of the following	voluntary program(s):				
	ENERG` Eco-labe Eco-labe		Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product category: Product category: Product category:			
P15	Addition	al information	(See NOTE B10)					
P9			computer products; desc		product configuration: warranties whether expre	es or implied	rogar	dina
	the info supplier informa Accoun	rmation contain "s knowledge a tion. The inform t Representativ	ed in this document. All in vailable at the time of com ation provided here is app e for more information.	formation provided l pletion, and supplied proximate and provid	by supplier in this docume r shall have no obligation t led for informational purpo	ent is provided in the second se	based	d on
P9			ed Enterprise Servers for a .gov/products/data_center					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5, P3.1, P3.2, P7.23, P9.1
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	

Lenovo ErP Lot9 Information Sheet - Servers & Storage Products-

As required by COMMISSION REGULATION (EU) 2019/424 of 15 March 2019 laying down ecodesign requirements for servers and data storage products pursuant to Directive 2009/125/EC of the European Parliament and of the Council and amending Commission Regulation (EU) No 617/2013. (ErP Lot9)

Products scope of this sheet: Servers & storage products

This document is only valid in connection with the IT Eco Declaration of the specific Product.

SERVERS

General information

Commercial name (3.1 (b))	Lenovo ThinkSystem SR850	Logo	
Contact Address (3.1 (b))	7001 Development Dr. Building 7, Morrisville, NC 27560, United		
	States		Lenovo
Model Number (3.1 (c))	7X18, 7X19		
Issue Date	Jan 31, 2020		
Additional information	The latest version of this document can be found at: http://www.lenovo.com/ecodeclaration		

Product enviro	nmental attributes (EU) 2019/424 – Annex II points 3.1 and 3.3
	product consider to be in scope of ErP Lot 9 in scope of out of scope, product is out of scope as:
	r type Rack Server High Performance Computing (HPC) Tower Server Multi Node Server Blade Server Data Storage product (Please go to "DATA STORAGE PRODUCTS" section
1.c Year (of manufacture: 2017
1.d Production (3.1 (p)) List of	Ict model part of a server product family? No Yes f all model configurations that are represented by the model: //psref.lenovo.com/Product/ThinkSystem/ThinkSystem_SR850
(3.1 (n)) (((((((((((((((((((nation on the secure data deletion functionality a) instructions on how to use the functionality: 2 methods are provided to use the functionality. 1) Use a command line tool to do the secure data deletion on the remote target system via boot up a customized Linux OS on it. Eg: OneCli.exe serase -bmc USERID:PASSWORD@xx.xx.xxsftp root:password@xx.xxx.xx./home - log 5 2) Use BoMC to create a full functions bootable media, start the media and choose secure erase from the text menu. b) techniques used: OS tools under Linux -> Standard Linux Open Source tool c) supported secure data deletion standard (if any): Secure Erase/block Erase/Crypto Erase, Sanitize Reference to other information: m: https://en.wikipedia.org/wiki/Hdparm -format: https://www.systutorials.com/docs/linux/man/8-sg_sanitize/ : https://www.systutorials.com/docs/linux/man/1-scrub/
storcli 1.f Blade	: <u>https://docs.broadcom.com/docs-and-downloads/raid-controllers/raid-controllers-common-iles/StorCLI_RefMan_revf.pdf</u> servers? No Yes
(0.4.(-)) Diauc	recommended combinations with compatible chassis:
Recycling Data	
	tive weight range at component level, of the ing critical raw materials: (a) Cobalt in the batteries (b) Neodymium in the HDDs less than 5 g between 5 g and 25 g above 25 g (b) Neodymium in the HDDs less than 5 g (c) between 5 g and 25 g (c) above 25 g
(3.3 (b)) ((actions on the disassembly operations (a) the type of operation; (b) the type and number of fastening technique(s) to be unlocked; (c) the tool(s) required. Reference to other information: https://datacentersupport.lenovo.com/us/en/
2.c Firmv Refer https	vare ence to information on last available firmware: ://datacentersupport.lenovo.com/us/en/products/servers/thinksystem/sr850/7x18/downloads/driver-list/
Additional inform	lation

Server family specific information Family 1

Family	no. / name	🛛 1 – 2 CPU pop	ulated fam	ilv			
Model n (3.1 (c))	Model number(s) / Description 3.1 (c)) Standard or low-end performance configuration: Processor(Minimum result of core count * frequency in family): Intel Xeon Bronze 3104, Storage: 300GB HDD * 2, Memory: 8GB(lowest capacity in family) * 12, PSU: 750W * 2, NIC: 4port 1G RJ45 High-end performance configuration: Processor(Maximum result of core count * frequency in family): Intel Xeon Platinum 8280, Storage: 2TB HDD * 2, Memory: 32GB* 12, PSU: 750W * 2, NIC: 4port 1G RJ45						
Additio	nal information	You can refer to https://www.plugle			sDetail.aspx?id=49&type=1 along with m_SR850 for the PSU efficiency details.		
Produc	ct environmental attril						
F1.a (3.1 (e))		rounded to the first of performance configu	decimal plac	d 100 % of rated output power ce): Multi-output Single			
	High-end performand	e configuration(s):		-			
E1 h	10% 89.99 20% 93 Power factor at 50 %	of the roted load loss	00% 93.58		high and porfermance		
F1.b (3.1 (f))	rounded to three de		ei	standard or low-end performation: 0.990	Ince high-end performance configuration: 0.990		
F1.c (3.1 (g))	PSU rated power out (in Watts rounded to	put		standard or low-end performan configuration: 750W			
F 4 1	internal note: If a product model is part of a ser product family shall be reported w	ver product family, all PSUs offer vith the information specified in (e	red in a server e) and (f)				
F1.d (3.1 (h))	idle state power (in Watts and rounde	d to the first decimal	place)	standard or low-end performation: 91.6W	nce high-end performance configuration: 93.6W		
F1.e	List of all component						
(3.1 (i))			configuratio		high-end performance configuration:		
(0)	CPU Performance			et (10 × PerfCPU W) et (7 × PerfCPU W)	☐ 1 Socket 2 Socket		
ents	Additional PSU		Yes (Yes / N		Yes (Yes / No) #: 1		
stme	HDD		Yes (Yes / N	,	Yes (Yes / No) #: 2		
djus	SDD		No (Yes /	,	No (Yes / No) #:		
s a(ting	Additional memory		Yes (Yes / 1		Yes (Yes / No) #: 380GB		
nce test	Additional buffered DDF Additional I/O devices	R channel		No) #: 4 channel	Yes (Yes / No) #: 4 channel		
idle power allowances adjustments during testing			 X = 1 Gb/s: : > 1 Gb/s a ≥ 10 Gb/s ≥ 25 Gb/s 	No Allowance 2,0 W/Active Port and < 10 Gb/s: 4,0 W/Active Port and < 25Gb/s: 15,0 W/Active Port and < 50Gb/s: 20,0 W/Active Port 26,0 W/Active Port	none < 1 Gb/s: No Allowance = 1 Gb/s: 2,0 W/Active Port > 1 Gb/s and < 10 Gb/s: 4,0 W/Active Port $\geq 10 \text{ Gb/s and } < 25 \text{ Gb/s: 15,0 W/Active Port}$ $\geq 25 \text{ Gb/s and } < 50 \text{ Gb/s: 20,0 W/Active Port}$ $\geq 50 \text{ Gb/s 26,0 W/Active Port}$		
F1.f	maximum power		_	standard or low-end performation	ince high-end performance		
(3.1 (j))	(in Watts and rounde		place)	configuration: 189.5	configuration: 682.1		
F1.g (3.1 (k))	operating condition c (as defined in Table (standard or low-end performan configuration: A1 A2 A3 A4	nce high-end performance configuration: A1 A2 A3 A4		
				Exception comments	Exception comments		
F1.h (3.1 (l))	idle state power at th of the declared opera	ating condition class	(in Watts)	standard or low-end performan configuration: 96.2	configuration: 98.3		
F1.i (3.1 (m))	the active state efficient active state of the se		nance in	standard or low-end performation configuration: 12.1	ince high-end performance configuration: 35.3		

Server family specific information Family 2

Family I	no. / name	🔀 2 - 4 CPU po	opulated fam	ilv				
Model n	umber(s) / Description			ance configuration: N/A				
(3.1 (c))		High-end perform						
		You can refer to						
Additio	nal information			ns.com/80PlusPowerSupplies	Detail.aspx?id=49&type=1 along with			
					m_SR850 for the PSU efficiency details.			
Produc	ct environmental attri				-			
F1.a	PSU efficiency at 10	% (if applicable), 2	0 %. 50 % ar	d 100 % of rated output power				
(3.1 (e))				ce): 🗌 Multi-output 🛛 Singl	e-outout			
					e output			
	Standard or low-end performance configuration(s):							
	10% 92.30 20% 94.63 50% 95.22 100% 93.08 Average 94.31%							
				3				
	high-end performanc	e configuration(s):						
	10% 92.30 20% 94	.63 50% 95.22	100% 93.08	Average 94.31%				
F1.b	Power factor at 50 %	of the rated load le	evel	standard or low-end performan	nce high-end performance			
(3.1 (f))	(rounded to three de	cimal places)		configuration: 1.0	configuration: 1.0			
F1.c	PSU rated power out			standard or low-end performation				
(3.1 (g))	(in Watts rounded to	the nearest integer	r)	configuration: 2000W	configuration: 2000W			
	internal note:							
	If a product model is part of a ser product family shall be reported v	ver product family, all PSUs of with the information specified in	ffered in a server					
F1.d	idle state power	war ale information specified in		standard or low-end performation	nce high-end performance			
(3.1 (h))	(in Watts and rounde	d to the first decim	al place)	configuration:	configuration:			
F1.e	List of all component		1 /	0	<u>.</u>			
(3.1 (i))	· · · ·							
			standard or low-end performance		high-end performance			
	-		configuration:		configuration:			
	CPU Performance		1 Sock	et (10 × PerfCPU W)	1 Socket			
			2 Socket (7 × PerfCPU W)		2 Socket			
nts	Additional PSU	U (Yes / (Yes /		No) #:	(Yes / No) #:			
power allowances adjustments during testing	HDD			No) #:	(Yes / No) #:			
ust	SDD			No) #:	(Yes / No) #:			
adj	Additional memory			No) #:	(Yes / No) #:			
stin	Additional buffered DDF	R channel		No) #:	(Yes / No) #:			
anc j te:	Additional I/O devices		none		none			
ring								
du				No Allowance	< 1 Gb/s: No Allowance			
wer			= 1 Gb/s:	2,0 W/Active Port	= 1 Gb/s: 2,0 W/Active Port			
Ď			> 1 Gb/s a	and < 10 Gb/s: 4,0 W/Active Port	> 1 Gb/s and < 10 Gb/s: 4,0 W/Active Port			
idle			≥ 10 Gb/s	and < 25Gb/s: 15,0 W/Active Port	≥ 10 Gb/s and < 25Gb/s: 15,0 W/Active Port			
			≥ 25 Gb/s and < 50Gb/s: 20,0 W/Active Port		≥ 25 Gb/s and < 50Gb/s: 20,0 W/Active Port			
				26,0 W/Active Port	≥ 50 Gb/s 26,0 W/Active Port			
F1.f	maximum power		= 30 GD/S	standard or low-end performan				
Г Г.Г (3.1 (j))	(in Watts and rounde	d to the first decim	al place)	configuration:	configuration:			
F1.g	operating condition c			standard or low-end performa				
(3.1 (k))	(as defined in Table			configuration:	configuration:			
	(
Exception comments Exception comments								
F1.h	idle state power at th	e higher boundary	temperature	standard or low-end performation	nce high-end performance			
(3.1 (l))	of the declared opera			configuration:	configuration:			
F1.i	the active state effici	ency and the perfor	rmance in	standard or low-end performation				
(3.1 (m))	active state of the se			configuration:	configuration:			
//		,		garadon.				