



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Computer monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo					
Company name *	Lenovo						
Contact information *	Lenovo Global Environmental Affairs		Lenovo				
e-mail address	Alvin L Carter		LCIIOVO				
	alcarter@lenovo.com						
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html						
Additional information	The latest version of this document can be found at:						
	http://www.lenovo.com/ecodeclaration						

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Monitor					
Commercial name *	ThinkVision E24-20/T24s-20					
Model number *	62A5, 62AC					
Issue date *	2020/6/24					
Intended market *	Global Europe Asia, Pacific & Japan Americas Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	62A5, 62AC		Lanova	
Issue date *	2020/6/24		LEI IOVO"	

Product	Product environmental attributes - Legal requirements						
Item		Yes	No	n.a.			
P1	Hazardous substances and preparations						
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	$\boxtimes$					
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.	$\boxtimes$					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.						
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).						
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in th chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀					
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/weel (see legal reference).  Comment: Max limit in legal reference when tested according to EN1811:2011-5.						
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://static.lenovo.com/ww/docs/sustainability/ww-disclosure-Lenovo-REACH-SVHC-Disclosure.pdf						
P2	Batteries						
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)						
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega reference)	I					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			$\boxtimes$			
P3	Conformity verification & Eco design (ErP)						
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at: <a href="https://www.lenovo.com/us/en/compliance/eu-doc">https://www.lenovo.com/us/en/compliance/eu-doc</a>						
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).	$\boxtimes$					
	Required information is; given in item P15 or added to this document,						
	available at: https://www.lenovo.com/us/en/compliance/eco-declaration						
P5	Product packaging		_				
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an hexavalent chromium by weight of these together.						
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material (used (see legal reference).	, ,					
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montre Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.	al 🔀					
P6	Treatment information						
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	$\boxtimes$					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	62A5,62AC	Logo	Lopovo
Issue date *	2020/6/24		LEI IOVO"

Produc	t environmental attributes - Market requirements (See General NOTE GN below)									
	- Environmental conscious design Requirement met									
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.						
P7	Design Disassembly, recycling									
P7.1*	Parts that have to be treated separately are easily separable									
P7.2*	Plastic materials in covers/housing have no surface coating.			+						
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			$\dashv$						
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		╫	$\dashv$						
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	X	╫	+						
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		$\dashv$	+						
1	Product lifetime									
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	$\overline{}$	П							
P7.8*	Upgrading can be done using commonly available tools	<del>-  -</del>	Ħ	X						
P7.9	Spare parts are available after end of production for: 5 years									
P7.10	Service is available after end of production for: 5 years			+						
	Material and substance requirements									
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):									
	Material type: PC Material type:									
P7.12	Insulation materials of external electrical cables are PVC free.		$\boxtimes$							
P7.13	Insulation materials of internal electrical cables are PVC free.									
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.									
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)	v								
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			$\boxtimes$						
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):  TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: Melamine, CAS #: 108-78-1 E									
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:									
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%:  1. Chemical name: , CAS #: (See NOTE B4)  2. Chemical name: , CAS #: "  3. Chemical name: , CAS #: "	1								
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:									
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:  The source(s) for these classifications is/are found at (add URL(s)): (See note B5)									
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):		П	$\Box$						
	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 77% (EPEAT Calculation) / 85% (TCO calculation).  or  b) The weight of recycled material is 640.9g.									

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	nber *	62A5, 62	AC			Logo			
Issue date	*	2020/6/2	4				Leno	VC	тм
Product	environn	nental at	tributes - Market r	equirements (cont	inued)		Require	men	t met
Item							Yes	No	n.a.
	Material	and subs	tance requirements	(continued)					
P7.21*	Biobased	d plastic m	aterial content is use	d in the product (See N	NOTE B7):				$\boxtimes$
P7.22* Light sources are free from mercury, i.e. less than 0,1 mg/lamp.  If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg									
P8	Batteries	,	opoony. Hambor or la	inpo. and maxim	nam moreary content p	or lamp. mg			
P8.1*			omposition:						
P9			tion (See NOTE B8)						
P9.1				ls or energy consumpt	ions are reported:				
Energy mo			Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *			
ENERGY S (System Id		n Mode*	13.11 W	12.98 W	13.05 W	ENERGY STAR® Requirements for Version 8.0	Program		
ENERGY STAR® Low Power Sleep Mode*		w Power	0.21 W	0.21 W	0.28 W	ENERGY STAR® Requirements for Version 8.0			
ENERGY S Apparent C		f /	0.22 W	0.21 W	0.28 W	ENERGY STAR® Requirements for Version 8.0			
PTEC * Typical Ene	ergy Cons	umption							
ETEC * Annual Ene	ergy Consi	umption	41.33 kWh/year	40.98 kWh/year	41.59 kWh/year	$E_{TEC} = (8760/1000)$ $P_{sleep} \times 0.1 + P_{idle}$		5 +	
External Po	ower Supp	ly Efficien	cy Level (Internationa	l Efficiency Marking Pi	rotocol) * : NA				$\boxtimes$
Display res	solution * :	1920x108	80 megapixels			ENERGY STAR® Requirements for Version 8.0	0		
Default time to enter energy save mode: 1 minutes  ENERGY STAR® Program Requirements for Displays: Version 8.0									
P9.2*	Informati	on about t	he energy save funct	ion is provided with the	product.				
P9.3	P9.3 The product meets the energy requirements of the following voluntary program/s:  ENERGY STAR® version: 8.0 Product category: Display.								
P10	Emissio								
			Declared according to	o ISO 9296 (See NOT	E B9)				
P10.1	Mode	N	lode description		Statistical upper lim	nit A-weighted sound	power level,	L <sub>WA,c</sub>	(B)

\* N/A

\* N/A

N/A

N/A

(only if not covered by ECMA-74)

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Idle

Operation
Other mode

Other mode

Measured according to:

\* N/A

\* N/A

N/A

N/A

ISO 7779 ECMA-74

Other

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model number * 62A5, 62AC Log				Logo		010.0					
Issue date *		2020/6/24							Lenc		н
Product	environr	mental attributes	- Market requiren	ments (cor	ntinued)				Require		met
Item									Yes	No	n.a.
		magnetic emissions									
P10.4										$\boxtimes$	
	program	<u> </u>									
P12	Ergonomics for computing products  The display reset the comparison province set of ICO 0044 207 for visual display to the leader to the comparison province set of ICO 0044 207 for visual display to the leader to the comparison province set of ICO 0044 207 for visual display to the leader to the comparison province set of ICO 0044 207 for visual display to the leader to the comparison province set of ICO 0044 207 for visual display to the leader to the comparison province set of ICO 0044 207 for visual display to the leader to the comparison province set of ICO 0044 207 for visual display to the leader to the comparison province set of ICO 0044 207 for visual display to the leader to the comparison province set of ICO 0044 207 for visual display to the leader to the comparison province set of ICO 0044 207 for visual display to the leader to the comparison province set of ICO 0044 207 for visual display to the leader to the comparison province set of ICO 0044 207 for visual display to the leader to the comparison province set of ICO 0044 207 for visual display to the leader to the leader to the comparison province set of ICO 0044 207 for visual display to the leader to the l										
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.							Щ			
P12.2*	The phy	sical input device me	ets the requirement	ts of ISO 999	95 and ISO 9241-41	0.					$\boxtimes$
P13		ng and documenta									
P13.1*		packaging material t			weight (kg): 0.378						
		packaging material t			weight (kg): 0.861						
P13.2*		packaging material t plastic primary pack			weight (kg): 0.053						_
			<u> </u>								ᆜ
P13.3*	* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 90 %							Ш			
P13.4*		media for user and p		on (tick box):							
	Electronic, Paper, Other										
P13.5	(Please only complete this item if paper documentation used)										
	User and product documentation on paper media is chlorine-free:										
	If Yes, p	lease specify:									
	Totally o	hlorine-free									
	Element	al chlorine-free							Ħ		
	Process	ed chlorine-free							H		
P14		ry programs									
P14.1		duct meets the requi	rements of the follow	ving voluntar	v program(s).						
1 17.1	The proc	adot mooto mo requi	cincino di the follow	villy voluntar	y program(s).						
	Eco-labe	el: <b>ENERGY STAR</b>	Criteria version: 8.0	. <b>0</b>	Date: 2020/05/13	Product ca	ategory: /	<i>lonitor</i>	•		
	Eco-labe	el: <b>TCO</b>	Criteria version: 8.0	.0	Date: 2020/05/25	Product ca	ategory: 1	<i>lonitor</i>	•		
		el: TCO Edge	Criteria version: 2.0	.0	Date: 2020/05/25	Product ca	tegory: /	<u>Ionitor</u>	•		
P15		nal information (Sec									
P9		consumption of sp									
		Supplier makes no re									
	information contained in this document. All information provided by supplier in this document is provided based on supplier's										
	knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information							ion			
	provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.										
P9		ergy Star Qualified N	otebooks & Tablet C	Computers fo	r the latest informati	ion:					
		/w.energystar.gov/in					ode=CO				
	•			<u> </u>							

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) *  * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1