



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs		Lenovo			
e-mail address	Alvin L Carter		LCIIOVO			
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information		·				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Monitor			
Commercial name *	E27q-20/T27qs-20			
Model number *	62D0			
Issue date *	2021/04/27			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number * Issue date *		62D0		Lenovo.			
		2021/04/27		Len			
Product environmental attributes - Legal requirements			Require	ment m	et		
Item							
P1 F	Yes No n.a. Hazardous substances and preparations						
	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)						
	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.						
		do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),					
h ti c	nydrobro richloroe concentr	mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.	naximum				
te	erpheny	do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychl (PCT) in preparations (see legal reference).					
		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in t	ne 🔀			
(:	see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). ht: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/wee	ek 🔀			
P1.7* F	REACH	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):				
P2 E	Batteries	3					
		duct contains a battery or an accumulator, the battery/accumulator is labeled with information on proper disposal is provided in user manual. (See legal reference)	he disposal			X	
P2.2* E	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)						
P2.3* E	Batteries and accumulators are readily removable. (See legal reference)					$\overline{\mathbf{X}}$	
P3 C	Conformity verification & Eco design (ErP)						
P3.1* T							
P3.2* T	The product complies with the Eco design requirements for energy-related products,						
F	(see legal reference). Required information is; ☐ given in item P15 or added to this document, ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐						
		/ww.lenovo.com/us/en/compliance/eco-declaration					
		packaging	, andmium -	nd 🔽			
h	nexavale	ng and packaging components do not contain more than 0,01% lead, mercur ont chromium by weight of these together.					
U	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).						
F	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.						
	Treatment information						
		on for recyclers/treatment facilities is available (see legal reference).					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

		0200	Len	OVC	5		
Issue date *		2021/04/27	Lei	OVC	ти		
Product environmental attributes - Market requirements (See General NOTE GN below) - Environmental conscious design Requirement met							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes						
P7	P7 Design Disassembly, recycling						
P7.1*	Parts that have to be treated separately are easily separable						
P7.2*	Plastic materials in covers/housing have no surface coating.						
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.	\boxtimes				
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	X				
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available tools	. 🛛				
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).					
	Product	lifetime					
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives			\square		
P7.8*	Upgradir	ng can be done using commonly available tools		一百	X		
P7.9	Spare pa	arts are available after end of production for: 5 years			$\overline{\Box}$		
P7.10	Service i	is available after end of production for: 5 years			Ħ		
	Material	and substance requirements					
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):					
		type: ABS Material type: PC Material type:					
P7.12	Insulatio	n materials of external electrical cables are PVC free.					
P7.13	Insulatio	n materials of internal electrical cables are PVC free.		\boxtimes			
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%						
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.						
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)						
P7.16							
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without components):	_				
	TBBF	PA (additive), XTBBPA (reactive) (See NOTE B3), Other:, CAS #:			Ш		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:						
P7.18	Alt. 1: FI	ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations	s in				
		rations above 0,1%:		\boxtimes			
		ical name: , CAS #: (See NOTE B4)					
		ical name: , CAS #: " ical name: , CAS #: "					
		•		\square			
P7.19		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		-			
67.19	•			Ш			
	assigned the following Risk phrases; and Hazard statements: The source(a) for those classifications is lore found at (add LIRI (a)): (See note R5)						
P7.20*	The source(s) for these classifications is/are found at (add URL(s)): * Postconsumer recycled plastic material content is used in the product (See Note B6):						
F 7.20	FUSICOIIS	sumer recycled plastic material content is used in the product (See Note D0).		Ш	Ш		
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 82.09 %. (EPEAT calculation) / 85% (TCO calculation) or						
ĺ	b) The	e weight of recycled material is 829.69 g.					

Logo

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * 6200

Model num	ber *	62D0					Logo	Lon		
Issue date	ate * 2021/04/27				Lend	JVC) тм			
Product environmental attributes - Market requirements (continued				nued)		Require	emen	t met		
Item			•		Yes	No	n.a.			
Material and substance requirements (continued)										
					the product (See No	OTE B7):			\boxtimes	
	If YES; a	t least one	e of the two	alternatives	below shall be answe	ered;				
l						naterial content (calcul	ated as a percentage	•		
		tal plastic	by weight) i	is %.						
1	or b) The weight of the biobased plastic material is g.									
	Light sou	rces are f		rcury, i.e. le:	ss than 0,1 mg/lamp.	um mercury content pe	r lamp: mg	\boxtimes		
	Batteries		specify. Muli	ibei oi iailip	s. and maximi	an mercury content per	namp. mg			
			omposition:							
			tion (See No	OTE B8)						
					or energy consumption	ons are reported:				
Energy mod			Power	Power	Power level at	Power level at	Reference/Standar	d for en	ergy	
			level at	level at	115 V AC	230 V AC	modes and test me	thod *	••	
			100V	100V						
ENEBOY O	TADO 0:-	Ml - *	50HzAC 18.98	/60Hz	18.94	18.56	ENERGY STAR® F	Program		
ENERGY ST (System Idle		wode	10.30	19	10.34	10.50	Requirements for C			
(Oystelli laic	•)						Monitors: Ver. 8.0			
ENERGY ST	TAR® Lo	w Power	0.268	0.27	0.28	0.31	ENERGY STAR® F			
Sleep Mode	*						Requirements for C	omputer		
			0.40	0.40	0.40	0.00	Monitors: Ver. 8.0 ENERGY STAR® F	Program		
ENERGY ST		1	0.18	0.19	0.19	0.23	Requirements for C			
Apparent Off Mode*							Monitors: Ver. 8.0	opa.to.		
PTEC *			63.79 W	63.87 W	63.73 W	62.65 W				$\overline{}$
Typical Ener	rgy Consi	umption	00.70 11	00.07	30.70 11	02.00 1.				ш
ETEC *			kWh/year	kWh/year	kWh/year	kWh/year	$E_{TEC} = (8760/1000)$		0.6 +	\boxtimes
Annual Ener							$P_{\text{sleep}} \times 0.1 + P_{\text{idle}} \times$	0.3)		
External Pov	wer Supp	ly Efficien	cy Level (Int	ernational E	fficiency Marking Pro	tocol) * :				
			10	1-			ENERGY STAR® F			
Display reso	nulion :	2500"144	40 megapixels				Requirements for C Monitors: Ver. 8.0	omputer		
							ENERGY STAR® F	rogram		
Default time to enter energy sav			ave mode: 15 seconds				Requirements for C			
							Monitors: Ver. 8.0			
			0,	e energy save function is provided with the product.				\boxtimes		
					s of the following volutegory: Display .	untary program/s:				
P10	Emissions									
	Noise emission – Declared according to ISO 9296 (See NOTE B9)									
l –	Mode		Mode desc			Statistical upper limit A-weighted sound power level, L _{WA,c} (B)				<u> </u>
Idle		* HDD: Idle			*				\boxtimes	
	Operation	1	* HDD: Op			*				\boxtimes
	Other mo	ode	Declared A-weighted sound pressure level (open (dB) $L_{p {\rm Am}}$			(operator pos	ator position desktop – idle)			
	Other mo	ode	Declared A-v	veighted soun	d pressure level	(operator pos	sition desktop – operat	ing)		
			(dB) L _{pAm}							
	Measure	d accordir	3		ECMA-74					
	Other (only if not covered by ECMA-74)									

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nun	nber *	62D0 Logo	Long	\/O				
Issue date *		2021/04/27	Leno	VO,				
Product 6	environn	mental attributes - Market requirements (continued)	Require	ment	met			
Item			Yes	No	n.a.			
	Electron	magnetic emissions						
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s):							
P12		mics for computing products						
P12.1*	-	play meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\boxtimes					
P12.2*		sical input device meets the requirements of ISO 9995 and ISO 9241-410.			\boxtimes			
P13		ing and documentation						
P13.1*	Product Product	packaging material type(s): Corrugated packaging material type(s): EPE weight (kg): 0.53 packaging material type(s): Bag weight (kg): 0.025 packaging material type(s): weight (kg):						
P13.2*	Product	plastic primary packaging is free from PVC.	\boxtimes					
P13.3*		duct primary corrugated fiberboard packaging, specify the contained percentage of minimum poer recovered fiber content: 90%	st-					
P13.4*		media for user and product documentation (tick box): cronic, ⊠Paper, ⊡Other						
P13.5	Ùser and	only complete this item if paper documentation used) d product documentation on paper media is chlorine-free: lease specify:						
	Totally chlorine-free							
	Processe	ed chlorine-free						
P14	Volunta	ry programs						
P14.1	ENERGY TCO Eco-labe	3 7	lonitor					
P15		nal information (See NOTE B10)						
P9		consumption of specific configuration may vary; description of the tested product configura						
	informati knowled	Supplier makes no representations, guarantees, assurances or warranties whether express or implies ion contained in this document. All information provided by supplier in this document is provided basing available at the time of completion, and supplier shall have no obligation to update such information in the presence of the provided for informational purposes only. See a Lenovo Account Represeion.	sed on supp tion. The inf	lier's ormati	on			
P9		ergy Star Qualified Monitors & Displays for the latest information: www.energystar.gov/products/office_equipment/displays						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1