

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo)		
Company name *	Lenovo				
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com		Lenovo.		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	uct * Monitor				
Commercial name *	hinkVision M15, Lenovo L15				
Model number *	62CA, 66E4				
Issue date *	2021/03/18				
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model n	umber *	62CA, 66E4 Logo				
Issue date *		2021/03/18	Lenovo.			
Product	t environ	mental attributes - Legal requirements	Require	men	t met	
Item			Yes	No	n.a.	
P1	Hazard	ous substances and preparations				
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	Product hydrobr trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.				
P1.4*	Product	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated yl (PCT) in preparations (see legal reference).	\boxtimes			
P1.5*	Product	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in t ontaining at least 48% per mass of chlorine in the SCCP (see legal reference).	he 🔀			
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/we al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	ek 🔀			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): <pre>www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure</pre>	\boxtimes			
P2	Batterie	9S				
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Batterie	al		\boxtimes		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)				\square	
P3	Confor	nity verification & Eco design (ErP)				
P3.1*	The pro The Dec https://	duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU and www.lenovo.com/us/en/compliance/uk-doc for UK				
P3.2*	The pro	duct complies with the Eco design requirements for energy-related products, al reference).	\boxtimes			
	Require	d information is; given in item P15 or added to this document, available at (add URL):				
		www.lenovo.com/us/en/compliance/eco-declaration				
P5		t packaging				
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and 🛛 🗌 hexavalent chromium by weight of these together.					
P5.2*	used (se	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).				
P5.3*	Protoco	The product packaging material is free from ozone depleting substances as specified in the Montreal Reference). Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.				
P6		ent information				
P6.1*	Informat	\square				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model r	number *	62CA, 66E4 Logo						
Issue date *		2021/03/18	_en	ovc	Ти			
Produ	- Enviro		equire	ment	met			
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.							
P7	Design Disassem	bly, recycling						
P7.1*	Parts that have to be treated separately are easily separable							
P7.2*	Plastic materials in covers/housing have no surface coating.							
P7.3*	Plastic par	ts > 100 g consist of one material or of easily separable materials.		Ē	Π			
P7.4*	Plastic par	ts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Ħ	Ē			
P7.5	Plastic par	ts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ē	Ē			
P7.6*		easily separable. (This requirement does not apply to safety/regulatory labels).		Ħ	Ē			
	Product li							
P7.7*	Upgrading	can be done e.g. with processor, memory, cards or drives			\square			
P7.8*	Upgrading	can be done using commonly available tools						
P7.9	Spare part	s are available after end of production for: 5 years						
P7.10	Service is	available after end of production for: 5 years						
		nd substance requirements						
P7.11*		ver/housing material type (e.g. plastics, metal, aluminum):						
P7.12	Material type: ABS Material type: PC Material type:							
P7.12	Insulation materials of external electrical cables are PVC free.							
P7.14								
	weight (10 polyvinyl o	00 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts more than 25% post-consumer recycled content.						
P7.15								
P7.16								
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other:, CAS #:							
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:							
P7.18	concentrations above 0,1%: Image: 0,1%: 1. Chemical name: , CAS #: 2. Chemical name: , CAS #:							
		al name: , CAS #: " mical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:						
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)							
P7.20*		mer recycled plastic material content is used in the product (See Note B6):	\square					
	a) Of tot perce	east one of the two alternatives below shall be answered; al plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a ntage of total plastic by weight) is 16.3%. (EPEAT calculation) / 85% (TCO calculation) or veight of recycled material is 250.7 g.						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	mber *	62CA, 6	6 E 4				Logo			
Issue dat	e *	2021/03/	18					Lene	ovc	2111
Product	environ	nental at	tributes -	Market rec	uirements (cont	inued)	·	Requir	emen	t met
ltem							Yes	No	n.a.	
	Materia	and subs	stance requ	irements (c	ontinued)					
P7.21*	7.21* Biobased plastic material content is used in the product (See NOTE B7):									
	If YES; at least one of the two alternatives below shall be answered;									
	a) Of of t or	total plasti otal plastic	c parts' weig by weight)	ght > 25 g, t is <mark>0</mark> %.	he biobased plastic	material content (calcu	lated as a perce	ntage		
P7.22*	b) The weight of the biobased plastic material is 0g. Light sources are free from mercury, i.e. less than 0,1 mg/lamp.									
			specify: Nun	nber of lamp	s: and maxin	num mercury content pe	er lamp: m	g		
P8	Batterie		anan a aiti a mu							
P8.1*	-		omposition:							
P9	Energy	consump	tion (See No	DTE B8)						
P9.1		product the			or energy consumpt Power level at		Defense a /Cto	undand for or		
Energy mo	ode "		Power level at 100V 50HzAC	Power level at 100V /60Hz	115 V AC	Power level at 230 V AC	Reference/Sta modes and tes		leigy	
ENERGY (System Io	STAR® O dle)	n Mode*	6.1 W	6.09	6.2	6.12	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0			
ENERGY STAR® Low Power Sleep Mode*		w Power	0.41	0.4	0.4	0.41	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0			
ENERGY STAR® Off / Apparent Off Mode*		ff /	0.35	0.35	0.35	0.35	ENERGY STA Requirements Monitors: Ver.	for Computer		
PTEC *			20.23 W	20.62 W	21.3 W	21.25 W	1			
	nergy Cons	sumption								
ETEC * Annual En	nergy Cons	umption	18.23 kWh /vear	<mark>18.19</mark> kWh /year	18.48 kWh/year	18.28 kWh/year	$E_{TEC} = (8760/1)$ $P_{sleep} \times 0.1 + F_{sleep}$).6 +	
External P	ower Supp	oly Efficien		ernational E	fficiency Marking P	rotocol) * :				\boxtimes
Display re	solution*	: 1920*108	30 megapixe	ls		,	ENERGY STA Requirements Monitors: Ver.	for Computer		
Default tin		0,7	ive mode: 15				ENERGY STA Requirements Monitors: Ver.	for Computer		
P9.2*	P9.2* Information about the energy save function is provided with the product.									
P9.3*										
P10	Emissio						1			
		mission –	Declared ad	cording to I	SO 9296 (See NOT	E B9)				
P10.1	Mode		Mode desc			Statistical upper lim	it A-weighted sou	ind power leve	I, <i>L_{WA,c}</i>	(B)
	Idle		* HDD: Idl	e		*				\boxtimes
	Operation		* HDD: Operating *							
	Other m	ode	Declared A-w (dB) L _p Am	veighted soun	d pressure level	(operator po	sition desktop – id	dle)		
	Other m	ode		lared A-weighted sound pressure level (operator position				perating)		
	Measure	ed accordir	ng to: 🔀 IS Otl		ECMA-74 only if not covered b	y ECMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	ımber *	62CA, 66E4			Logo				
Issue date *		2021/03/18				Lenovo		O	
Product	environ	mental attribu	tes - Market requirements (continued)		Require	ment	met	
Item						Yes	No	n.a.	
		magnetic emiss							
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s):								
P12		mics for compu							
P12.1*	The disp	play meets the er	gonomic requirements of ISO 92	241-307 for visual displa	y technologies.	\square			
P12.2*	The phy	sical input device	e meets the requirements of ISO	9995 and ISO 9241-41	0.			\boxtimes	
P13	Packag	ing and docume	entation						
P13.1*	Product packaging material type(s): Plastic(Cushion) weight (kg): 0.79 Product packaging material type(s): Plastic(Cushion) weight (kg): 0.04 Product packaging material type(s): Plastic(Bag) weight (kg): 0.005 Product packaging material type(s): Plastic(Bag) weight (kg): 0.0174 Product packaging material type(s): Polyester(Bag) weight (kg): 0.135								
P13.2*	Product	plastic primary p	ackaging is free from PVC.			\boxtimes			
P13.3*		duct primary cor er recovered fibe	rugated fiberboard packaging, and content: 90%	specify the contained p	ercentage of minimum				
P13.4*	Specify media for user and product documentation (tick box):								
P13.5	Ùser an		is item if paper documentation u entation on paper media is chlor						
	Totally chlorine-free Image: Constraint of the second se								
P14	Volunta	ary programs							
P14.1	The pro ENERG TCO Eco-lab	duct meets the re Y STAR® el:	equirements of the following volu Criteria version: 8.0 Criteria version: Criteria version:	ntary program(s): Date: 2021/03/18 Date: Date:	Product category: <i>LC</i> Product category: Product category:	D Monitor			
P15			(See NOTE B10)						
P9	Energy	consumption o	f specific configuration may v	ary; description of the	tested product config	uration:			
	NOTE: informat knowlec provided informat	Supplier makes r tion contained in lge available at tl d here is approxii tion.	no representations, guarantees, this document. All information pr ne time of completion, and suppl mate and provided for informatio	assurances or warrantie ovided by supplier in thi ier shall have no obligat nal purposes only. See	s whether express or in s document is provided ion to update such infor	nplied, regarding based on supp mation. The inf	olier's ormatio	on	
P9	See Energy Star Qualified Monitors & Displays for the latest information: https://www.energystar.gov/products/office_equipment/displays TUV Low Blue Light and TUV Flicker Free								

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1