



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2- Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo Logo						
Company name *	Lenovo						
Contact information *	Lenovo Global Environmental Affairs						
e-mail address	Lenovo Global Environmental Affairs Alvin L Carter						
	alcarter@lenovo.com						
Internet site *	http://www3.lenovo.com/us/en/social_responsibility/environment						
Additional information	The latest version of this document can be found at:						
	http://www.lenovo.com/ecodeclaration						

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Display						
Commercial name *	ThinkVision P27q-20						
Model number *	61EA, 61E9						
Issue date *	2019/10/28						
Intended market *	Global Europe Asia, Pacific & Japan Americas Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mber * 61EA, 61E9 Logo					
Issue dat	e date * 2019/10/28			Lend) _{TM}
Product	environ	mental attributes - Legal requirements		Require	men	t met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	. B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	Products hydrobro trichloroe	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no material values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych vl (PCT) in preparations (see legal reference).	lorinated			
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in the	e 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5μg/cm²/week			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie	s				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See lega	I		
P2.3*	Batteries and accumulators are readily removable. (See legal reference)					X
P3	Conforn	nity verification& Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see legal requirements) duration of Conformity can be requested at: https://www.lenovo.com/us/en/complair				
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).					
		d information is; given in item P15 or added to this document, available at: https://www.lenovo.com/us/en/compliance/ed	on-declaration			
P5	Product	packaging	- doctaration			
P5.1*	Packagii	ng and packaging components do not contain more than 0,01% lead, mercury ant chromium by weight of these together.	/, cadmium an	ıd 🔀		
P5.2*	The pack	kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).	of the material(s	s) 🔀		
P5.3*	The prod	duct packaging material is free from ozone depleting substances as specified in the Nal reference). In the control of the cont	nontreal Protoco	ol 🔀		
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	61EA, 61E9	Logo	Lonovo
Issue date *	2019/10/28		LEHOVO"

	environmental attributes - Market requirements (See General NOTE GN below)			
		Require		met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\square		
P7.2*	Plastic materials in covers/housing have no surface coating.		∺	Ħ
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.		Ħ	\dashv
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		+	∺
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		∺	∺
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	$\overline{\mathbb{X}}$	∺	\dashv
17.0	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	- #	H	X
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			\dashv
17.10	Material and substance requirements			
P7.11*	Product cover/housing material type(e.g. plastics, metal, aluminum):			
	Material type: ABS Material type: STEEL Material type: PC			
P7.12	Insulation materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulation materials of internal electrical cables are PVC free.		X	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	g		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen	n 🖂		
	as defined in IEC61249-2-21. (See NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: no flame retardant			
P7.17	Alt. 1:Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: brominated epoxy resin, CAS #:	\boxtimes		
	68928-70-1			
	Alt. 2:Chemical specifications of flame retardants in printed circuit boards (without components)> 25 g			\boxtimes
	according ISO 1043-4: FR16			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in	n _		
	concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4)		Ш	\boxtimes
	2. Chemical name: , CAS #: "Get NOTE BT)			
	3. Chemical name: , CAS #: "			
	Alt. 2:Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			\boxtimes
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		Ħ	
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	\boxtimes		
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as	a		
	percentage of total plastic by weight) is 51.72 %.			
	or			
	b) The weight of recycled material is 1123.4g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	61EA, 61E9	Logo	Lonovo
Issue date *	2019/10/28		Lei Iovo,

Product environmental attributes - Market requirements (continued)	Requi	remer	nt met
Item	Yes	No	n.a.

If mercury is used specify: Number of lamps: 0 and maximum mercury content per lamp: 0 mg Batteries P8.1* Battery chemical composition: P9 Energy consumption (See NOTEB8) P9.1 For the product the following power levels or energy consumptions are reported: Energy mode* Power level at 100 V AC 115V AC 230 V AC modes and test method* ENERGY STAR® On 16.63W@ 60Hz 16.47W 16.51W modes and test method* ENERGY STAR® Low Power 16.68W@ 60Hz 16.47W 16.51W Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Off / 0.15W@ 50Hz 0.15W 0.20W Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Off / 0.11W@ 50Hz 0.12W 0.15W Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Off / 0.11W@ 50Hz 0.12W 0.15W Requirements for Computer Monitors: Ver. 8.0 PTEC * 5.92W@ 50Hz 5.86W 5.91W Prec Pon x 0.35 + Palegy x 0.65 SHypical Energy Consumption 5.93W@ 60Hz 5.86W 5.91W Erec = 8.76 x (Pon x 0.35 + Palegy x 0.65) ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 Display resolution* :3.69 megapixels Display resolution* :3.69 megapixels ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements fo		Material and substance requirements (continued)								
If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of the biobased plastic material is g. P7.22' Light sources are free from mercury, i.e. less than 0.1 mg/lamp. If mercury is used specify: Number of lamps: 0 and maximum mercury content per lamp: 0 mg P8 Batteries P8.1* Battery chemical composition: P9 Energy consumption (See NOTEB8) P9.1 For the product the following power levels or energy consumptions are reported: Energy mode* Power level at Power level leve	P7 21*									
a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or b) The weight of the biobased plastic material is g. P7.22* Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: 0 and maximum mercury content per lamp: 0 mg P8 Batteries P8.1* Batteries P9.1* For the product the following power levels or energy consumptions are reported: Energy mode* Power level at Power level at Power level at 115 V AC 230 V AC modes and test method * ENERGY STAR® On 16.63W @ 50Hz 115 V AC 230 V AC Monitors: Ver. 8.0 ENERGY STAR® Low Power 16.63W @ 60Hz 16.47W 16.51W Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Coff / 0.11W @ 50Hz 0.15W 0.20W Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Off / 0.11W @ 50Hz 0.12W 0.15W	1 7.21	•			•					
total plastic by weight of the biobased plastic material is g. P7.22* Light sources are free from mercury, i.e. less than 0.1 mg/lamp. If mercury is used specify. Number of lamps: 0 and maximum mercury content per lamp: 0 mg P8 Batter/se Battery chemical composition: P9 Energy consumption (See NOTEB8) P9.1 For the product the following power levels or energy consumptions are reported: Energy mode* Power level at Power level at Power level at Power level at 100 V AC 115V AC 230 V AC ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® On 16.68W @ 60Hz 16.47W 16.51W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Off 0.11W @ 50Hz 0.15W 0.20W Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Off 0.11W @ 50Hz 0.15W 0.15W 0.20W Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitor		· · · · · · · · · · · · · · · · · · ·								
or b) The weight of the biobased plastic material is g. P7.22* Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify. Number of lamps: ∅ and maximum mercury content per lamp: ∅ mg P8 Batteries P8.1* Battery chemical composition: □ P9 Energy consumption (See NOTEB8) P9.1 For the product the following power levels or energy consumptions are reported: Energy mode □ Power level at Power level at Power level at 115∨ AC 230 ∨ AC modes and test method □ ENERGY STAR® On 16.63W @ 50Hz 115∨ AC 230 ∨ AC ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Low Power 0.15W@ 50Hz 0.15W 0.20W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Off 0.11W @ 50Hz 0.12W 0.15W 0.1										
P7.22* Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: 0 and maximum mercury content per lamp: 0 mg P8 Batteries P8.1* Battery chemical composition: P9 Energy consumption (See NOTEB8) P9.1 For the product the following power levels or energy consumptions are reported: Energy mode * Power level at Power level at Power level at 100 V AC 115V AC 230 V AC modes and test method * ENERGY STAR® On 16.63W @ 50Hz 16.63W @ 50Hz 16.68W @ 60Hz 16.67W 16.51W Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Low Power 0.15W@ 50Hz 0.15W 0.20W Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Off / 0.11W @ 50Hz 0.12W 0.15W Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Off / 0.11W @ 50Hz 0.12W 0.15W Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Off / 0.11W @ 50Hz 0.12W 0.15W Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Off / 0.11W @ 50Hz 0.12W 0.15W Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Off / 0.11W @ 50Hz 0.12W 0.15W Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Off / 0.11W @ 50Hz 0.12W 0.15W Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Off / 0.11W @ 50Hz 0.12W 0.15W Requirements for Computer Monitors: Ver. 8.0 ETEC * 5.184Wh/year 0.50Hz 5.93W @ 60Hz 5.35Wh/year 0.59Hz 51.35Wh/year 0.59Hz 51.35Wh/year 0.659		•								
If mercury is used specify: Number of lamps: 0 and maximum mercury content per lamp: 0 mg		b) The weight of the biobased plastic material is g.								
P8.1* Batteries P8.1* Battery chemical composition: P9	P7.22*									
P8.1* Battery chemical composition: P9 Energy consumption (See NOTEB8) P9.1 For the product the following power levels or energy consumptions are reported: Energy mode * Power level at 100 V AC 115V AC 230 V AC 115V AC 135 V AC 115V AC 136 V AC 136 V AC 115V AC 136 V AC			specify: Number of lam	ps: 0 and maximum n	nercury content per lar	mp: <mark>0</mark> mg				
P9 Energy consumption (See NOTEB8) P9.1 For the product the following power levels or energy consumptions are reported: Energy mode * Power level at 100 V AC 115V AC 230 V AC										
P9.1 For the product the following power levels or energy consumptions are reported: Energy mode * Power level at Power level at 100 V AC 115V AC 230 V AC										
Energy mode * Power level at 100 v AC 115V AC 230 v AC 23				or on orani concumentia	una ara ranartadi					
100 V AC 115V AC 230 V AC modes and test method Senergy STAR® On Mode*(System Idle) 16.63W @ 50Hz 16.47W 16.51W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Low Power 0.15W @ 50Hz 0.10W @						Peference/Standard for energy				
ENERGY STAR® On Mode' (System Idle) 16.63W @ 50Hz	Lifergy Illo	ue								
Mode*(System Idle) 16.68W @ 60Hz 16.47W 16.51W Requirements for Computer Monitors: Ver. 8.0	ENERGY S	STAR® On								
ENERGY STAR® Low Power Sleep Mode* 0.15W@ 50Hz 0.15W@ 60Hz 0.15W@ 60Hz 0.15W 0.15W 0.20W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Off / Apparent Off Mode* 0.11W@ 50Hz 0.10W@ 60Hz 0.12W 0.15W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 PTEC * Typical Energy Consumption 5.92W@ 50Hz 5.93W@ 60Hz 5.93W@ 60Hz 51.35Wh/year 51.35Wh/year 51.35Wh/year 51.35Wh/year 51.76Wh/year 80.65) EXECT STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 P9.2* Information about the energy save function is provided with the product. P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 8.0 Product category: Display. P10 Emissions Noise emission — Declared according to ISO 9296 (See NOTE B9) P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, Lwac(B)				16.47W	16.51W	Requirements for Computer				
Sleep Mode* 0.15W@ 50Hz 0.15W@ 60Hz 0.15W@ 60Hz 0.11W@ 50Hz 0.10W@ 60Hz 0.10W@ 60Hz 0.10W@ 50Hz 0		,	10.00VV @ 00H2							
Sleep Mode* 0.15W @ 60Hz 0.15W @ 60Hz 0.11W @ 50Hz 0.10W @ 60Hz 0.10W @ 60Hz 0.12W 0.15W 0.15W 0.15W 0.15W 0.15W 0.15W 0.15W 0.15W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 PTEC * Typical Energy Consumption			0.15W@ 50Hz	0.45144						
ENERGY STAR® Off / Apparent Off Mode* 0.11W @ 50Hz 0.12W 0.15W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 PTEC *	Sleep Mode	e*		0.15W	0.20 VV					
Apparent Off Mode* 0.11W @ 50Hz 0.12W 0.15W Requirements for Computer Monitors: Ver. 8.0										
Apparent Off Mode 0.10W @ 60Hz 0.12W 0.			0.11W @ 50Hz	0.121//	0.151//					
Typical Energy Consumption 5.93W @ 60Hz 5.86W 5.97W 5.97W 5.97W 5.97W 5.97W 5.93W @ 60Hz 5.86W 5.97W 5.99Wh/year @ 50Hz 51.99Wh/year @ 60Hz 5.93Wh/year @ 60Hz 51.35Wh/year @ 51.35Wh/year @ 51.35Wh/year @ 51.35Wh/year @ 60Hz 51.35Wh/year @ 51.76Wh/year & 0.65)	Apparent C	m Mode*	0.10W @ 60Hz	U. 12VV	0.1300					
Typical Energy Consumption 5.93W @ 60Hz 5.86W 5.91W ETEC * Annual Energy Consumption 50Hz 51.84Wh/year @ 50Hz 51.99Wh/year @ 60Hz 50Hz 51.99Wh/year @ 60Hz 51.35Wh/year @ 51.35Wh/year @ 60Hz 51.35Wh/year Ø 51.76Wh/year Ø x 0.65) External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: NA										
Typical Energy Consumption 5.93W @ 60Hz 5.86W 5.97W 5.97W 5.97W 5.97W 5.97W 5.93W @ 60Hz 5.86W 5.97W 5.99Wh/year @ 50Hz 51.99Wh/year @ 60Hz 5.93Wh/year @ 60Hz 51.35Wh/year @ 51.35Wh/year @ 51.35Wh/year @ 51.35Wh/year @ 60Hz 51.35Wh/year @ 51.76Wh/year & 0.65)	PTFC *		5 92W @ 50Hz			$P_{TEC} = P_{co} \times 0.35 + P_{close} \times 0.65$				
ETEC * Annual Energy Consumption		eray Consumption	_	5.86W	5.91W	TIEC - Fon X 0.33 FF sleep X 0.03				
External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: NA Display resolution*: 3.69 megapixels Default time to enter energy save mode: 60 seconds Default time to enter energy save mode: 60 seconds Default time to enter energy save function is provided with the product. P9.2* Information about the energy requirements of the following voluntary program/s: ENERGY STAR® version: 8.0 Product category: Display. P10 Emissions Noise emission – Declared according to ISO 9296 (See NOTE B9) P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, Lwa,c(B)	ETEC *					$E_{TEC} = 8.76 \times (P_{on} \times 0.35 + P_{sleep})$				
External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: NA Display resolution*: 3.69 megapixels Default time to enter energy save mode: 60 seconds Default time to enter energy save mode: 60 seconds P9.2* Information about the energy save function is provided with the product. P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 8.0 Product category: Display. P10 Emissions Noise emission – Declared according to ISO 9296 (See NOTE B9) P10.1 Mode Mode description ENERGY STAR® version: 4.0 Product category: Display. Statistical upper limit A-weighted sound power level, Lwa.c(B)	Annual Energy Consumption			51 35Wh/year	51 76Wh/year	x 0.65)				
External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: NA Display resolution*: 3.69 megapixels Default time to enter energy save mode: 60 seconds Default time to enter energy save mode: 60 seconds P9.2* Information about the energy save function is provided with the product. P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 8.0 Product category: Display. P10 Emissions Noise emission – Declared according to ISO 9296 (See NOTE B9) P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, Lwa.c(B)				vvn/year @						
Display resolution*: 3.69 megapixels ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 P9.2* Information about the energy save function is provided with the product. P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 8.0 Product category: Display. P10 Emissions Noise emission – Declared according to ISO 9296 (See NOTE B9) P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, Lwa.c(B)	External Da	wor Cupply Efficie		Efficiency Marking Dro	tocal) * : NA					
Display resolution*:3.69 megapixels Requirements for Computer Monitors: Ver. 8.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 P9.2* Information about the energy save function is provided with the product. P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 8.0 Product category: Display. P10 Emissions Noise emission – Declared according to ISO 9296 (See NOTE B9) P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, LwA.c(B)	External FC	ower Supply Efficien	icy Level (International	Efficiency Marking Pro	locoi) . NA	ENERGY CTARS Decrees				
Default time to enter energy save mode: 60 seconds P9.2* Information about the energy save function is provided with the product. P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 8.0 Product category: Display. P10 Emissions Noise emission – Declared according to ISO 9296 (See NOTE B9) P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, Lwa.c(B)	Dienlay roe	olution* ·3 60 med	anivole			9				
Default time to enter energy save mode: 60 seconds P9.2* Information about the energy save function is provided with the product. P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 8.0 Product category: Display. P10 Emissions Noise emission – Declared according to ISO 9296 (See NOTE B9) P10.1 Mode Mode description ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0 Display. Statistical upper limit A-weighted sound power level, LWA.c(B)	Display 163	olution . <mark>5.05</mark> meg	Japineis							
Default time to enter energy save mode: 60 seconds P9.2* Information about the energy save function is provided with the product. P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 8.0 Product category: Display. P10 Emissions Noise emission – Declared according to ISO 9296 (See NOTE B9) P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, LWA.c(B)						ENERGY STAR® Program				
P9.2* Information about the energy save function is provided with the product. P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 8.0 Product category: Display. P10 Emissions Noise emission – Declared according to ISO 9296 (See NOTE B9) P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, LwA,c(B)	Default time	e to enter energy s	ave mode: 60 seconds							
P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 8.0 Product category: Display. P10 Emissions Noise emission – Declared according to ISO 9296 (See NOTE B9) P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, LwA,c(B)										
ENERGY STAR® version: 8.0 Product category: Display. P10 Emissions Noise emission – Declared according to ISO 9296 (See NOTE B9) P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, LWA.c(B)			••							
P10 Emissions Noise emission – Declared according to ISO 9296 (See NOTE B9) P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, L _{WA,c} (B)	P9.3*				untary program/s:					
Noise emission – Declared according to ISO 9296 (See NOTE B9) P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, L _{WA,c} (B)	D10		version: 8.0 Product ca	tegory: Display.						
P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, L _{WA,c} (B)	1 10		- Declared according to	ISO 9296 (See NOTF	B9)					
	P10.1									
Idle N/A N/A										
Operation N/A N/A		Operation	V/A							
Other mode N/A N/A		Other mode	N/A		N/A					
		Other mode	V/A		N/A					
Other mode N/A N/A		Measured accord	ing to: 🔀ISO 7779 🔲	ECMA-74						
Other mode N/A N/A Measured according to: SISO 7779 ECMA-74		Other (only if not covered by ECMA-74)								
I Utner mode I N/A I N/A I N/A										
					1A-74)					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8A Guidance document on Energy Efficiency is available; seehttp://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$

Model number *		61EA, 61E9					Logo	Long	1/0	
Issue date *		2019/10/28						Leno	VO	×
Product 6	environn	nental attributes	- Market requirem	nents (con	tinued)			Require	ment	met
Item								Yes	No	n.a.
		nagnetic emissions								
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s): TCO 8.0, JEITA, MPR II									
P12	Ergonomics for computing products									
P12.1*	The disp	lay meets the ergon	omic requirements of	ISO 9241-3	307 for visual displ	ay technolog	gies.	\boxtimes		
P12.2*			ets the requirements	of ISO 999	5 and ISO 9241-4	10.				
P13		ng and documenta								
P13.1*	Product	packaging material t packaging material t packaging material t	ype(s): Cushion	weight (kg weight (kg weight (kg): 0.541					
P13.2*	Product	plastic primary packa	aging is free from PV	C.						
P13.3*		luct primary corruga er recovered fiber co	ated fiberboard packantent: 90 %	aging, spec	ify the contained	percentage	of minimum	post-		
P13.4*	Electi	onic, 🔀 Paper, Oth		,						
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:									
	Totally chlorine-free Elemental chlorine-free									
	Processe	ed chlorine-free								
P14	Volunta	ry programs								
P14.1		Y STAR® nfort	rements of the following Criteria version: 8. Criteria version: / Criteria version: 8. Criteria version: 2.	.0	y program(s): Date:2019-10-02 Date:2019-09-26 Date:2019-09-16 Date:2019-09-16	Product Product	category: Dis category: Dis category: Dis category: Dis	splay splay		
P15		al information (See	NOTE B10)							
P9	Energy	consumption of sp	ecific configuration	may vary;	description of th	e tested pro	oduct configu	ration:		
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.									
P9	See Energy Star Qualified Monitors & Displays for the latest information: https://www.energystar.gov/products/office_equipment/displays									

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* *Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive)* *These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC)801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1