



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs		ODOVO			
e-mail address	Alvin L Carter		Lenovo			
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information						

The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statemen	conforms to the statements given in this declaration.			
Type of product *	Monitor			
Commercial name *	ThinkVision P32p-20			
Model number *	62A2			
Issue date *	2020/02/14			
Intended market *	Global Europe Asia, Pacific & Japan Americas Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model number *	62A2	Logo	Lonovo
Issue date *	2020/02/14		Lei IOVO.

Product	Requirement met			
Item	•			n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
54.04	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\square		
	terphenyl (PCT) in preparations (see legal reference).		ш	
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	e 🔀		
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week			
	(see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):			
F 1.7	https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	\boxtimes	Ш	
DO	Batteries			
P2 P2.1*			_	
P2.1"	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)		Ш	\boxtimes
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega			\boxtimes
	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			\boxtimes
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).			
	The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc			
P3.2*	The product complies with the Eco design requirements for energy-related products,	\boxtimes		
	(see legal reference).			
	Required information is; given in item P15 or added to this document,		ш	Ш
	available at: https://www.lenovo.com/us/en/compliance/eco-declaration			
P5	Product packaging		_	
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀	Ш	
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s	s) 🔀		
1 0.2	used (see legal reference).	"	ш	
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea	al 🔀		
	Protocol (see legal reference).		_	
	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	62A2	Logo	Lopovo
Issue date *	2020/02/14		LEI IOVO"

Produc	et environmental attributes - Market requirements (See General NOTE GN below)							
	- Environmental conscious design Requirement met							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.				
P7	Design							
D7.4*	Disassembly, recycling							
P7.1*	Parts that have to be treated separately are easily separable	\square		Щ.				
P7.2*	Plastic materials in covers/housing have no surface coating.		\boxtimes					
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.							
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes						
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes						
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes						
	Product lifetime							
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			\boxtimes				
P7.8*	Upgrading can be done using commonly available tools			\boxtimes				
P7.9	Spare parts are available after end of production for: 5 years							
P7.10	Service is available after end of production for: 5 years							
	Material and substance requirements							
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):							
D7.40	Material type: ABS Material type: PC Material type: POM							
P7.12	Insulation materials of external electrical cables are PVC free.	<u></u> _						
P7.13	Insulation materials of internal electrical cables are PVC free.							
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an							
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parl							
	containing more than 25% post-consumer recycled content.							
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)	N						
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:							
P7.17	Marking: Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):							
1 7.17	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other, CAS #:							
	_ , , _ , _ , _		ш					
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			\boxtimes				
D7.40								
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations is concentrations above 0,1%:	n \square		\boxtimes				
	1. Chemical name: , CAS #: (See NOTE B4)		ш					
	2. Chemical name: , CAS #: "							
	3. Chemical name: , CAS #: "							
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			\boxtimes				
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			\overline{X}				
	assigned the following Risk phrases; and Hazard statements:	_	_	_				
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)							
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	\boxtimes						
	If YES; at least one of the two alternatives below shall be answered;							
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as							
	a percentage of total plastic by weight) is 75.6%. (EPEAT calculation) / 85% (TCO calculation)							
	b)							
	or c) The weight of recycled material is 1093.4 g.							
1	of the magniturious footing in the transfer of							

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *		62A2	2A2			Logo	Lenovo.			
Issue date * Error! Reference		eference source not	ource not found.			ren	OVC	D _{TM}		
Product environmental attributes - Market requirements (continued)						Requi	remer	it met		
Item						Yes	No	n.a.		
	Material and substance requirements (continued)									
P7.21*	27.21* Biobased plastic material content is used in the product (See NOTE B7):						\boxtimes			
	If YES; at least one of the two alternatives below shall be answered;									
				g, the biobased plastic	material content (calcu	lated as a percenta	ge			
		otal plastic	by weight) is 0%.							
	or b) The	weight of	f the biobased plastic	material is 0g						
P7.22*				less than 0,1 mg/lamp).		\boxtimes	П		
	If mercur	y is used	specify: Number of la		num mercury content pe	er lamp: mg				
P8	Batteries		•••							
P8.1*			omposition:							
P9			tion (See NOTE B8)	ls or energy consumpt	iona ara rapartad:					
Energy mo		TOUUCI III	Power level at	Power level at	Power level at	Reference/Standa	ard for e	nerav		
Lifelgy ino	uc		100 V AC	115 V AC	230 V AC	modes and test n		icigy		
ENERGY S	STAR® Or	Mode*	26.54	26.51	26.53	ENERGY STAR®	Program			
(System Idl	le)					Requirements for				
ENED ON C	NTABO 1		0.44	0.44	044	Monitors: Ver. 8.0 ENERGY STAR®				
Sleep Mode		w Power	0.44	0.44	044	Requirements for				
Sieep Mout	C					Monitors: Ver. 8.0	•			
ENERGY S	STAR® Of	f /	0.23	0.23	0.24	ENERGY STAR® Program				
Apparent C		,				Requirements for Monitors: Ver. 8.0				
						Worldors. Ver. o.d	,			
PTEC *			26.54 W	26.51 W	26.53 W	1			_	
Typical Ene	erav Cons	umption	20.34 VV	20.37 VV	20.33 VV				Ш	
ETEC *	3,		83.87 kWh/year	83.79 kWh/year	83.85 kWh/year	$E_{TEC} = (8760/100$	0) x (P _{off} x	0.6 +		
Annual Ene						P _{sleep} x 0.1 + P _{idle}	x 0.3)			
External Po	ower Supp	ly Efficien	icy Level (Internationa	l Efficiency Marking P	rotocol) * :				\boxtimes	
Diaplay	alution* .	2040-24	60 maganiyala			ENERGY STAR®				
Display res	solution :	304UXZ1	60 megapixels			Requirements for Monitors: Ver. 8.0				
						ENERGY STAR®				
Default time	e to enter	energy sa	ve mode: 15 minutes			Requirements for	Computer			
D0.0*	l=f======+		4h £ £			Monitors: Ver. 8.0)			
P9.2*				ion is provided with the				ᄴ	_ _	
P9.3"	P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: ES V8.0 Product category: Display.									
P10 Emissions										
D40.4	Noise emission – Declared according to ISO 9296 (See NOTE B9)						(D)			
P10.1				<u> </u>						
	Operation		HDD: Operating	ad property level (dD) :						
	Other mo			nd pressure level (dB) $L_{p{\sf A}}$		sition desktop – idle)				
	Other mo	ode D	Peclared A-weighted sour	nd pressure level (dB) L_{pA}	m (operator po	sition desktop – opei	rating)			
	Measure	d accordir	ng to: 🔀 ISO 7779	ECMA-74	•					
			Other	(only if not covered b	v ECMA-74)					

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

woder number "		02A2	Logo	Lenovo.				
Issue date *		2020/02/14		Lenc		тм		
Product	Product environmental attributes - Market requirements (continued)				ment	met		
Item		• • • • • • • • • • • • • • • • • • • •		Yes	No	n.a.		
	Electron	nagnetic emissions						
P10.4		er display meets the requirement for low frequency electromagnetic fields of the fo (s): TCO display 8.0	ollowing volunta	ıry				
P12	Ergonoi	nics for computing products						
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display techno	logies.					
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.		X				
P13	Packagi	ng and documentation						
P13.1*	Product	packaging material type(s): EPS(Cushion) packaging material type(s): Paper(Carton) packaging material type(s): EPE weight (kg): 0.606 weight (kg): 1.896 weight (kg): 0.034						
P13.2*	Product	plastic primary packaging is free from PVC.		\boxtimes				
P13.3*		luct primary corrugated fiberboard packaging, specify the contained percentager recovered fiber content: 90%	ge of minimum	post-				
P13.4*		media for user and product documentation (tick box): ronic, ⊠Paper, □Other						
P13.5	Ùser and	only complete this item if paper documentation used) I product documentation on paper media is chlorine-free: lease specify:						
	•	hlorine-free al chlorine-free						
		ed chlorine-free		H				
P14	Volunta	ry programs						
P14.1	The prod ENERG' Eco-labe Eco-labe	luct meets the requirements of the following voluntary program(s): Y STAR® Criteria version: 8.0 Date: 2020/02/27 Product St: Criteria version: Date: Product St: Criteria version: Date: Product Pro	t category: LCL t category: t category:) Monitor				
P15		nal information (See NOTE B10)						
P9		consumption of specific configuration may vary; description of the tested p						
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.							
P9	See Energy Star Qualified Monitors & Displays for the latest information: https://www.energystar.gov/products/office_equipment/displays							

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1