



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs		ODOVO			
e-mail address	Alvin L Carter		Lenovo			
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information						

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statemer	conforms to the statements given in this declaration.				
Type of product *	product * Monitor				
Commercial name *	Lenovo ThinkVision T2224dA				
Model number *	60EB, 61F8, 61B1				
Issue date *	2020/01/15				
Intended market *	Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	60EB, 61F8, 61B1	Logo	Lonovo
Issue date *	2020/01/15		LEI IOVO"

Product	environmental attributes - Legal requirements	Requirement met		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference).	\boxtimes		
54.04	Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum			
	concentration values.			
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	\square		
	terphenyl (PCT) in preparations (see legal reference).	_		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	e 🔀		
	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week	(<u> </u>		
	(see legal reference).			
D4 7*	Comment: Max limit in legal reference when tested according to EN1811:2011-5.		_	_
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://static.lenovo.com/ww/docs/sustainability/ww-disclosure-Lenovo-REACH-SVHC-Disclosure.pdf	\boxtimes	Ш	
	<u> </u>			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)		Ш	
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega			\boxtimes
D0.0*	reference)			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)		<u>ш</u>	
P3	Conformity verification & Eco design (ErP)			
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	\boxtimes	Ш	
D0.0*	The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc		_	
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).	\boxtimes		Ш
	Required information is; given in item P15 or added to this document,	\square		
	available at: https://www.lenovo.com/us/en/compliance/eco-declaration		ш	ш
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium an	d 🔀		
1 0.1	hexavalent chromium by weight of these together.	ч <u>Ы</u>	ш	
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) 🔀		
	used (see legal reference).	,		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea	al 🔀		
	Protocol (see legal reference).			
DC	Comment: Legal reference has no maximum concentration values.			
P6	Treatment information Information for recyclers/treatment facilities is available (see legal reference).			
1 0.1	information for recycles a treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	60EB, 61F8, 61B1	Logo		Lopovo
Issue date *	2020/01/15			LEI IOVO"

Product	t environmental attributes - Market requirements (See General NOTE GN below)							
	- Environmental conscious design Requirement met							
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.				
P7	Design							
D7.4*	Disassembly, recycling							
P7.1*	Parts that have to be treated separately are easily separable			<u> </u>				
P7.2*	Plastic materials in covers/housing have no surface coating.							
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.							
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes						
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes						
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).							
	Product lifetime							
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives							
P7.8*	Upgrading can be done using commonly available tools	\boxtimes						
P7.9	Spare parts are available after end of production for: 5 years							
P7.10	Service is available after end of production for: 5 years							
	Material and substance requirements							
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):							
55.40	Material type: ABS Material type: PC Material type: SGCC							
P7.12	Insulation materials of external electrical cables are PVC free.							
P7.13	Insulation materials of internal electrical cables are PVC free.							
P7.14	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and							
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in part containing more than 25% post-consumer recycled content.	.S						
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)	w						
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			\boxtimes				
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	\boxtimes		\Box				
	— · · · · · — · · · · · · · · · · · · ·							
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:							
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in	n _						
	concentrations above 0,1%:			\boxtimes				
	1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: "							
	3. Chemical name: , CAS #: "							
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:							
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	- -		<u> </u>				
P7.19	assigned the following Risk phrases; and Hazard statements:	Ш		Ш				
P7.20*	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5) Postconsumer recycled plastic material content is used in the product (See Note B6):	\square		$\overline{}$				
1 7.20	1 ostorisamor recyclea plastic material content is used in the product (See Note Bo).	\boxtimes						
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as							
	a percentage of total plastic by weight) is 84.7%. or							
	b) The weight of recycled material is 505.9 g.							

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * 60EB,		60EB, 61	61F8, 61B1			Logo	Lanava		
Issue date * 2020/01/15					Lenovo				
Product e	environn	nental at	tributes - Market r	equirements (conti	nued)		Requi	remer	t met
Item							Yes	No	n.a.
	Material	and subs	stance requirements	(continued)					
P7.21*				d in the product (See N	OTE B7):			\boxtimes	
	If YES; a	t least one	e of the two alternative	es below shall be answe	ered;				
	 a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0%. 								
	or b) The	woight of	the biobased plastic	motorial is Oa					
P7.22*									
1 7.22			specify: Number of la		um mercury content pe	er lamp: mg			Ш
P8	Batteries		' '	,	,	'			
P8.1*	Battery c	hemical c	omposition:						\boxtimes
P9	Energy of	consump	tion (See NOTE B8)						
P9.1				ls or energy consumption	ons are reported:				
Energy mod	de *		Power level at	Power level at	Power level at	Reference/Stand		nergy	
			100 V AC	115 V AC	230 V AC	modes and test n			
ENERGY S		n Mode*	11.8	11.7	11.75	ENERGY STAR® Requirements for			
(System Idl	e)					Monitors: Ver. 8.0			
ENERGY S	TAR®In	w Power	0.19	0.19	0.23	ENERGY STAR®			
Sleep Mode						Requirements for	Computer		
						Monitors: Ver. 8.0			
ENERGY STAR® Off /		f/	0.19	0.19	0.22	ENERGY STAR®			
Apparent O	Apparent Off Mode*					Requirements for Monitors: Ver. 8.0			
						Wormore, ver. e.			
PTEC *			11.8 W	11.7 W	11.75 W	1			
Typical Ene	ray Cons	umption	11.8 VV	11.7 VV	11.75 VV				
ETEC *		up.a.o	37.26 kWh/year	37.95 kWh/year	37.28 kWh/year	$E_{TEC} = (8760/100)$	0) x (P _{off} x	0.6 +	
Annual Ene			-	•	·	P _{sleep} x 0.1 + P _{idle}			
External Po	wer Supp	ly Efficien	cy Level (Internationa	al Efficiency Marking Pro	otocol) * :				\boxtimes
						ENERGY STAR®			
Display res	olution* :	1920*108	megapixels			Requirements for			
						Monitors: Ver. 8.0			
Default time	to enter	eneray sa	ve mode: 15 second	\$		ENERGY STAR® Requirements for			
		oo.g, oa				Monitors: Ver. 8.0			
P9.2*	Informati	on about t	the energy save funct	ion is provided with the	product.				
P9.3*	The prod	luct meets	the energy requirem	ents of the following vol	untary program/s:				
	ENERGY STAR® version: 8.0 Product category: Display.								
P10 Emissions									
	Noise emission – Declared according to ISO 9296 (See NOTE B9)								
P10.1	Mode Mode description Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)						(B)		
	Idle * HDD: Idle *			*				\boxtimes	
Operation * HDD: Operating *					\boxtimes				
	Other mode $\frac{Declared \ A-weighted \ sound \ pressure \ level (dB)}{Declared \ A-weighted \ sound \ pressure \ level (dB)}{Declared \ A-weighted \ sound \ pressure \ level (dB)}$								
Other mode Declared A-weighted sound pressure level (dB) $L_{p\rm Am}$ (operator position desktop – operating)									
	Measure	d accordir	· = -	ECMA-74	EOMA 74)				
Other (only if not covered by ECMA-74)									

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	ımber *	60EB, 61F8, 61B1	1			Logo	Long	V/0
Issue dat	te *	2020/01/15					Lenc	
Product	environr	nental attributes	- Market requiren	nents (cor	ntinued)		Require	ment met
Item				·			Yes	No n.a.
	Electron	nagnetic emission	s					
P10.4	•		requirement for low	frequency e	lectromagnetic fields	of the following volun	tary	
P12	program							
P12.1*		mics for computing	g products nomic requirements o	f ISO 0241	207 for vioual diaple	v toobnologico		
		•			•	•		
P12.2*			eets the requirements	s of ISO 999	95 and ISO 9241-410	0.		
P13		ng and documenta						
P13.1*		packaging material		weight (kg				
		packaging material packaging material	type(s): Bag LDPE	weight (kg				
		packaging material		weight (kg				
P13.2*			raging is free from P\		j). 0.733			
P13.3*			<u> </u>		rify the contained n	ercentage of minimun		
1 10.0		er recovered fiber of		aging, oper	ony the contained p	eroentage of minimum	i post	Ш
P13.4*			product documentation	n (tick box):				
	<u></u> Elect	ronic, 🔀 Paper, 🔃	Other					
P13.5			tem if paper documer					
	User and product documentation on paper media is chlorine-free:							
	If Yes, p	lease specify:						
	Totally chlorine-free							
	Elemental chlorine-free							
	Process	ed chlorine-free						
P14	Volunta	ry programs						
P14.1			irements of the follow		y program(s):			
		Y STAR®	Criteria version: 8.0)	Date: 2020/01/15	Product category: LC	D Monitor	
	Eco-labe		Criteria version:		Date:	Product category:		
D45	Eco-labe		Criteria version:		Date:	Product category:		
P15		nal information (Se						
P9						tested product config		41
						s whether express or in		
	information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information							
	provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more							
	informat		o and provided for in	o.madonai j	our poods orny. Occ (2 20110 VO 7 1000 UIT 1 10p		11070
P9	See Ene	ergy Star Qualified N	Monitors & Displays fo	r the latest	information:			
	https://w	ww.energystar.gov/	products/office_equip	ment/displa	ys			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1