

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information *	Lenovo Global Environmental Affairs			
e-mail address	Alvin L Carter	Lenovo		
	alcarter@lenovo.com			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Monitor			
Commercial name *	ThinkVision T32p-20			
Model number *	61F2			
Issue date *	2019/11/01			
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number * 61F2		61F2	Logo			
Issue date *		2019/11/01		Leng	JVC	Ти
Product	Product environmental attributes - Legal requirements		Require	ment	met	
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)					
P1.2*	* Products do not contain Asbestos (see legal reference).					
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /l (PCT) in preparations (see legal reference).	lorinated	\boxtimes		
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	ne 🔀		
P1.6*						
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail ww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):	\boxtimes		
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	the disposal			\square
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal				\square	
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			\times		
P3	Conformity verification & Eco design (ErP)					
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg daration of Conformity can be requested at: https://www.lenovo.com/us/en/compliar		\boxtimes		
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	Required information is; given in item P15 or added to this document,					
DE	Dueduet	available at: <u>https://www.lenovo.com/us/en/compliance/ec</u>	<u>co-declaration</u>			
P5.1*		: packaging ng and packaging components do not contain more than 0,01% lead, mercur	v cadmium a	nd 🔽		
1 3.1		ent chromium by weight of these together.	y, caumum a	nd 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature (e legal reference).	of the material((s) 🔀		
P5.3*	The pro Protocol Commer	duct packaging material is free from ozone depleting substances as specified (see legal reference). nt: Legal reference has no maximum concentration values.	in the Montre	al 🔀		
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	61F2	Logo		~ ~ ~			
Issue date *		2019/11/01		Len	ovc	Тм		
Product	Product environmental attributes - Market requirements (See General NOTE GN below) - Environmental conscious design Requirement met							
Item						n.a.		
P7	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a. Design							
	Disasse	mbly, recycling						
P7.1*	Parts that	at have to be treated separately are easily separable		\square				
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			\boxtimes			
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.		\boxtimes				
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\boxtimes				
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.	\boxtimes				
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\square				
	Product	lifetime						
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives				\boxtimes		
P7.8*	Upgradir	ng can be done using commonly available tools				\times		
P7.9	Spare pa	arts are available after end of production for: 5 years						
P7.10	Service i	s available after end of production for: 5 years						
		and substance requirements						
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: ABS Material type: PC Materia	al type: POM					
P7.12		n materials of external electrical cables are PVC free.			\square			
P7.13	Insulation	n materials of internal electrical cables are PVC free.						
P7.14								
P7.15	Printed	circuit boards, PCBs (without components) are low halogen: all PCBs > as defined in IEC 61249-2-21. (See 1NOTE B2)	25 g 🗌 are low		\square			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Image:					\boxtimes		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c PA (additive), TBBPA (reactive) (See NOTE B3), Other, CAS #:	omponents):	\boxtimes				
		nemical specifications of flame retardants in printed circuit boards (without compon- g ISO 1043-4:	ents) > 25 g			\square		
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations in					
	<u>Alt. 2: </u> Cł	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:			\boxtimes		
P7.19	•	: parts > 25 g, flame retardant substances/preparations above 0,1% are used which I the following Risk phrases; and Hazard statements:	h have been			\boxtimes		
	The sour	rce(s) for these classifications is/are found at (add URL(s)): , (S	See note B5)					
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		\boxtimes				
	a) Oft ape or	It least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is 75.7%. (EPEAT calculation) / 85% (TCO ca e weight of recycled material is 1093.4 g.						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *61F2Issue date *Error! Re		61F2	61F2			Logo				
		Reference source not found.				Lenovo				
Product environmental attributes - Market requirements (continued)					Requi	remer	nt met			
Item					Yes	No	n.a.			
	Material and substance requirements (continued)									
P7.21*							\boxtimes			
	If YES; a	t least one	e of the two alternative	es below shall be answ	vered;					
				, the biobased plastic	material content (calcu	lated as a percenta	age			
	of total plastic by weight) is 0%.									
	or b) The weight of the biobased plastic material is <i>0</i> g.									
P7.22*				less than 0,1 mg/lamp			\boxtimes			
DO			specify: Number of la	mps: and maxin	num mercury content pe	er lamp: mg				
P8.1*	Batteries		omposition:							
P9			tion (See NOTE B8)							
P9.1				ls or energy consumpt	ions are reported:					
Energy mo			Power level at	Power level at	Power level at	Reference/Stanc	ard for e	nergy		
			100 V AC	115 V AC	230 V AC	modes and test r				
ENERGY S		n Mode*	23.85	23.8	23.65	ENERGY STAR				
(System Id	le)		20.00	2010	20.00	Requirements fo Monitors: Ver. 8.				
ENERGY S	STAR® I o	w Power				ENERGY STAR				
Sleep Mod			0.22	0.23	0.28	Requirements fo	r Computer			
						Monitors: Ver. 8.				
ENERGY S		f /	0.2	0.2	0.25	ENERGY STAR				
Apparent C	Off Mode*		0.2	0.2	0.20	Monitors: Ver. 8.				
-										
PTEC *			23.85 W	23.8 W	23.65 W					
Typical En	ergy Cons	umption								
ETEC *	0		74.38 kWh/year	74.28 kWh/year	74.11 kWh/year	$E_{TEC} = (8760/100)$		0.6 +		
Annual Ene			ov Lovel (Internations	I Efficiency Marking Pr	ratacal) * :	$P_{sleep} \times 0.1 + P_{idl}$	• x 0.3)		\square	
LAtemain	Swei Supp				010001) .	ENERGY STAR	Program			
Display res	solution* :	3840x21	60 megapixels			Requirements fo				
			51			Monitors: Ver. 8.	0			
						ENERGY STAR				
Default tim	Default time to enter energy save mode: 30 minutes Requirements for Computer Monitors: Ver. 8.0									
P9.2*										
P9.3*										
	ENERGY STAR® version: ES V8.0 Product category: Display .									
P10	Emissio	-								
D10.1				o ISO 9296 (See NOTI		it A waighted course			(D)	
P10.1	Mode Mode description Statistical upper limit A-weighte Idle * HDD: Idle *		it A-weighted sound	a power ieve	і, <i>LW</i> А,с					
Operation * HDD: Operating			*							
	Other mode Declared A-weighted sound pressure level (dB) L_{pAm} (operator position desktop – idle)									
	Other mo		eclared A-weighted cour	ad pressure level (dB) L_{pA}		sition desktop – ope	·			
				1	m (operator po	silion desktop – ope	raung)			
	Measure	d accordir	ng to: 🔀 ISO 7779 🗌	ECMA-74						
	Other (only if not covered by ECMA-74)									

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber *	61F2 Logo				
Issue dat	e *	Error! Reference source not found.	Leno	VO.		
Product	environr	nental attributes - Market requirements (continued)	Require	nent m	et	
Item			Yes	No n.	.a.	
		nagnetic emissions				
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s): TCO display 8.0					
P12		nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technologies.				
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.	\boxtimes			
P13	Packagi	ng and documentation				
P13.1*	Product packaging material type(s): EPS (Cushion) weight (kg): 0.606 Product packaging material type(s): Paper (Carton) weight (kg): 1.896 Product packaging material type(s): EPE weight (kg): 0.034					
P13.2*	Product	plastic primary packaging is free from PVC.	\square			
P13.3*		luct primary corrugated fiberboard packaging, specify the contained percentage of minimum po er recovered fiber content: 90%	ost-]	
P13.4*	Specify media for user and product documentation (tick box):					
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:					
	Totally chlorine-free Image: Constraint of the second					
P14	Volunta	ry programs				
P14.1	ENERG Eco-labe Eco-labe	el: Criteria version: Date: Product category:	<i>Nonitor</i>			
P15		nal information (See NOTE B10)				
P9		consumption of specific configuration may vary; description of the tested product configura				
	informati knowled provided informati		sed on supp tion. The inf	lier's ormation		
P9		rgy Star Qualified Monitors & Displays for the latest information: ww.energystar.gov/products/office_equipment/displays				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1