

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs	Lenovo				
e-mail address	Alvin L Carter	LEHOVO				
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html				
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statemer	nts given in this declaration.					
Type of product *	Type of product * Notebook					
Commercial name *	name * Yoga Slim 7 Pro 14 AMD, Yoga 14s AMD, Lenovo XiaoXinPro 14 AMD 2021					
Model number *	lel number * 82MS,82LA					
Issue date *	2021-2-18					
ntended market * 🛛 🖾 Global 🔲 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other						
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	82MS,82LA	Logo	Long	2010	4
Issue dat	e *	2021-2-18		Lend	JVC	-
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item		V 1		Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\square		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*	Products hydrobro trichloroe	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych rl (PCT) in preparations (see legal reference).	lorinated	\boxtimes		
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in t	he 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/wee	ek 🔀		
P1.7*		Article 33 information about substances in articles is available at (add URL or mail o www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):	\boxtimes		
P2	Batterie	S		·		
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal	\square		
P2.2*	Batteries	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm e)	ium. (See leg	al 🔀		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The proc The D	duct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference). mail addres			
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	Required	d information is; given in item P15 or added to this document, available at (add URL):				
		vww.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	/, cadmium a	ind 🔀		
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature on the legal reference).	of the material	(s) 🔀		
P5.3*	The proc	Juct packaging material is free from ozone depleting substances as specified in the M al reference).	Iontreal Proto	col 🔀		
		nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		82MS,82LA	Logo	Lam		
Issue dat	te *	2021-2-18		Len	ovc	2
Product		mental attributes - Market requirements (See General NOTE GN				
		onmental conscious design		Require		
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7 P7.1*		Disassembly, recycling t have to be treated separately are easily separable				
		naterials in covers/housing have no surface coating.				
P7.2*			<u> </u>			
P7.3*		arts > 100 g consist of one material or of easily separable materials.				\boxtimes
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\square		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.	\boxtimes		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes		
	Product					
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			\square		
P7.8*	Upgradir	ig can be done using commonly available tools		\bowtie		
P7.9	Spare pa	rts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
	Material	and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
		type: aluminium Material type: plastic(PC+ABS)				
P7.12		n materials of external electrical cables are PVC free.			\square	
P7.13		n materials of internal electrical cables are PVC free.			\square	
P7.14	weight (* polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in n 25% post-consumer recycled content.	e retardants, and			
P7.15	Printed c	ircuit boards, PCBs (without components) are low halogen: all PCBs > 25 g ed in IEC 61249-2-21. (See 1NOTE B2)	are low halogen			
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		\boxtimes		
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without o (additive), TBBPA (reactive) (See NOTE B3), Other: <i>Brominated Epoxy</i>				
	26265-0					
	accordin	nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substances ations above 0.1%:	s/preparations in			
		ent: No legal limits exist, this is a market requirement.				
		ical name: <i>Oligomeric phosphorous compound</i> CAS #: <i>Confidential</i>				
		ical name: CAS #: ical name: CAS #:				
		ical name: CAS #: ical name: CAS #:				
	Alt. 2					
		l specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	-	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	have been			
	-	the following Risk phrases; and Hazard statements:				
			e note B5)			
P7.20*		sumer recycled plastic material content is used in the product (See Note B6): t least one of the two alternatives below shall be answered;			\bowtie	
	a) Oft	otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is	t (calculated as			
	or	weight of recycled material is				
<u> </u>	b) The	weight of recycled material is g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82MS,82LA	Logo	Lenovo		
Issue date *	2021-2-18		Lenovo.		
Product environmental attributes - Market requirements (continued) Requirement me					

Item

Requirement met Yes No n.a.

	Material and su	bstance requirements	(continued)				
P7.21*		material content is use		NOTE B7):			
	If VES: at least (one of the two alternativ	es helow shall he ansi	wered:			
	,	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of					
		by weight) is %.	,				
	or b) The weight	of the biobased plastic	material is g.				
P7.22*		e free from mercury, i.e.	ų –	р.			
	If mercury is use	ed specify: Number of la	mps: and maxi	mum mercury content p			
P8	Batteries						
P8.1*	,	I composition: LI-ION P	olymer battery				
P9	Energy consun	nption (See NOTE B8)					
P9.1		the following power leve					
Energy mo		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *		
Peak (On-	max)	95 W	95 W	95 W	Full load		
<u>Categor</u>	<u>y 2</u>						
Short Idle	State - WOL	4.80 W	4.83 W	5.08 W	Use for ENERGY STAR V8.0		
Enabled					registration (P _{idle})		
Long Idle	State - WOL	2.77 W	2.83 W	2.96 W	Use for ENERGY STAR V8.0		
Enabled					registration (P _{idle})		
Class (02)		0.00.10/	0.64.14/	0.62 W	Reference		
	- WOL Enabled	0.60 W	0.61 W	0.62 VV	Reference		
Sleep (S3)) - WOL Disabled	0.60 W	0.61 W	0.62 W	Use for ENERGY STAR V8.0 registration (P _{idle})		
Off (S5) -	WOL Enabled	0.31 W	0.31 W	0.33 W	Reference		
Off (S5) -	WOL Disabled	0.31 W	0.31 W	0.33 W	Use for ErP		
EPS No-lo	ad	0.113 W	0.114 W	0.115W			
(External power	supply / charger plugged in ti	he					
wall outlet but dis	sconnected from the product.) W	W	W			
	ergy Consumptior		vv	vv			
ETEC *		17.54 kWh/year	17.71 kWh/year	18.56 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25		
Annual En	ergy Consumptior	1	-	-	+ P _{sleep} x 0.35 + P _{long_ldle} x 0.10+		
		D (Off Mada (SE) M	OL Enchlody D	n Mada(S2) MOL Ench	P _{short_idle} x 0.30)		
External D	ower Supply Effici	ency Level (Internationa			led; P _{idle} : Idle State - WOL Enabled		
	solution * :5.18 me						
1 2		01					
		save mode: 30 minutes					
P9.2*		ut the energy save funct	ion is provided with th	e product.			
P9.3		y class (monitors only):					
P10	Emissions	Declared according t					
P10.1	Noise emission Mode	Declared according t Mode description	0 130 9290 (See NOT		hit A-weighted sound power level, $L_{WA,c}$ (B)		
F IV. I	Idle	* Idle (Operating)		* 2.2			
	Operation	* CPU:Operation		* 4.5			
	Other mode	Declared A-weighted sour	nd pressure level (dR) T		ition desktop – idle)		
	Other mode	Declared A-weighted sour	na pressure level (dB) L_{pl}	m 38.3 (operator pos	ition desktop – operating)		
	Measured accor	~ <u>–</u> -	ECMA-74				
Other (only if not covered by ECMA-74)							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

Model nu	ımber *	82MS,82LA			Logo	Low			
Issue dat	te *	2021-2-18				Lenc	ovo	4	
Product	environ	mental attribu	tes - Market requirements (continued)		Require	ment	t met	
Item						Yes	No	n.a.	
		magnetic emiss							
P10.4	program	n(s): MPŔ-II(3 pi	the requirement for low frequence AC adapter only)	cy electromagnetic field	s of the following volur	ntary 🔀			
P12		mics for compu							
P12.1*			gonomic requirements of ISO 92		, ,				
P12.2*	The phy	sical input devic	e meets the requirements of ISO	9995 and ISO 9241-41	0.	\boxtimes			
P13	Packag	ing and docume	entation			·			
P13.1*	Product Product	Product packaging material type(s): CARTON weight (kg): 0.26 Product packaging material type(s): paper(manual) weight (kg): 0.05 Product packaging material type(s): corner paper weight (kg): 0.060 Product packaging material type(s): EPE weight (kg): 0.077							
P13.2*		Product plastic primary packaging is free from PVC.							
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: 100 %								
P13.4*	Specify		nd product documentation (tick b	oox):					
P13.5	Ùser an		is item if paper documentation u entation on paper media is chlor			\boxtimes			
	Elemen	chlorine-free tal chlorine-free ed chlorine-free							
P14	Volunta	ry programs							
P14.1	The pro	duct meets the re	equirements of the following volu	ntary program(s):					
	Eco-lab Eco-lab	el:	Criteria version: 8.0 Criteria version: Criteria version:	Date: 2021/1/15 Date: Date:	Product category: 2 Product category: Product category:				
P15			(See NOTE B10)						
P9	NOTE:	Supplier makes r	f specific configuration may vano representations, guarantees, a	assurances or warrantie	s whether express or i	mplied, regardir			
	knowled provided informat	lge available at ti d here is approxi ion.	this document. All information pr ne time of completion, and suppl mate and provided for informatio	ier shall have no obliga nal purposes only. See	tion to update such info a Lenovo Account Rep	ormation. The in	format		
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://downloads.enerhttps://www.energystar.gov/products/office_equipment/computers								

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Yoga Slim 7 Pro 14 AMD, Yoga 14s AMD, Lenovo XiaoXinPro 14 AMD 2021	Logo
Model number *	82MS,82LA	Lenovo
Issue date *	2021-2-18	Lenovo.
Additional information		

	Product environmental attributes								
(d)	Year of manufacture:				2021				
(e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.								
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	tments applied when a	all discrete graphics of	cards (dGfx) are				
	Category A (according to ErP Lot 3)Category B (according to ErP Lot 3)Category C (according to ErP Lot 3)Category D 								
	Memory over base [GB]	16							
ents sting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)				
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)				
ability a	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)				
cap app	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)				
	Category of discrete graphics Card(s)								
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	10.06							
Test r	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled								
(g)	Idle state power demand (Watts);				A: 2.96				
(h)	Sleep mode power demand (Watts);				A: 0.62				
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		A: 0.62				
(j)	Off mode power demand (Watts);				A: 0.31				
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		A: 0.31				
(I)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100	% of rated output pow	er (if applicable):					
	10% 20% 50%	100% Avera	age						
(m)	External power supply efficiency (if appli	cable)*:							
	Average active efficiency: 89.27% 89.2	0% 90.57%							
(0)	*internal note: show values for all available external po		tand (annling only to n	otobook computoro);					
(o)	Minimum number of loading cycles that t	the batteries can withs	tand (applies only to h	iolebook computers).	300CYCLES				
(p-1)	 Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: NA 								
(p-2)	p-2) Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: EN 50563:2011 measurement methodology								

(p-3)	Measurement metho	dology used to determine information mentioned in p EN 50563:2011 measurement methodo						
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:							
	EN 62623:2013 measurement methodology							
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::					
		EN 62623:2013 measurement methodo	ology					
(r)	Description of how sl	leep and/or off mode was selected or programmed:						
		EN 62623:2013 measurement methodo	ology					
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or					
	refe	er to power management, 30mins automatically re	eaches sleep mode					
(t)		te condition before the computer automatically re- s not exceed the applicable power demand requirement		10				
(u)	Length of time after	r a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	r automatically reaches a power	NA				
(v)	Length of time befo	re the display sleep mode is set to activate after	user inactivity (in minutes):	30				
(w)	Information on the er	nergy-saving potential of power management function	nality:					
		refer to user manual						
(x)	User information on I	how to enable the power management functionality:						
		refer to user manual						
(z)		measurements: — test voltage in V and frequency in						
	used for electrical tes	system, — information and documentation on the inst sting:	strumentation, set-up and circuits					
		230V, 50GHz, Total Harmonic Distortion	ı <2 %					
Addition	al Notebook Batter	v Information:						
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a				
		The battery[ies] in this product cannot be easily replaced by users themselves. $^{\mbox{\tiny 1)}}$						
Internal/b	ouilt-in Battery	\boxtimes						
External/	detachable Battery							
Bios Bac	kup Battery							
Other:								
Additiona	al information							
		asily replaced by users themselves.						
as baterías de	e este producto no pueden s	родукт не може да се замени[ят] лесно от самите потребител er sustituidas fácilmente por los propios usuarios.	и.					
ugeren kan i	kke uden videre udskifte bat	neměli provádět sami uživatelé. teriet/batterierne i dette produkt. Všenen pietr she uvšitrne verz Danutzer polhet succetoursktu	and an					
asutajad ei sa	aa selle toote akut/akusid ise	können nicht ohne weiteres vom Benutzer selbst ausgetauscht w e hõlpsasti asendada. ιούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες	rerden.					
/les batterie(it ne peuvent être facilement remplacée(s) par les utilisateurs eu	x-mêmes.					
a batteria/le b		n può/possono essere facilmente sostituita/e dall'utente.						
o gaminio ba	terijos [baterijų] pats vartoto							
batterija/batte		/jistgħux tiģi/jiģu sostitwita/i mill-utenti stess.						
e batterij(en)	in dit product is (zijn) door d	e gebruiker niet gemakkelijk vervangbaar. wymienić baterii w tym produkcie.						
ou as bateria	as deste produto não podem	wynienic bateni w tym produkcie. ser facilmente substituídas pelos próprios utilizadores. e (pot) fi usor înlocuită (înlocuite) de utilizatorii însisi.						
atériu(-ie) v to	omto výrobku nemôže vymie							
	V JELU ZOEIKU UDOFADDIKI SAL	ni ne morelo zianka zameniali.						

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.