



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs		Lenovo
e-mail address	Alvin L Carter		LCIIOVO
	alcarter@lenovo.com		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html	
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product
conforms to the statemen	nts given in this declaration.
Type of product *	All in one computer
Commercial name *	IdeaCentre A540-27
Model number *	F0EK
Issue date *	2019/8/6
Intended market *	Global Europe Asia, Pacific & Japan Americas Other
Additional information	CEL;ES;VOC

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	F0EK	Logo	Long		
Issue dat	e *	2019/8/6		Lend		J _{TM}
Product	environ	mental attributes - Legal requirements		Require	men	t met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	: B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*	Products hydrobro trichloroe	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych vl (PCT) in preparations (see legal reference).	lorinated	\boxtimes		
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in the			
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/week			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail ow.lenovo.com/social_responsibility/us/en/environment.html	contact):	\boxtimes		
P2	Batterie	s				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal	\boxtimes		
P2.2*	Batteries reference	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	ium. (See legal			
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal legal requirements) laration of Conformity can be requested at (add link or e-mail address): ww.lenovo.com/us/en/compliance/eu-doc	jal reference).			
P3.2*	The prod	duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	-	d information is; given in item P15 or added to this document, available at (add URL): lenovo.com/us/en/compliance/ed	no declaration			
P5	Product	packaging	o-uculai aliui i			
P5.1*	Packagii	ng and packaging components do not contain more than 0,01% lead, mercury cent chromium by weight of these together.	/, cadmium an	d 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of the legal reference).	of the material(s	s) 🔀		
P5.3*	The prod (see lega	duct packaging material is free from ozone depleting substances as specified in the Nal reference).	Montreal Protoco	ol 🔀		
Do		nt: Legal reference has no maximum concentration values.				
P6 1*		nt information			_	
P6.1*	ınıormatı	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	F0EK	Logo	Lanava
Issue date *	2019/8/6		Lei IOVO.

Product	environmental attributes - Market requirements (See General NOTE GN below)			
		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			Щ
P7.2*	Plastic materials in covers/housing have no surface coating.		\boxtimes	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		Щ	Щ
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
5- 44	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: ABS PCR65 Material type: PC Material type: PC			
P7.12	Material type: ABS PCR65 Material type: ABS+PC Material type: PC Insulation materials of external electrical cables are PVC free.		\square	
P7.13	Insulation materials of internal electrical cables are PVC free.	-	\overline{X}	+
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%	6	<u> </u>	\perp
F7.14	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	d 🔼		Ш
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low haloge as defined in IEC 61249-2-21. (See 1NOTE B2)	n 🔲		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: Brominated Epoxy Resin, CAS #: 26265-08-7			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR(16)			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations is concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "	1		
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been		\boxtimes	
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):			
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 61.87%. or b) The weight of recycled material is 1617.59 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	F0EK	Logo	Lonovo
Issue date *	2019/8/6		Lei Iovo.

Product environmental attributes - Market requirements (continued)	Requir	emen	t met
Item	Yes	No	n.a.

			, ,,			_
D7.04*		stance requirements		OTE D7'		_
P7.21*	<u> </u>		d in the product (See No	<u> </u>		
P7.22*		free from mercury, i.e.	less than 0,1 mg/lamp.			
P8	Batteries					
P8.1*	Battery chemical	composition: Mangane	ese dioxide			
P9		ption (See NOTE B8)				
P9.1			ls or energy consumption			
Energy mo	de *	Power level at	Power level at	Power level at	Reference/Standard for energy	
Categor	<u>yl3</u>	100 V AC	115 V AC	230 V AC	modes and test method *	
Short Idle Enabled	State - WOL	26.31 W	25.96 W	27.92 W	Use for ENERGY STAR V7.1 registration (P _{idle})	
Long Idle Enabled	State - WOL	7.73 W	7.46 W	8.35 W	Use for ENERGY STAR V7.1 registration (Pidle)	
Sleep (S3)	- WOL Enabled	4.91 W	4.82 W	4.85 W	Use for ENERGY STAR V7.1 registration(P _{sleep})	
Off (S5) - I	WOL Enabled	0.61 W	0.59 W	0.58 W	Use for ENERGY STAR V7.1 registration(Poff)	
Categor	<u>yD2</u>					
Short Idle Enabled	State - WOL	30.8 W	30.28 W	29.85 W	Use for ENERGY STAR V7.1 registration	
Long Idle Enabled	State - WOL	13.73 W	12.94 W	12.52 W	Use for ENERGY STAR V7.1 registration	
Sleep (S3)	- WOL Enabled	3.5 W	3.09 W	3.45 W	Use for ENERGY STAR V7.1 registration	
Off (S5) - I	WOL Enabled	0.73 W	0.7 W	0.72 W	Use for ENERGY STAR V7.1 registration	
ETEC * Annual Ene	ergy Consumption	13:95.49 kWh/year D2:117.63 kWh/year	13:93.86 kWh/year D2:114.84 kWh/year		E _{TEC} = (8760/1000) x (P _{off} x 0.45 + P _{sleep} x 0.05 + P _{long_Idle} x 0.15+ P _{short_Idle} x 0.35)]
Futamal D	C I. E#:-:-				Enabled; Pidle: Idle State - WOL Enabled	_
		•	l Efficiency Marking Pro	Diocoi) : VI		_
	solution * : 3.69 me					
	0,	ave mode: 25 minutes				
P9.2*	Information about	the energy save functi	ion is provided with the	product.		<u> </u>
P9.3	Energy efficiency	class (monitors only):	N/A			J
P10	Emissions					
			o ISO 9296 (See NOTE			
P10.1		Mode description		• • • • • • • • • • • • • • • • • • • •	t A-weighted sound power level, $L_{WA,c}$ (B)	
	Idle	* HDD:Idle		* 2.5		
	Operation	* HDD: Operating		* 2.7		
			nd pressure level (dB) $L_{p{\sf Am}}$		n desktop – idle)	
	1		ad pressure level (dB) $L_{p{\sf Am}}$	16 (operator position	n desktop – operating)	
	Measured accord	ing to: ISO 7779	ECMA-74	FOMA 74)		
Ī		Other	(only if not covered by	EUNA-/4)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$

Model number *		F0EK					Logo	lono	VO	
Issue date	*	2019/8/6						Leno	VO.	н
Product 6	environn	nental attributes	- Market requirem	nents (cor	tinued)			Require	ment	met
Item								Yes	No	n.a.
		nagnetic emissions								
P10.4	program	(s): EN55032 EN55 0		requency el	ectromagnetic fields	s of the foll	owing voluntary			
P12		nics for computing								
P12.1*	The disp	lay meets the ergon	omic requirements of	f ISO 9241-	307 for visual displa	y technolo	gies.			
P12.2*	The phys	sical input device me	ets the requirements	of ISO 999	5 and ISO 9241-41	0.			\boxtimes	
P13		ng and documenta								
P13.1*	Product	packaging material t packaging material t packaging material t	ype(s): <i>PE</i> ype(s): <i>CARTON</i>	weight (kg weight (kg weight (kg): 0.0572					
P13.2*	Product	plastic primary pack	aging is free from PV	C.						
P13.3*	consume	er recovered fiber co				ercentage	of minimum pos	st-		
P13.4*			roduct documentation	n (tick box):						
P13.5	Ùser and		em if paper documen ation on paper media							
	,	hlorine-free al chlorine-free								
	Processe	ed chlorine-free						Ħ		
P14	Voluntai	ry programs								
P14.1	The prod	luct meets the require	rements of the followi	ing voluntar	y program(s):					
	ENERGY Eco-labe		Criteria version: 7.1 Criteria version: GE 2012 Criteria version:		Date: 2019.7.1 Date: 2019/6/24 Date:	Product	category: <i>I3;D2</i> category: <i>D</i> category: <i>Compu</i>	ter		
P15		nal information (Sec			24.0.		outogory: Compa			
P9	Energy 6	consumption of sp TB HDD;1TB SSD;1	ecific configuration 16GB Memory;l3:12	0W adapte	r;D2:170W adapter					
	informati knowledg	on contained in this ge available at the ti here is approximate	presentations, guara document. All inform me of completion, an and provided for info	ation provid d supplier s	ed by supplier in thi hall have no obligat	s documer ion to upda	nt is provided bas ate such informati	ed on supp on. The inf	olier's formati	ion
P9			otebooks & Tablet Co dex.cfm?fuseaction=				code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaCentre A540-27	Logo
Model Number	F0EK	Longva
Issue Date	2019/8/6	Lenovo.
Additional information	CEL;ES;VOC	

d)	year of manufacture:				2019
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Catego enable	ry and capability adjust	ments applied when a	all discrete graphics o	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]				16
ents ting	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	YES (Yes / No)
djustm ring tes	Discrete television tuner	(Yes / No)	(Yes / No)	(Yes / No)	NO (Yes / No)
capability adjustments applied during testing	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	NO (Yes / No)
cap	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	YES #: (Yes / No)
	Category of discrete graphics Card(s)				G3
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				26.48
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				26.64
(g)	Idle state power demand (Watts);	1		<u> </u>	Cat. D: 6.2134
h)	Sleep mode power demand (Watts);				Cat. D: 3.2486
i)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		Cat. D: 3.1532
j)	Off mode power demand (Watts);				Cat. D: 0.5813
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		Cat. D: 0.7235
(I)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 s	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	ige		
m)	External power supply efficiency (if appl	icable)*:			
	Average active efficiency:				
	*internal note: show values for all available external p				
(o)	Minimum number of loading cycles that	the batteries can withst	tand (applies only to n	otebook computers):	N/A
(p-1)	Measurement methodology used to dete	ermine information men	tioned in points (I) – in	nternal PSU efficiency:	
(p-2)	Measurement methodology used to dete	ermine information men	tioned in points (m) –	external PSU efficience	cy:

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: N/A				
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:				
	Refer to IEC 62623:2013-Desktop and notebook computers- Measurement of energy conmumption				
(q)	Sequence of steps for achieving a stable condition with respect to power demand:				
	Based on user manual/Power on->Wait 5 minutes->Stable condition				
(r)	Description of how sleep and/or off mode was selected or programmed:				
	Based on user manual/Begin menu -> Power -> Select sleep or off mode				
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:				
	Based on user manual/Control Panel->Power Options-> Change Settings-> Restore default settings for this plan				
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):				
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power				25 minutes
(v)	mode that has a lower power demand requirement than sleep mode (in minutes): Length of time before the display sleep mode is set to activate after user inactivity (in minutes):				10minutes
(w)	Information on the energy-saving potential of power management functionality:				
N/A					
(x)	User information on how to enable the power management functionality:				
	Please Lenovo confirm where or which document will show user information about how to enable the power management functionality.				
(z) Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: Test voltage in V and frequency in Hz: 230V/50Hz Total harmonic distortion of the electricity supply system: ≤2%					
	Instrument	Range Used	ecuricity suppl	y system. ≥2%	
	Туре	Or	Make and Mo	odel	
AC Power Source Digital Watch Power Meter		1~280VAC; 1~550Hz; 1000VA	Chroma;61504; SN:615040001117		
		Full range	CASIO; HS-7	HS-70W; SN:208Q08R	
		0~600V; 0~20A	YOKOGAWA; WT310E; SN:C3SJ16035E		
	Hygrothermograph 15~35°C/15~90% TESTO; 608-H		H1; SN:1034895602		
Thermal anemomet		er 0~20m/s, -20~70°C	TESTO; 425; SN:02591883		
	Light Measuring	1; 1~300cd/m²	KONICA MINOLTQ:LS-110		
Additio	nal Notebook Batter	y Information:			
		Battery[ies] <u>not</u> user replaceable		Battery[ies] user replaceable	n/a
		The battery[ies] in this product cannot be easily replaced by users themselves. $^{\rm 1)}$			
Internal/built-in Battery					
External/detachable Battery					
Bios Backup Battery					
Other:					
Additional information					

1)
The battery[ies] in this product cannot be easily replaced by users themselves.

Aкумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

Konsnik ne moze lako zamijeniti Bateriju sam u ovom proizvodu.
La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.
Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us).
Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.
A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.
Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.
Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.
Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.
A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.