

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo.
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook PC				
Commercial name *	Lenovo IdeaPad S410				
Model number *	80BJ				
Issue date *	2012-05-29				
Intended market *	☑ Global Europe Asia, Pacific & Japan Americas Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	80BJ		
Issue date *	2013-05-29	Logo	lenovo.

Product	Product environmental attributes - Legal requirements					
Item		Yes	No	n.a.		
P1	Hazardous substances and preparations					
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)					
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\boxtimes				
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.	_				
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes				
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes				
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes		
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.					
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.					
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\square	П	\Box		
	http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment					
P2	Batteries					
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes				
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)					
P3	Safety, EMC connection to the telephone network and labeling					
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes				
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	\boxtimes				
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).					
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes				
P4	Consumable materials					
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).					
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).		П	\square		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).					
P5	Product packaging					
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.					
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes				
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.					

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	80BJ		
Issue date *	2013-05-29	Logo	lenovo.

Product	oduct environmental attributes - Market requirements - Environmental conscious design						
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	lequire Yes	No	n.a.			
P6	Treatment information						
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes					
P7	Design						
	Disassembly, recycling						
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes					
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes					
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		$\overline{\Box}$				
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.		一				
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ	一一			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		H	∺			
1 7.0							
P7.7*	Product lifetime Upgrading can be done e.g. with processor, memory, cards or drives		$\overline{}$				
P7.8*			井	-#-			
	Upgrading can be done using commonly available tools			-			
P7.9.	Spare parts are available after end of production for: 5 years						
P7.10	Service is available after end of production for: 5 years						
	Material and substance requirements						
P7.11*	Product cover/housing material type:						
D7.40	Material type: PC+ABS-FR(40) Material type: Material type:		<u> </u>				
P7.12	Electrical cable insulation materials of power cables are PVC free.	<u> </u>		<u> </u>			
P7.13	Electrical cable insulation materials of signal cables are PVC free		\boxtimes				
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	\boxtimes					
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See		\boxtimes				
	Note B2)						
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40)	\boxtimes					
P7.17	Alt. 1						
	Chemical specifications of flame retardants in printed circuit boards >25g (without components):			Ш			
	TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:						
	Alt. 2						
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according						
	ISO 1043-4: Brominated Epoxy Resin See P14	ш	ш	ш			
P7.18	Alt. 1						
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in						
	concentrations above 0.1%:						
	Comment: No legal limits exist, this is a market requirement.						
	Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain						
	complete chemical name, CAS number and supplier. 1. Chemical name: , CAS #: , Supplier:						
	2. Chemical name: , CAS #: , Supplier:						
	3. Chemical name: , CAS #: , Supplier:						
	Alt. 2	\boxtimes					
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:						
D7.40	FR(40)		_				
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)		Ш	Ш			
D7 20	· · · · · · · · · · · · · · · · · · ·						
P7.20 P7.21	Of total plastic parts' weight >25g, recycled material content is 5.5%. Of total plastic parts' weight >25g, biobased material content is 0%.						
P7.22	Light sources are free from mercury						
P8	Batteries						
P8.1*	Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide						
P8.2	Batteries meet the requirements of the following voluntary program/s: US RBRC			\dashv			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	80BJ		
Issue date *	2013-05-29	Logo	lenovo.

Product env	Product environmental attributes - Market requirements (continued) Requirement me					net
Item					Yes No r	n.a.
	nergy consumpt					
		e following power lev oped w/ WOL Enable		nptions are reporte	d: See P14	
Energy mode	*	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	
Peak (On-max	x)	40 W	40 W	40 W	Full load	
Category A	<u>4</u>					
Idle State - W	OL Enabled	4.10W	3.63W	3.59 W	Use for Energy Star V5 registration(P _{idle})	
Sleep (S3) - V	VOL Enabled	0.43 W	0.42 W	0.42 W	Use for Energy Star V5 registration(P _{sleep})	
Sleep (S3) - V	VOL Disabled	0.40 W	0.39 W	0.39 W	Reference	
Off (S5) - WO	L Enabled	0.40 W	0.40 W	0.39 W	Use for Energy Star V5 registration(P _{off})	
Off (S5) - WO	L Disabled	0.348 W	0.350 W	0.368 W	Use for EuP	
EPS No-load (External power charger plugge outlet but disco the product.)	ed in the wall	0.129 W	0.134 W	0.198 W		
	y Consumption	kWh/week	kWh/week	kWh/week		
ETEC * Annual Energy Consumption		12.62 kWh/year	11.33 kWh/year	11.27 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{sleep} \times 0.1 + P_{idle} \times 0.3)$	\boxtimes
		P _{off} : Off Mode(S5) - I	WOL Enabled; P _{sleep} : S	Sleep Mode(S3) - WO	L Enabled; P _{idle} : Idle State - WOL Enabled	
Display resolu	tion : 1366*768	3 Megapixels				
Print Speed	:	Images per minut	e			\boxtimes
Default time to	enter energy sa	ve mode: 25 minute	S			
P9.2* Inf	formation about t	he energy save fund	tion is provided with	the product.		
EN Ot	NERGY STAR® thers specify: En	the energy requiren version: Version 5.0 ergy Star for Exteri	dated July 1, 2009	Product category:	A 🖂 🗀	
	missions Dise emission –	Declared according	to ISO 9296			
		Mode description	W 100 0200	$\begin{array}{c} \text{Declared} \\ \text{A-weighted} \\ \text{sound power} \\ \text{level } L_{W\!\text{Ad}}(\text{B}) \end{array}$	Declared A-weighted sound pressure level $L_{p \text{Am}}$ (dB) Operator position By Bystander positions Desktop (only if product is not	
					or Desk side operator attended)	
Idl		HDD: Idle HDD: Operating		* 3.0 * 3.0	23.7 26.1	밁
	ther mode	טעח. Operaung		3.0	20.1	Ш
<u> </u>	l	ng to: X ISO7779	ECMA-74	1		
		Other	_	ed by ECMA-74 with	n L _{pAm} measurement distance m)	
P10.2 Th	ne product meets	the acoustic noise r				\square

Model number *	80BJ		
Issue date *	2013-05-29	Logo	lenovo.
Product environr	nental attributes - Market requirements (continued)		Requirement met
It	·		V. N.

Product envi	ironmental at	tributes - Market	requirements (co	ontinued)		Requiremen	t met
Item						Yes No	n.a.
P9 En	ergy consumpt	tion					
		e following power level oped w/ WOL Enable		nptions are reporte	d: See P14		
Energy mode *	k .	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard and test method *	I for energy modes	;
Peak (On-max	()	65 W	65 W	65 W	Full load		
Category B	3						
Idle State - WO	OL Enabled	4.08 W	4.33W	4.48 W	Use for Energy Star V	/5 registration(P _{idle})	
Sleep (S3) - W	/OL Enabled	0.50 W	0.50 W	0.52W	Use for Energy Star V	/5 registration(P _{sleep})	
Sleep (S3) - W		0.48 W	0.48 W	0.50 W	Reference		
Off (S5) - WOL	L Enabled	0.24 W	0.24 W	0.26 W	Use for Energy Star V	/5 registration(P _{off})	
Off (S5) - WOL	L Disabled	0.27 W	0.27 W	0.32 W	Use for EuP		
EPS No-load		0.129 W	0.134 W	0.198 W			
(External power charger plugge outlet but disco	ed in the wall						
the product.)							
TEC Typical Energy	/ Consumption	kWh/week	kWh/week	kWh/week			
ETEC *	Consumption	12.42 kWh/year	13.08 kWh/year	13.60 kWh/year	$E_{TEC} = (8760/1000) x$ 0.1 + $P_{idle} x 0.3$	$(P_{off} \times 0.6 + P_{sleep})$	· 🗆
Annual Energy Consumption		P.:: Off Mode(\$5) - V	NOL Enabled: P:	Sleen Mode(S3) - WO	L Enabled; P _{idle} : Idle State	- WOL Enabled	
Diaplay receipt	tion : 1366*768		TOE Enabled, 1 sleep. G			- WOL EMADIO	
	. 7300 700						
Print Speed	:	Images per minute					
		ve mode: 25 minutes					<u> </u>
		the energy save fund	<u> </u>		1.		
		the energy requirent version: Version 5.0					
		ergy Star for Exterr					
	nissions	Darlanda araba	1. 10.0 0000				
		Declared according Mode description	to ISO 9296	Declared	Declared A-	woighted	
F 10.1	ode II	viode description		A-weighted sound power	sound pressure le		
					Operator position	Bystander positions	; 1
					Desktop 🔀 or Desk side 🗌	(only if product is no operator attended	
Idle	e *	HDD: Idle		* 3.0	23.7		$\dashv \sqcap \mid$
Ор	peration *	HDD: Operating		* 3.0	26.1	1	┦[]
Oth	her mode						7 -
Me	easured according	ng to: 🔀 ISO7779	ECMA-74				7
		Other			n L _{pAm} measurement dist	ance m)	
P10.2 The	e product meets	the acoustic noise r	equirements of the f	ollowing voluntary p	rogram/s:		

Model nui	mber *	80BJ				
Issue date	e *	2013-05-29	Logo	lend	DVO.	
Product	environn	nental attributes - Market requirements (continued)		Requi	ement	t met
Item		(Yes		n.a.
	Chemica	al emissions from printing products				
P10.3*	Test per	formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:				\square
P10.4		emission rate (print phase) is (mg/h):				
	• •	Oust Ozone Styrene Benzene TVOC				
P10.5		Il emission requirements of the following voluntary program/s are met for : Oust Ozone Styrene Benzene T	voc 🗌			
		nagnetic emissions				
P10.6	program	er display meets the requirement for low frequency electromagnetic fields of the follow s: MPR-II	wing voluntar	<i>y</i>		
P11		able materials for printing products				
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally require				\boxtimes
P11.2*	EN1228		requirement	s of		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.				X
P12	Ergonor	nics for computing products				
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technologi	es.	\boxtimes		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.		\boxtimes		
P13		ng and documentation				
P13.1*	Product	packaging material type(s): Corrugated Carton weight (kg): 0.350 packaging material type(s): Polyethylene Cushions weight (kg): 0.078 packaging material type(s): Others weight (kg):0.116				
P13.2*	Product	plastic packaging is free from PVC.		\boxtimes		
P13.3*		nedia for user and product documentation (tick box): c ☑, Paper ☑, Other ☑				
P13.4*	For pape	er user and product documentation, please specify contained percentage of post-con (// /////////////////////////////////	sumer recycle	ed		
P14		al information (See Note B4)				
	informati knowled	Supplier makes no representations, guarantees, assurances or warranties whether earlier on contained in this document. All information provided by supplier in this document ge available at the time of completion, and supplier shall have no obligation to update here is approximate and provided for informational purposes only. See a Lenovo Acon.	is provided be such inform	ased on su ation. The	pplier's nforma	
P7.17		does not contain free TBBPA in printed circuit boards(without components)>2				
P9		rgy Star Qualified (insert appropriate Product type; i.e. Desktop, Notebook, etc wnloads.energystar.gov/bi/qplist/laptops_prod_list.xls (insert appropriate we		est informa	ntion:	

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19