

## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	IdeaPad	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environmen	t.html
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook PC				
Commercial name *	Lenovo IdeaPad U300e				
Model number *	20168, 2692				
Issue date *	2011-09-30				
Intended market *	🛛 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information	ENERGY STAR® Qualified; EPEAT GOLD Rating; GREENGUARD Certified				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Requirement met		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	l 🔀	

Model number *	Lenovo IdeaPad U300e		
Issue date *	2011-09-30	Logo	lenovo

Product	environmental attributes - Legal requirements	Require	ement	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\boxtimes$		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\boxtimes$		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			$\boxtimes$
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm <sup>2</sup> /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	$\boxtimes$		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\square$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\square$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\square$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model I	umber *	Lenovo IdeaPad U300e				
Issue da	ate *	2011-09-30 Lo	ogo	епо	VO	•
Produc	t environ	mental attributes - Market requirements - Environmental conscious des	ian B	equire	mont	mot
Item		atory to fill in. Additional information regarding each item may be found under P14.	ngn n	Yes	No	n.a.
P6		ent information		100	110	m.a.
P6.1*	Informat	ion for recyclers/treatment facilities is available (see legal reference).		X		
P7	Design					
		mbly, recycling				
P7.1*		at have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.				
P7.3*		arts >100g consist of one material or of easily separable materials.		$\square$		
P7.4*	-	arts >25g have material codes according to ISO 11469 referring ISO 1043.		$\square$		
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly avail	ilable tools.	$\square$		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		$\boxtimes$		
		lifetime				
P7.7*		ng can be done e.g. with processor, memory, cards or drives				
P7.8*	Upgradii	ng can be done using commonly available tools		$\boxtimes$		
P7.9.	Spare pa	arts are available after end of production for: <b>5</b> years				
P7.10		is available after end of production for: <b>5</b> years				
		and substance requirements				
P7.11*		cover/housing material type:				
P7.12	Flectrica	type: <i>PC+ABS-FR(40)</i> Material type: Material ty I cable insulation materials of power cables are PVC free.	pe:		$\square$	
P7.12		I cable insulation materials of power cables are PVC free		-#-		⊢⊢
P7.14						
P7.15		ed circuit boards (without components) >25g are halogen free. as defined in IEC6124	10-2-21 (500			⊢⊢
F7.15	Note B2		+9-2-21. (366			
P7.16		, etarded plastic parts >25g in covers / housings are marked according ISO 1043-4:				
P7.17	TBBPA Alt. 2	al specifications of flame retardants in printed circuit boards >25g (without components (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:				
	ISO 104	al specifications of flame retardants in printed circuit boards (without components) >25 3-4: <b>Brominated Epoxy Resin See P14</b>	g according			
P7.18		retarded plastic parts >25g contain the following flame retardant substances/pre rations above 0.1%:	eparations in			
	Provide complete 1. Chem 2. Chem	<ul> <li>ht: No legal limits exist, this is a market requirement.</li> <li>a list of all used flame retardants including MSDS for each flame retardant. The list e chemical name, CAS number and supplier.</li> <li>ical name: , CAS #: , Supplier:</li> <li>ical name: , CAS #: , Supplier:</li> <li>ical name: , CAS #: , Supplier:</li> </ul>	must contain			
	Alt. 2	al specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classifie 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	ed as R45,	$\square$		
P7.20		plastic parts' weight >25g, recycled material content is 3.4%.				
P7.21		plastic parts' weight >25g, biobased material content is 0%.				
P7.22	0	urces are free from mercury		$\square$		
P8	Batterie					
P8.1*	,	chemical composition: Lithium Ion/Lithium Manganese Dioxide				<u>Ц</u>
P8.2	Batteries	meet the requirements of the following voluntary program/s: US RBRC				

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model num	<sup>iber*</sup> Lenovo IdeaPad U300e									
Issue date	*	2011-09-	30 Logo lenovo							
	Product environmental attributes - Market requirements (continued) Requirement met Item Yes No n.a.									
Item P9							n.a.			
<b>9</b> .1			e following power lev	els or energy consu	motions are reporte	d See P14				
			pped w/ WOL Enable					$\boxtimes$		
Energy mod	de *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / and test met		for energy m	lodes	
Peak (On-max)			65 W	<b>65</b> W	<b>65</b> W	Full load				
Category	<u>y A</u>					1				
Idle State -	- WOL En	abled	7.404W	7.482W	<b>8.68</b> W	Use for Ene	ergy Star V	5 registration(	P <sub>idle</sub> )	
Sleep (S3)	- WOL E	nabled	1.579 W	1.567 W	1.608W	Use for Ene	ergy Star V	5 registration(	P <sub>sleep</sub> )	
Sleep (S3)	- WOL D	isabled	1.575 W	1.5666 W	1.605 W	Reference				
Off (S5) - V	NOL Enal	bled	0.932 W	<b>0.927</b> W	<b>0.962</b> W	Use for Ene	ergy Star V	5 registration(	P <sub>off</sub> )	
Off (S5) - V	NOL Disa	bled	0.931W	<b>0.928</b> W	<b>0.9625</b> W	Use for EuP	,			
EPS No-loa	ad		0.222 W	0.223 W	<b>0.263</b> W					
(External per charger plu outlet but d the product	igged in th	ne wall								
TEC			kWh/week	kWh/week	kWh/week					$\square$
Typical Ene	ergy Cons	umption								
ETEC * Annual Ene	ergy Cons	umption	25.740 kWh/year	25.908 kWh/year	29.276 kWh/year	$E_{TEC} = (876)$ 0.1 + $P_{idle} x$		Poff x 0.6 + Ps	ileep X	
			Poff: Off Mode(S5) - V	VOL Enabled; P <sub>sleep</sub> : S	Sleep Mode(S3) - WOL	Enabled; P <sub>idle</sub>	: Idle State -	WOL Enabled		<u> </u>
Display res	olution :	1280*80	Megapixels							
Print Speed	d :		Images per minu	te						
		energy sa	ave mode: 25 minute							
P9.2*			the energy save fund		the product.			$\square$		
P9.3*			the energy requiren		•	/s:				
	ENERG	/ STAR®	version: Version 5.0	) dated July 1, 200	Product category:	Α		$\boxtimes$		
D10			ergy Star for Exter	nal Power Supplies	Eligibility Criteria	Version 2				
P10	Emissio Noise er		Declared according	to ISO 9296						
P10.1			Mode description		Declared A-weighted sound power	Declared A-weighted sound pressure level $L_{p\rm Am}$ (dB		0		
						Operator posi	tion 🔀	Bystander pos	itions	
					What V	Desk	ktop 🔀	only if product		
						or Desk s	side 🔄 🤇	operator atter		
	ldle		HDD: Idle		* 2.3	20				
	Operatio		HDD: Operating		* 2.3		20			
	Other mo									ļ
	Measure	d accordir	ng to: 🔀 ISO7779	_ ECMA-74			romant dist	anco	<u>ا</u>	
P10.2	The prod	luct meets	the acoustic noise r		ed by ECMA-74 with following voluntary r			ance m	/	
	inc piou			squirements of the	subwing volunialy p	nogram/3.				

Model nu	Iniber	Lenovo IdeaPad U300e							
Issue dat	te *	2011-09-30	Logo	leno	VO				
		· · · · · · · · · · · · · · · · · · ·							
	environ	mental attributes - Market requirements (continued)		Require		met			
ltem				Yes	No	n.a.			
	Chemic	al emissions from printing products							
P10.3*	Test per	formed according to ECMA-328 (ISO/IEC 28360) standard 🗌, other specify:				$\boxtimes$			
P10.4	Typical	emission rate (print phase) is (mg/h):				$\boxtimes$			
		Dust Ozone Styrene Benzene TVOC							
P10.5	Chemic	al emission requirements of the following voluntary program/sare met for :	_			$\boxtimes$			
			TVOC						
		magnetic emissions							
P10.6		er display meets the requirement for low frequency electromagnetic fields of the foll	owing voluntary	$\boxtimes$					
P11		/s: MPR-II nable materials for printing products							
P11.1*	A Safety	/ Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ	ired (see P4.3).						
P11.2*		containing post-consumer recycled fibers can be used, provided that it meets the		of	∺				
1 11.2	EN12281.								
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.				$\square$			
P12	Ergono	mics for computing products							
P12.1*	The disp	play meets the ergonomic requirements of ISO 9241-307 for visual display technological	gies.	$\boxtimes$					
P12.2*	The phy	sical input device meets the requirements of ISO 9995 and ISO 9241-410.			$\overline{\Box}$	一一			
P13	Packag	ing and documentation							
P13.1*		packaging material type(s): Corrugated Carton weight (kg): 0.378							
		packaging material type(s): Polyethylene Cushions weight (kg): 0.058							
		packaging material type(s): Others weight (kg):0.230							
P13.2*		plastic packaging is free from PVC.		$\mathbf{X}$					
P13.3*		media for user and product documentation (tick box):							
		ic 🔀, Paper 🔀, Other 📃							
P13.4*		er user and product documentation, please specify contained percentage of post-cc 1% (Japan only 70%)	insumer recycled	t					
P14	Additio	nal information (See Note B4)							
		Supplier makes no representations, guarantees, assurances or warranties whether							
		tion contained in this document. All information provided by supplier in this documer							
		mowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more							
	informat		Account Represe	ntative for i	nore				
P7.17		t does not contain free TBBPA in printed circuit boards(without components):	25a						
P9		ERGY STAR Qualified Notebooks & Tablet Computers for the latest informatic							
		ownloads.energystar.gov/bi/gplist/laptops_prod_list.xls							

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19