



## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	IdeaPad	Logo
Company name *	Lenovo	
Contact information *	Alvin L Carter 1009 Think Place	lenovo
	Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@us.lenovo.com	
Internet site *	www.pc.ibm.com/ww/lenovo/about/environment	
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook PC				
Commercial name *	Lenovo IdeaPad U350				
Model number *	M/T: 20028, 2963				
Issue date *	2009-05-08				
Intended market *	🛛 Global 🗌 Europe 📃 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information	ENERGY STAR® Qualified; EPEAT Silver Rating; GREENGUARD Certified				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	$\boxtimes$	

Model number *	IdeaPad U350 MT: 20028, 2963		
Issue date *	2009-04-29	Logo	
			lenovo

	t environmental attributes - Legal requirements	Requirement m		
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead max 0.1%, cadmium max 0.01%, mercury max 0.1%, hexavalent chromium max 0.1%, polybrominated biphenyls (PBB) max 0.1% and polybrominated diphenyl ethers (PBDE) max 0,1% (see legal reference and <sup>Note 1</sup> ).			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	$\boxtimes$	$\boxtimes$	
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain polychlorinated biphenyl (PCB) max 0.005% by weight, polychlorinated terphenyl (PCT) max 0.005% by weight (see legal reference).	$\boxtimes$		
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP max 0.1% (see legal reference).	$\square$		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colorants that split aromatic amines max 0.003% by weight (see legal reference and Note 1).			$\square$
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm2/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P2	Batteries			-
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	$\square$		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\boxtimes$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	$\mathbf{X}$		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\square$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note 1).			$\square$
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\boxtimes$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS/MSDS) in accordance with these requirements (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain lead, mercury, cadmium and hexavalent chromium max 0.01% by weight of these together.	$\boxtimes$		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\boxtimes$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			

Note 1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number * IdeaPad U350 MT: 20028, 2963					
Issue date *		2009-04-29 Logo			
			len		
			G		U
		nmental attributes - Market requirements - Environmental conscious design	Requir		
Item P6		atory to fill in. Additional information regarding each item may be found under P14. nt information	Yes	No	n.a.
P6.1*		on for recyclers/treatment facilities is available (see legal reference).			
P7	Design				
		mbly, recycling			
P7.1*		t have to be treated separately are easily separable			
P7.2*		naterials in covers/housing have no surface coating.			
P7.3*		arts >100g consist of one material or of easily separable materials.	$\square$		
P7.4*	•	arts >25g have material codes according to ISO 11469 referring ISO 1043.	$\square$		
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available tool	ls. 🔀		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).	$\square$		
	Product				
P7.7*		ng can be done e.g. with processor, memory, cards or drives			
P7.8*	10	ng can be done using commonly available tools	$\square$		
P7.9.		arts are available after end of production for: 5 years			
P7.10	Service	is available after end of production for: 5 years	<u> </u>		
		and substance requirements			
P7.11*		cover/housing material type:			
P7.12		type:   PC+ABS   Material type:   Material type:     I cable insulation material of power cables are halogen free (including PVC). (See Note 1)   (See Note 1)   (See Note 1)			
P7.13		I cable insulation material of signal cables are halogen free (including PVC). (See Note 1)	— H		╞
P7.14		/housing plastic parts >25g are halogen free. (See Note 1)			╞
P7.15		d circuit boards (without components) >25g are halogen free. (See Note 2)			╞
P7.16		tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:			╞
	Marking:	FR(40):Halogen-free organic phosphorus compounds			
P7.17	Alt. 1 Chemica	I specifications of flame retardants in printed circuit boards >25g (without components):			
		additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	Alt. 2			_	
		Il specifications of flame retardants in printed circuit boards (without components) >25g accordir 3-4: Brominated Epoxy Resin	ng 🔀		
P7.18	Alt. 1	Brommated Epoxy Resm			
F7.10		tarded plastic parts >25g contain the following flame retardant substances/preparations in		$\square$	
		ations above 0.1%:			
	Commer	t: No legal limits exist, this is a market requirement.			
	1. Chem	ical name: , CAS #:			
		ical name: , CAS #:			
	3. Chem	ical name: , CAS #:			
	Alt. 2				
		I specifications of flame retardants in plastic parts >25g according ISO 1043-4:	$\boxtimes$		
P7.19		plastic parts' weight >25g, recycled material content is 0%.			
P7.20 P7.21		plastic parts' weight >25g, biobased material content is 0%.			
F1.21		y is used specify: Number of lamps: 0 and max. mercury content per lamp: 0 mg	$\bowtie$		
P8	Batterie				
P8.1*		hemical composition: Lithium Ion/Lithium Manganese Dioxide			
P8.2	Batteries	meet the requirements of the following voluntary program/s: US RBRC			

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

Note 2 In accordance with JPCA-ES-01; printed wiring boards must not contain more than 0.09% by weight (900ppm) of chlorine or bromine.

Model number *	IdeaPad U350 MT: 20028, 2963		
Issue date *	2009-04-29	Logo	lenovo

Produc	Product environmental attributes - Market requirements (continued) Requirement met								
Item							Y	res No	n.a.
P9	Energy consumpti								
9.1	9.1 For the product the following power levels or energy consumptions have been measured:								
Energy r	node *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC		Reference / Stan and test method		y modes	
On-Max		65 W	65 W	65 W		Full load			
On-idle		7.1 W	7.1 W	7.8 W		Idle State (Spec	ify Category)	for ES5	
Save-1		0.76 W	0.77 W	0.96 W		Sleep w/ WOL E	Enable for ES5		
Off 1		0.38 W	0.39 W	0.54 W		Standby w/ WO	L Enable for E	S5	
		W	W	W					
charger outlet bu the prod	I power supply / plugged in the wall it disconnected from	0.16 W	0.16 W	0.24 W					
PTEC * Typical E	Energy Consumption	W	W	W					
ETEC * Typical E	Energy Consumption	21.3 kWh/week	21.4 kWh/week	24.2 kWh/w	eek	$E_{TEC} = (8760/100)$ 0.1 + $P_{idle} \times 0.3$		+ P <sub>sleep</sub> X	
Default t	ime to enter energy s	ave mode: min	utes						
P9.2*	Information about th	e energy save functio	n is provided with t	he product.				$\square$	
P9.3*	ENERGY STAR® v	the energy requirement ersion Version 5.0 dates argy Star for External	ated July 1, 2009	Tier:		ion 2	[		
P10	Emissions								
		Declared according to	ISO 9296		1				
P10.1	Mode M	ode description		Declared A-weighted sound power		sound pressure	1		-
				level $L_{WAd}$ (B)		ator position X Desktop X or Desk side	Bystander pos (only if proo operator		
	Idle *	HDD:Idle,Fan:optimi	zed speed	* 2.84			28.4		
		HDD:Operating ,Fan. peed	:Optimized	* 3.79			37.9		
	Other mode								
	Measured according		ECMA-74 (only if not covered	by ECMA-74 wit	th L <sub>pAm</sub>	measurement dis	stance m	 າ)	-
P10.2								$\boxtimes$	
	Chemical emissions from printing products								
P10.3*	Test performed acc	Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify:						$\square$	
P10.4		te (print phase) is (mg		_					
P10.5	Dust Ozone Styrene Benzene TVOC								
F 10.5	Chemical emission requirements of the following voluntary program/s are met for :				M				
			Benzene	TVO			_		
	Electromagnetic e	missions							
P10.6	6 Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary								

Model number *	IdeaPad U350 MT: 20028, 2963		
Issue date *	2009-04-29	Logo	lenovo

Produc	t environmental attributes - Market requirements (continued)	Require	ment	met	
ltem		Yes	No	n.a.	
P11	Consumable materials for printing products				
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			$\boxtimes$	
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of				
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			$\square$	
P12	Ergonomics for computing products				
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	$\boxtimes$			
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.				
P13	Packaging and documentation				
P13.1*	Product packaging material type(s): Corrugated cardboard weight (kg): 0.96 Kg   Product packaging material type(s): Polystyrene weight (kg): 0.00 Kg   Product packaging material type(s): Polyethylene weight (kg): 0.13 Kg				
P13.2*	Product plastic packaging is halogen free (including PVC). (See Note 1)	$\times$			
P13.3*	Specify media for user and product documentation (tick box):				
	Electronic 🛛 Paper 🛛 Other 🗌			_	
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber. <b>70%</b>				
P14	Additional information				
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.				
P12.1	Product is designed to meet the subject ISO Standard 9241-307, but is not confirmed through formal t	est method	ls.		
P12.2	Product is designed to meet the subject ISO Standard 9995 and 9241-410, but is not confirmed throug methods.	h formal te	st		

Note 1 For cables, covers & housing plastic parts and plastic packaging materials in this standard; halogens include fluorine, chlorine, bromine, and iodine.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
76/769/EEC (Marketing and Use Directive)	P1.6, P1.8, P4.2
amendment 89/677/EEC	P1.4
amendment 1999/77/EC	P1.2
amendment 2003/3/EC	P1.7
amendment 94/27/EEC	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P4.2
1999/45/EC (Dangerous Preparations Directive)	P4.3
2001/58/EC (Directive on Safety Data Sheets)	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1