

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

| Brand * | IdeaPad | Logo | | |
|------------------------|---|--------|--|--|
| Company name * | Lenovo | | | |
| Contact information * | Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com | lenovo | | |
| Internet site * | http://www.lenovo.com/social_responsibility/us/en/environment | | | |
| Additional information | | | | |

| | The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. | | | | |
|------------------------|--|--|--|--|--|
| Type of product * | lotebook PC | | | | |
| Commercial name * | IdeaPad Z580 | | | | |
| Model number * | 20135, 2151 | | | | |
| Issue date * | 2012-2-20 | | | | |
| Intended market * | ☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other | | | | |
| Additional information | ENERGY STAR® Qualified; EPEAT GOLD Rating; GREENGUARD Certified | | | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

| Quality (| Control | Requireme | nt met |
|-----------|--|-------------|--------|
| Item | | Yes | No |
| QC1 * | The company enforces an internal quality control scheme to ensure the correctness of this eco declaration | \boxtimes | |
| QC2 * | The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org). | ol 🛛 | |

| Model number * | IdeaPad Z580 | | |
|----------------|--------------|------|--------|
| Issue date * | 2012-2-20 | Logo | lenovo |

| Product | environmental attributes - Legal requirements | Require | men | t met |
|---------|---|-------------|-----|-------------|
| Item | <u> </u> | Yes | No | n.a. |
| P1 | Hazardous substances and preparations | | | |
| P1.1* | Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1) | | | |
| P1.2* | Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. | | | |
| P1.3* | Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), | \square | П | |
| | hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. | | | |
| P1.4* | Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference). | | | |
| P1.5* | Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). | | | |
| P1.6* | Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values. | | | |
| P1.7* | Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1) | | | |
| P1.8* | Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values. | | | |
| P1.9* | Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998. | | | |
| P1.10* | REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/ThinkGreen_products.html#environment | \boxtimes | | |
| P2 | Batteries | | | |
| P2.1* | If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) | | | |
| P2.2* | Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) | | | |
| P2.3* | Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) | | | |
| P3 | Safety, EMC connection to the telephone network and labeling | | | |
| P3.1* | The product complies with legally required safety standards as specified (see legal reference). | | | |
| P3.2* | The product complies with legally required standards for electromagnetic compatibility (see legal reference). | | | |
| P3.3* | If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). | S 🔀 | | |
| P3.4* | The product is labeled to show conformance with applicable legal requirements (see legal reference). | \boxtimes | | |
| P4 | Consumable materials | | | |
| P4.1* | If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). | | | |
| P4.2* | If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). | | | \boxtimes |
| P4.3* | If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). | | | |
| P5 | Product packaging | | | |
| P5.1* | Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together. | d 🔀 | | |
| P5.2* | Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). | \boxtimes | | |
| P5.3* | The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. | al 🔀 | | |

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

| Model number * | IdeaPad Z580 | | |
|----------------|--------------|------|--------|
| Issue date * | 2012-2-20 | Logo | lenovo |

| Product | t environmental attributes - Market requirements - Environmental conscious design Re | quire | men | t met |
|---------|--|-------------|-------------|---------------|
| Item | *=mandatory to fill in. Additional information regarding each item may be found under P14. | Yes | No | n.a. |
| P6 | Treatment information | | | |
| P6.1* | Information for recyclers/treatment facilities is available (see legal reference). | \boxtimes | | |
| P7 | Design Disassembly, recycling | | | |
| P7.1* | Parts that have to be treated separately are easily separable | \square | | $\overline{}$ |
| P7.2* | Plastic materials in covers/housing have no surface coating. | | H | 一片 |
| P7.3* | Plastic parts >100g consist of one material or of easily separable materials. | | + | - |
| P7.4* | Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. | | + | ╫ |
| | | | | _# |
| P7.5 | Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. | | _ <u>_</u> | _# |
| P7.6* | Labels are easily separable. (This requirement does not apply to safety/regulatory labels). | | | |
| | Product lifetime | | | |
| P7.7* | Upgrading can be done e.g. with processor, memory, cards or drives | \boxtimes | | |
| P7.8* | Upgrading can be done using commonly available tools | \boxtimes | | |
| P7.9. | Spare parts are available after end of production for: 5 years | | | |
| P7.10 | Service is available after end of production for: 5 years | | | |
| | Material and substance requirements | | | |
| P7.11* | Product cover/housing material type: | | | |
| | Material type: <i>PC+ABS-FR(40)</i> Material type: Material type: | | | |
| P7.12 | Electrical cable insulation materials of power cables are PVC free. | | \boxtimes | |
| P7.13 | Electrical cable insulation materials of signal cables are PVC free | | \boxtimes | |
| P7.14 | All cover/housing plastic parts >25g are free from chlorine and bromine. | | Ħ | 一百 |
| P7.15 | All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2) | | X | |
| P7.16 | Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40) | | | |
| P7.17 | Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #: | | | |
| | Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: <i>Brominated Epoxy Resin See P14</i> | | | |
| P7.18 | Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: | | | |
| | Comment: No legal limits exist, this is a market requirement. Provide a list of all used flame retardants including MSDS for each flame retardant. The list must contain complete chemical name, CAS number and supplier. 1. Chemical name: , CAS #: , Supplier: 2. Chemical name: , CAS #: , Supplier: | | | |
| | 3. Chemical name: , CAS #: , Supplier: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) | | | |
| P7.19 | Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3) | | | |
| P7.20 | Of total plastic parts' weight >25g, recycled material content is <i>6.8</i> %. | | | |
| P7.21 | Of total plastic parts' weight >25g, biobased material content is 0 %. | | | |
| P7.22 | Light sources are free from mercury | \boxtimes | | |
| P8 | Batteries | | | |
| P8.1* | Battery chemical composition: Lithium Ion/Lithium Manganese Dioxide | | | |
| P8 2 | Batteries meet the requirements of the following voluntary program/s: US RRRC | | | 一百 |

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

| Model number * | IdeaPad Z580 | | |
|----------------|--------------|------|--------|
| Issue date * | 2012-2-20 | Logo | lenovo |
| | | | |

| Product e | environmental attributes - Market requirements (continued) Requirement mo | | | | t met | | |
|----------------------|---|--|--|---------------------------------|---|--|-----|
| Item | | Yes No | | | n.a. | | |
| | • | | | | | | |
| | | e following power lev oped w/ WOL Enable | | mptions are reporte | ed: <i>See P14</i> | | |
| Energy mod | le * | Power level at 100 V AC | Power level at 115 V AC | Power level at 230 V AC | Reference / Standa and test method * | rd for energy modes | |
| Peak (On-n | nax) | 90 W | <i>90</i> W | <i>90</i> W | Full load | | |
| Category | <u> B</u> | • | | • | • | | |
| Idle State - | WOL Enabled | 10.7W | 10.7W | 11 W | Use for Energy Star | V5 registration(P _{idle}) | |
| Sleep (S3) | - WOL Enabled | <i>0.76</i> W | <i>0.76</i> W | 0.82 W | Use for Energy Star | V5 registration(P _{sleep}) | |
| Sleep (S3) | - WOL Disabled | 0.74 W | 0.74 W | 0.78 W | Reference | | |
| Off (S5) - W | /OL Enabled | <i>0.36</i> W | <i>0.37</i> W | 0.41 W | Use for Energy Star | V5 registration(P _{off}) | |
| Off (S5) - W | /OL Disabled | 0.36 W | <i>0.36</i> W | 0.4 W | Use for EuP | | |
| charger plug | ower supply / gged in the wall sconnected from | 0.145 W | 0.148 W | 0.186 W | | | |
| TEC Typical Ene | rgy Consumption | kWh/week | kWh/week | kWh/week | | | |
| ETEC * Annual Ene | rgy Consumption | 30.678 kWh/year | 30.730 kWh/year 31.781 kWh/year $E_{TEC} = (8760/1000) \times (P_{off} \times 0.6 + P_{s} + P_{total} \times 0.3)$ | | $x (P_{off} x 0.6 + P_{sleep})$ | | |
| | | P _{off} : Off Mode(S5) - 1 | WOL Enabled; P _{sleep} : S | Sleep Mode(S3) - WOI | L Enabled; P _{idle} : Idle State | e - WOL Enabled | |
| Display reso | olution : 1280*800 | Megapixels | | | | | |
| Print Speed | : | Images per minu | te | | | | |
| Default time | e to enter energy sa | ve mode: 25 minute | es . | | | | |
| P9.2* | Information about t | he energy save fund | ction is provided with | the product. | | | |
| | ENERGY STAR® Others specify: <i>En</i> | the energy requirent version: <i>Version 5.0</i> ergy Star for Exter | dated July 1, 2009 | Product category: | В | | |
| _ | Emissions | Doclared according | to ISO 0206 | | | | |
| | | Declared according Mode description | 10 130 3230 | Declared A-weighted sound power | Declared A sound pressure I | | |
| | | | | .010. ZwAd (2) | Operator position Desktop or Desk side | (only if product is not operator attended) | |
| | Idle * | HDD: Idle | | * 2.9 | | 24 | 4 📮 |
| l | Operation * Other mode | HDD: Operating | | * 3.0 | 25 | 5.2 | ┧Ш |
| | L | ng to: ISO7779 | | | | | |
| P10.2 | The product meets | Other | | | h L _{pAm} measurement d | istance m) | |

| Model number * | IdeaPad Z580 | | |
|----------------|--------------|------|--------|
| Issue date * | 2012-2-20 | Logo | lenovo |

| Product 6 | environmental attributes - Market requirements (continued) | Require | ment | met | | |
|-----------|--|-------------|---------|-------------|--|--|
| Item | , , , , | Yes | No | n.a. | | |
| | Chemical emissions from printing products | | | | | |
| P10.3* | Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify: | | | \boxtimes | | |
| P10.4 | Typical emission rate (print phase) is (mg/h): | | | \boxtimes | | |
| | Dust Ozone Styrene Benzene TVOC | | | | | |
| P10.5 | Chemical emission requirements of the following voluntary program/s are met for : | | | \boxtimes | | |
| | Dust Ozone Styrene Benzene TVOC | | | | | |
| | Electromagnetic emissions | | | | | |
| P10.6 | Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: MPR-II | | | Ш | | |
| P11 | Consumable materials for printing products | | | | | |
| P11.1* | A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). | | | \boxtimes | | |
| P11.2* | Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281. | | | X | | |
| P11.3* | 2-sided (duplex) printing/copying is an integrated product function. | | | X | | |
| P12 | Ergonomics for computing products | | | | | |
| P12.1* | The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. | \boxtimes | | | | |
| P12.2* | The physical input device meets the requirements of ISO 9995 and ISO 9241-410. | | | | | |
| P13 | Packaging and documentation | | | | | |
| P13.1* | Product packaging material type(s): Corrugated Carton weight (kg): 0.378 | | | | | |
| | Product packaging material type(s): <i>Polyethylene Cushions</i> weight (kg): <i>0.058</i> Product packaging material type(s): <i>Others</i> weight (kg): <i>0.230</i> | | | | | |
| P13.2* | Product packaging in free from PVC. | | | | | |
| P13.3* | Specify media for user and product documentation (tick box): | | | | | |
| 1 10.0 | Electronic , Paper , Other | | | | | |
| P13.4* | For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0% (Japan only 70%) | | | | | |
| P14 | Additional information (See Note B4) | | | | | |
| | NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied | d, regard | ing the |) | | |
| | information contained in this document. All information provided by supplier in this document is provided base | d on sup | plier's | | | |
| | knowledge available at the time of completion, and supplier shall have no obligation to update such information | | | ion | | |
| | provided here is approximate and provided for informational purposes only. See a Lenovo Account Represent information. | ative for i | more | | | |
| P7.17 | Product does not contain free TBBPA in printed circuit boards(without components)>25g. | | | | | |
| P9 | See ENERGY STAR Qualified Notebooks & Tablet Computers for the latest information: | | | | | |
| | http://downloads.energystar.gov/bi/qplist/laptops_prod_list.xls | | | | | |

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

| Reference | Declaration item |
|--|------------------------------|
| 2002/95/EC (ROHS Directive) | P1.1, P4.1 |
| REACH, Annex XVII | P1.6, P1.8, P4.2 |
| REACH, Annex XVII | P1.4 |
| REACH, Annex XVII | P1.2 |
| REACH, Annex XVII | P1.7 |
| REACH, Annex XVII | P1.9 |
| Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000 | P1.3 |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5 |
| 2006/66/EC (Battery and accumulators Directive) | P2.1, P2.2, P2,3, P3.4, P8.1 |
| 2006/95/EC (Low Voltage Directive) | P3.1, 3.4 |
| 2004/108/EEC (New EMC Directive) | P3.2, 3.4 |
| 1999/5/EC (R&TTE Directive) | P3.3, 3.4 |
| "REACH" Regulation (1907/2006), annex VII | P1.10 |
| (EC) No.1272/2008 regulation on classification, labeling and packaging (CLP) | P4.3 |
| REACH article 31, annex II | P4.3 |
| 2004/12/EC (Directive on packaging and packaging waste) | P5.1 |
| (97/129/EC) (Commission Decision on Identification System for Packaging Materials | P5.2 |
| 2037/2000/EC Regulation on Substances that Deplete the Ozone Layer | P5.3 |
| 2002/96/EC (WEEE directive) | P3.4, P6.1 |
| (EC) No.1272/2008 regulation on classification, labeling and packaging (CLP) | P7.19 |